
Gardening

RATTAN SCREENING - ARTIFICIAL GRASS - ARTIFICIAL HEDGE DECKING TILES - LAWN EDGING - ECO DOOR MATS STEPPING STONES - FIXING PEGS- TAPES CLEANING PRODUCTS - ANTI-SLIP PROFILES- FIXING PINS







CONTACT US 00353 1 4011 666

Artificial Crass Guide

Greenfx artificial grass is maintenance free, requiring no watering, no mowing, no weeding and no feeding, making it an ideal option for those with busy lifestyles or for those who simply enjoy the natural look but without the hassle of routinely maintaining real grass.

Artificial Grass yarn types













Flat Yarn Oval Yarn

Stem Yarn U Shape

W Shape Wave Shape

- Made of 100% recyclable materials
- Fire Rated to DIN 51960 Class II
- Water permeability 67 lt / hr
- Outdoor & indoor applications
- UV Stabilised
- 12 38mm pile height
- 2m & 4m wide rolls cut to length















| | | | | | | _ | |
|----------------------------|-------------|-------------|--------------|---------------|-------------|-----------|---------------|
| Techical Data | 10mm | 12mm | 20mm | 20mm | 30mm | 35mm | 38mm |
| Grass Name | Snow White | Botanic | Slanehill | Eden | Powerscourt | Meadow | Luxury |
| Application | Display | Balcony | Landscape | Landscape | Landscape | Landscape | Landscape |
| Yarn / Blade Type | Fibrillated | Fibrillated | Monofilament | Stem Yarn Mix | U Shape | W Shape | Stem Yarn Mix |
| Colour | Mono | Mono | 4 colours | 4 colours | 4 colours | 4 colours | 4 colours |
| Roll Width (m) | 2 & 4 | 2 & 4 | 2 & 4 | 2 & 4 | 2 & 4 | 2 & 4 | 2 & 4 |
| Roll Lengths (m) | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| Fire Resistant (DIN 51960) | Class II | Class II | Class II | Class II | Class II | Class II | Class II |
| Water Permeability | n/a | n/a | 67lt / h | 67lt / h | 67lt / h | 67lt / h | 67lt / h |
| UV Rating (DIN 533387) | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Stitching per m2 | 80,640 | 80,640 | 14,700 | 14,700 | 14,700 | 14,700 | 21,000 |
| Total Weight (Kg/m2) | 0.93 | 0.93 | 1.86 | 2.02 | 2.56 | 2.55 | 2.56 |
| Tuff Gauge | 5.32" | 5.32" | 3/8" | 3/8" | 3/8" | 3/8" | 3/8" |
| Yarn Denier or Dtex | 2200 | 2200 | 8500 | 11000 | 13000 | 12000 | 8000 |
| Yarn | PP | PP | PE | PE | PE | PE | PE |
| Backing | PP | PP | PP | PP | PP | PP | PP |
| Suppliers Warranty | 1 Year | 1 Year | 8 Years | 8 Years | 8 Years | 8 Years | 8 Years |
| | | | | | | | |

2.

greenfx.ie



Snow White 10mm

GRA19 - 10mm x 2m x 25m (50m2) Snow White GRA41 - 10mm x 4m x 25m (100m2) Snow White

Botanic 12mm

GRA7 - 12mm x 1m x 4m (4m2) "Grab & Go" GRA8 - 12mm x 2m x 4m (8m2) "Grab & Go"

GRA22 - 12mm x 2m x 25m (50m2)

GRA42 - 12mm x 4m x 25m (100m2)



Slanehill 20mm

GRA53 - 20mm x 1m x 4m (4m2) "Grab & Go"

GRA54 - 20mm x 2m x 4m (8m2) "Grab & Go"

GRA37 - 20mm x 2m x 25m (50m2)

GRA17 - 20mm x 4m x 25m (100m2)







Eden 20mm 🎻



GRA1 - 20mm x 1m x 4m (4m2) "Grab & Go"

GRA2 - 20mm x 2m x 4m (8m2) "Grab & Go"

GRA23 - 20mm x 2m x 25m (50m2)

GRA43 - 20mm x 4m x 25m (100m2)





Powerscourt (Stripe) 30mm (



GRA30/50 - 30mm x 2m x 25m (50m2) GRA30/100 - 30mm x 4m x 25m (100m2)





Meadow 35mm



GRA49 - 35mm x 2m x 25m (50m2)

GRA50 - 35mm x 4m x 25m (100m2)





Luxury 38mm 🎻



GRA38/50 - 38mm x 2m x 25m (50m2) GRA38/100 - 38mm x 4m x 25m (100m2)

AND JOHN MAN MENDEN LOS ME AN ARCHARDAN AND AND AND AND MAN HAR HAR LINKER AND AND AND









Code: GRA100 Greenfx Scented Artificial Grass Spray Cleaner & Reviver 750ml

Freshen up tired looking artificial grass using our artificial grass cleaner and a hard bristle sweeping brush. Ideal for also addressing spot cleaning.





Code: GRA12 Greenfx Butyl tape 150mm x 1.5mm x 4m

Very strong fixing tape for artificial grass and adheres to most materials, including concrete.





Code: GRA3
Greenfx Bitumen S/A Jointing tape 150mm x 1.5mm x 4m

Suitable for joining artificial grass. Note this product may require gentle heating depending on the exterior temperate.





Code: GRA35 Greenfx Artificial Grass Adhesive 310ml

Suitable for use with geotextile fabrics and or for simply spot gluing artificial grass. Flexible green polymer.





Code: GRA4
Greenfx Aluminium fixing pins 20cm (10pk)

Suitable for pinning artificial grass, weed barriers, tents along with many other uses around the home & garden.





Code: GRAR1 Greenfx Artificial Grass Tiles 25mm x 40cm x 40cm

Quality artificial grass tiles, manufactured in the EU, on a recycled rubber base allowing rainwater to escape more rapidly while providing a shock absorbency under foot.





Artificial Hedge Screening 1m x 2m on expanding trellis



Code: GRA55

Greenfx Artificial Hedge 2m x 1m (2m2) Red Acer

Code: GRA56

Greenfx Artificial Hedge 2m x 1m (2m2) Savanna

Code: GRA57

Greenfx Artificial Hedge 2m x 1m (2m2) Evergreen

Code: GRA90

Greenfx Floral Hedge H/D PVC Trellis 2m x 1m

Buttercup

Code: GRA91

Greenfx Floral Hedge H/D PVC Trellis 2m x 1m

Rose Pink

Code: GRA92

Greenfx Floral Hedge H/D PVC Trellis 2m x 1m

Flora Pink











K DE DRENGE LERKER, SERBELLER BERKELLER KOMEN BERGER BEGEN BERGELDE KANDE BERGER BERGER BERGER BERGER BE










GRA10



Code: GRA10

Greenfx Artificial Hedge 3m x 1m (3m2) Autumn

Code: GRA15

Greenfx Artificial Hedge 3m x 1m (3m2) Emerald

Code: GRA20

Greenfx Artificial Hedge 3m x 1m (3m2) Amazon





























Recyclable













Rattan on a Roll

Code: GRA75

Greenfx Rattan Screening 3m x 0.9m Forest Green

Code: GRA76

Greenfx Rattan Screening 3m x 0.9m Cedar Brown

Code: GRA77

Greenfx Rattan Screening 3m x 0.9m Classic

Grey

Code: GRA78


Greenfx Rattan Screening 3m x 0.9m Slate Grey

Heavy gauge quality 1300g/m2

Can be fixed using, cable ties, staples or screws.









dssupplies.com













Garden Edging 2.5m



Code: EDP4003

Greenfx GardenPal Edging Brown 2.5m



Code: EDP4007

Greenfx GardenPal Edging Anthracite 2.5m







Code: EDP4026

Greenfx GardenPal Edging Terracotta 2.5m




Quick & Easy to slide sections together, flexible for curves and does not decay.

















Code: EDR25

Greenfx Rattan Garden Edging Dark Brown 2.4m



Code: EDR33

Greenfx Rattan Garden Edging Anthracite 2.4m





Code: EDR37

Greenfx Rattan Garden Edging Graphite 2.4m






Code: EDR41

Greenfx Rattan Garden Edging Terracotta 2.4m





Rattan Lawn Edging 2.4m

















Code: ED3001

Greenfx Palisgarden Flexi Edge 3m Black (includes 12 fixing pegs)













Made from recycled car tyres



Border Edging













Code / Description

Code: EDG030

Flexi Scalloped edging c/w spikes Grey 1.2m



120cm



Code: EDG001 Flexi Scalloped edging c/w spikes Earth 1.2m









JOHAN LAKE DALIM DE BOKER HARAN SERBATAN BAKAN PANDERAKA TOLAKAN BAKAN BERAKAN DERAKAN BAKAN BAKAN BAKAN BAKAN







Code / Description Border Edging









7cm

Roman Stone Edging c/w spikes Grey 1.2m

120cm

Code: EDG064

Roman Stone Edging c/w spikes Earth 1.2m









Made from recycled car tyres



Flexi Border Edging














Code: EDG206

Maryland Border c/w spikes Grey 118cm




























Walkway Stepping Stone Grey - 51 x 38 x 1.8cm

Code: SS093

Round River Rock Grey - 46 x 46 x 2.2cm

Code: SS087

Natural Stone Grey - 51 x 38 x 1.8cm

Code: SS092

Cracked Log Stepping Stone Brown - 46 x 46 x 1.7cm

Code: SS086

A. A. No. 26. An Annie Alberta Annie Andre Andre Charles (1964) a loudeze extent abbito de N

Railroad Tile Stepping Stone Brown - 61 x 25.5 x 1.7cm













Decking Tiles

Made from recycled car tyres





Code / Description

Code: DT096

Deck Tile Mosaic Coffee 30 x 30cm (6pk)

Code: DT 104

Deck Tile Mosaic Graphite 30 x 30cm (6pk)

Code: DT082

Deck Tile Cosmopolitan Graphite 30 x 30cm

(6pk)

Code: DT 187

Deck Tile Cosmopolitan Coffee 30 x 30cm (6pk)



Coverage: 1 Pack (6pcs / 0.558m2 Pallet Qty = 72 packs)















A. No. Als All developing A. A. all also received entally independent a balance at the relation for the relation and the A. A. No. Aid





10cm 120cm

Code: EDG400

Mowing Edge c/w spikes Earth 1.2m


















































& plastic bottles















Code: MAT272

Ecotrend Soft Step Doormat 45 x 75cm Black



Code: MAT280

Ecotrend Soft step Doormat 45 x 75cm Grey



Code: MAT292

Ecotrend Scrap N Brush Doormat 45 x 75cm Grey



Code: MAT290

Ecotrend Scrap N Brush Doormat 45 x 75cm Brown



Code: MAT 152

Ecotrend Happy Place Doormat 45 x75cm



Code: MAT320

Ecotrend Chunky Knit Doormat 45 x 75cm



Code: MAT256

Ecotrend Basketweave Doormat 45 x 75cm




Code: MAT311

Ecotrend Welcome Pebbles Doormat 45 x 75cm



Code: MAT248

Ecotrend Knitted Sweater Doormat 45 x 75cm







Anti-slip Solutions

Code / Description

Code: GRP50B

Trojan Gripdex GRP Black 52mm x 4mm x 1m

Code: GRP50B2

Trojan Gripdex GRP Black 52mm x 4mm x 2m

Predrilled, use screws to fix

Code: GRP50BG

Trojan Gripdex GRP Beige 52mm x 4mm x 1m

Code: GRP50BG2

Trojan Gripdex GRP Beige 52mm x 4mm x 2m

Predrilled, use screws to fix

Code: GRPA55Y

Trojan Gripdex GRP Yellow 58mm x 55mm x 1m

Code: GRPA55Y2

Trojan Gripdex GRP Yellow 58mm x 55mm x 2m

Glue and or drill first & screw fix into place.

Code: GRPA55B

Trojan Gripdex GRP Black 58mm x 55mm x 1m

Code: GRPA55B2

Trojan Gripdex GRP Black 58mm x 55mm x 2m

Glue and or drill first & screw fix into place.

Code: GRP10S

Trojan Gripdex Recessed Alu-Sand

Size: 10mm x 8mm x 1m

Suitable for fixing into concrete & wood

Router a recess and then glue fix into position.

Sand Resin Infill ^e




Code: GRP12S

Trojan Gripdex Retrofit for Decking

Size: 12mm x 4mm x 1m

Glue and or drill & screw fix into place.





























Making Outdoor Living Fun

