Welcome to The Great Indoors...

Doors that create the personal spaces for Living, Working, Learning, Playing and Resting.



open the doors to your imagination...

The beauty and finish of **quality doors sets the tone** for every room in your home.

They are unique, the one piece of furniture that travels through your entire home, room by room. From **joining styles, generating atmospheres and creating moments;** for your favourite relaxing space, the buzz of the dining room, to opening up or creating a cosy atmosphere after a long day..

Quality doors well chosen for style, create an atmosphere that evolves over time. Season by season, they add new character to rooms ever changing. The Indoors range has been carefully **curated over 40** years of Irish consumer research.

From solid timber, where the rich texture of the wood alone is the styling you require, to the primed for easy painting the range is balanced to suit style and budget.

From Georgian heritage and contemporary American to Scandinavian and trend setting Italian styles, all blend into this seasons collection.

INDOORS ENDURE.

12736

Sliding Door Kit Collection
Natural Light Feature
Decorative Panel Collection
Shaker Collection
Contemporary Grooved
Classic Collection

Oak Collection
Ledged & Braced Collection
Masonite Collection
Fire Door Collection
Door Accessories
Decorative Mouldings





SLIDING DOOR RAIL KIT

The Indoors Manhattan Aluminium sliding door kit is the latest trend for home owners keen on "space saving". Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening). Its unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness).

---- & & ----

to been have been more and, and, been have party been party and and and and

111111

VIEWING FRANKLIN 3 PANEL

Our Loft Sliding Door Kit is a styling statement in itself. Designed to carry a single door, both door and kit combine visual aesthetics with functional space saving, ideal for the modern house or apartment. With smooth movement, it is suitable for all doors within the Indoors collection. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors up to 50mm (thickness). See page 78 for details on our Sliding rail Kits and Accessories.

VIEWING CAMDEN FRAMED L&B

the best light is natural light

Reduce your artificial lighting requirements and save energy

Exposure to daylight has been linked to improvements in our wellbeing and mood, and in the home, natural light can make a room lighter and brighter and give the feeling of more space.

If you want to flood your home with natural light, our glazed doors are an ideal solution.









TION . С Ш \bigcirc PANEL >AT COR/ \bigcirc


BEDFORD BOLECTION





Bedford 4 Panel Bolection Primed

Bedford Clear Glass Primed








FRANKLIN



3 Panel

Primed




Franklin

Primed

Clear Glass



Franklin Frosted Glass Primed



We recommend Chamfered Architrave and skirting See page 74

Franklin Panel detail



ARDMORE

Ardmore 4 Panel Primed	Claremont Ready to Glaze Primed	Claremont Clear Bevelled Glass Primed	Claremont Cathedral Glass Primed
Ardmore 4 Panel	x24" (1981x660) 78x26" (1981x660)	78x28" (1981x711) 78x30" (1981x762) 80x32	* (2032x813) 80x34" (2032x864) THICK 441 441 441 441 441 441



Cathedral glass, decorative & textured, allows light to flow without full transparency



Recommend Georgian Style Architrave and Edwardian skirting. See page 70

44MM






Shaker style doors emphasise craftsmanship and simplicity making them a timeless choice for your home. Shaker style doors boast flat recessed panels to provide depth with dimension and offer a streamlined, modern, functional look that complements almost all decor trends.

Shaker styling endures, suiting classic ,contemporary and modern home styling. Its timeless quality is a favourite for all refurbishments and new developments alike.



BOSTC	N		NEW	
ALSO AVAILABLE FDURKEU BOUNDER				Boston Shaker Panel detail
				Recommend Contemporary Architrave and skirting See page 73
Boston Shaker	Boston Shaker	Boston Shaker	Boston Shaker	
Solid Primed	Clear Glass Primed	Frosted Primed	Crystal Cut Glass Primed	The second
Imperial (Metric) Boston 1 Panel Boston Clear Glass Boston Frosted Glass Boston Crystal Cut Glass	78x24" (1981x610) 78x26" (1981x660)	78×28" (1981×711) 78×30" (1981×762)	80x32" (2032x813) 80x34" (2032x864)	THICKNESS 44MM 44MM 44MM





KIRKLA	ND			
				Kirkland Panel detail
Kirkland	Kirkland	Kirkland	Kirkland	
4 Panel Horizontal	Clear Glass Primed	Etched Glass Primed	Etched Clear Border Primed	Field






H


Grooved doors are contemporary in style. Suitable for the modern home, this collection, with its sleek lines gives you the opportunity to make a statement with your interior.

If you are considering reinvigorating old spaces in your home, the variety of styles offered by our Grooved doors collection will add a signature touch to any room.










THE X


We are excited to bring you new glazed styles from our classic collection. Maximising the potential of natural light within the home through the use of glass is a fundamental idea within the interior design world.

Opting for one of our Classic Glazed doors with their beautiful detailing adds character to the essence of a room and creates areas that feel more spacious and less enclosed. Ideal for any style of home, these doors will really stand the test of time.





100 27 26 31 200 92 A



VIEWING DOVER TEMPLAR

AUBURN KILLESHANDRA WINSTON



Auburn Etched Glass Clear Border Primed

Killeshandra 2 Panel Smooth Primed



Winston Clear Glazed Etched Corners Primed

Imperial (Metric) Auburn Etched Glazed	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNES 42MM
Killeshandra							44MM
Winston							42MM




All of white doors and primed and ready to be painted in any colour you choose

-

To ship white ships the

VIEWING KILLESHANDRA

17




HUDSON GATSBY SHANNON CARRICK

Hudson Etched with clear border Primed	Hudson G Leaded S Primed		Shanno 4 Panel Primed	n Solid FD30	Carrich 6 pane Primec	I FD30	
Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	тню

Hudson _____ Hudson Gatsby_ Shannon ____ Carrick ____

44MM 44MM 44MM 44MM



Our White Oak Collection is ideal for either contemporary or traditional interiors. Choose from solid and pre-glazed (toughened) options. Have a look at the full range of matching Frames, Skirting and Architraves, on pages 68-79.

- Made with premium grade white oak real wood veneers
- Pre-finished with three coats of hard wearing polyurethane lacquer for a durable, superb, smooth finish
- All Oak Doors 44mm thick





RUSHMORE - SHAKER







Rushmore LAMSAFE^{*} Opaque Glass Pre-Finished **Rushmore** Clear Glass Pre-Finished **Rushmore** Single Panel Pre-Finished



Rushmore Etched with Clear Border Pre-Finished





It is rare for a style to combine contemporary elegance and remain classic, The Shaker is one such exception. Its appeal can be seen in homes across all continents, the range offers light and solid styles to suit every home.

THE REPORT OF ALL AND THE AREA



LAWRENCE




Hartford 6 Panel Pre-Finished **Lawrence** 4 Panel Pre-Finished





Addison Ready to Glaze Pre-Finished





Sec. 1

and and the second s

ADDISON



Addison Glazed Clear Bevelled Glazed Pre-Finished



Addison Gatsby Leaded Style Glass Pre-Finished




Addison Austen Clear Glass Pre-Finished

Imperial (Metric) Addison Glazed	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)) 80x32" (2032x813)	80x34" (2032x864)	THICKNESS 44MM
Addison Gatsby - Addison Austen -							44MM 44MM



Concernance of the second s







Camden


Camden Framed Ledged & Braced Framed Ledged & Braced Reverse Detail




Ledged & Braced



Reverse Detail



the state



E SEA CIES S LE LES

VIEWING ATLANTA






Your door can be your greatest friend in times of emergency. Our Fire Door collection is designed and tested to keep you safe when the situation demands it. Solid, easy to maintain and well styled we recommend making this an essential part of your door selection. All our fire doors are independently tested and certified with audits regularly carried out at place of manufacture that cover design, performance and quality assurance. Always refer to relevant fire door certificates for full instructions on installation and compliance.

Our premium moulded firedoor range is an exquisite collection of finely detailed moulded panel doors in both classic and contemporary styles. The smooth finish gives a sleek modern look and feel.








44MM


Atlanta _


Boston Shaker





Ţ)





PAINTGRADE PAINTGRADE PLUS PLUS 18G NEW -91 -31

Paint Grade Plus

Design 18G

Primed

FD30

FSC FSC FSC CONTECT

PEFC 16-37-346

No on site preparation required • Pre-primed ready to paint • No sanding or filling required to the face or edge • Only the edge

is required to be primed prior to painting • Has a smooth face so easy to paint • Quick installation due to less preparation • Reduced decoration times

VIEWING PAINT GRADE PLUS



FLUSH OAK





FD 30

Flush Oak Pre-Finished

Flush Oak Glazed Design 7G Pre-Finished

Flush Oak Glazed Design 18G Pre-Finished

Fire Frames, FD30, FD60 & Intumescent Fire Seals



FD30 Primed Frame (108mm, 133mm)



FD30 Primed With Fireseal

(90mm x 44mm x 2.1m)

FD60 Frame With Fireseal






Fire Only - Brown


Fire Only - White

Fire & Smoke - Brown




Fire & Smoke White







FD 30











& Skirting a popular choice. Ideal for contemporary projects.




PRE-FINISHED OAK OGEE STYLE



Our Ogee style Architrave & Skirting is ideal for adding classic and authentic elegance to your home.

PRE-FINISHED OAK CONTEMPORARY STYLE



Our contemporary style Architrave & Skirting combines contemporary design with classic styling. The ideal finishing touch to complement our shaker doors.



DOOR ACCESSORIES

44x12x2.2m




Oak Frame (108mm,133mm,150mm)



Oak Pre-Finished Plant on Door Stop

Saddle Boards 1m & 1.8m





Primed White Frame (108mm,133mm,150mm)

HOCKEY STICK Further enhance your Architrave with the addition of our elegant hockey stick, creating a





T-REBATE STRIP Our T-Rebate door slip is a convenient and stylish solution for double door installation.

Frames - All sizes supplied with plant on adjustable door stop Further enhance your Architrave with the addition of our elegant hockey stick, crea classic heritage look.

SADDLE BOARD, STOPS & SLIPS

OAKSLIP Oak Plant On Door Slip

T-REBATES & HOCKEY

SLIDING DOOR KITS

ODE	DESCRIPTION
1557702	Manhattan Aluminum Sliding Door Kit
1557704	2m Sliding Door Rail Aluminium Cover
1557706	Sliding Door Rail Soft Close Mechanism
1557705	2m 100kg Loft Black Sliding Door Rail Kit
1557708	Loft Sliding Door Rail Soft Close
1557713	Double Door Joining Bracket for Loft Rails

plant on adjustabl	
DOOR FRAM	MES
CODE	DESCRIPTION
OAKFRAM108	108mm Oak Door Fra
	177 mm Oals Daar Era

OAKFRAM108	108mm Oak Door Frame
OAKFRAM	133mm Oak Door Frame
OAKFRAM150	150mm Oak Door Frame
PRMFRAM108	108mm Primed Door Frame
PRMFRAM133	133mm Primed Door Frame
PRMFRAM150	150mm Primed Door Frame

CODE	DESCRIPTION
KDS001P	1M Oak Saddle Board
KDS018P	1.8M Oak Saddle Board
SBWD36	1M White Deal Saddle Board
SBWD18	1.8M White Deal Saddle Board
OAKSTOP	Oak Plant On Door Stop

CODE	DESCRIPTION

CODE	DESCRIPTION
OAKHOCK	Oak Hockey Stick
PRMHOCK	Primed Hockey Stick
440AKTR	Oak T-Rebate Moulding
44PRMTR	White T-Rebate Mouldin




DOOR ACCESSORIES

DECORATIVE MOULDINGS



CODE	PRODUCT	SIZE (MM)
DEC2003	LIGHT HARDWOOD BOG	7 X 16 X 2.4M
DEC6003	PINE BOG	8 X 21 X 2.4M
DEC6013	PINE DADO RAIL	45 X 20 X 2.4M
DEC6009	PINE DADO RAIL	70 X 19 X 2.4M
DEC6039	PINE PICTURE RAIL	43 X 18 X 2.4M
COV6001	PINE OVOLO	34 X 8 X 2.4M
COV6010	PINE HOCKEY STICK	20 X 8 X 2.4M
WDW6001	PINE GLASSBEAD	8 X 11 X 2.4M
DEC6019	PINE BARREL	34 X 12 X 2.4M
DEC6016	PINE DECORATIVE PANEL	8 X 21 X 2.4M
DEC6011	DECORATIVE PINE PANEL	15 X 45 X 2.4M
PRMHOCK	HOCKEY STICK PRIMED	30 X 18 X 2.25MM
OAKHOCK	HOCKEY STICK OAK	30 X 20 X 2.25MM
44PRMTR	T-REBATE PRIMED	SUITABLE FOR 44MM DOOR
440AKTR	T-REBATE OAK	SUITABLE FOR 44MM DOOR
DEC6014	PINE DECORATIVE PANEL	8 X 20 X 2.4M
DEC6018	PINE DECORATIVE PANEL	11 X 28 X 2.4M
DEC6023	PINE DECORATIVE PANEL	7 X 45 X 2.4M
DEC6024	PINE DECORATIVE PANEL	7 X 56 X 2.4M
DEC6036	PINE REED	6 X 34 X 2.4M
DEC6031	PINE DECORATIVE COVER	7 X 35 X 2.4M
DEC6035	PINE DOUBLE ASTRAGAL	20 X 44 X 2.4M



20

24

10

10

20

20

24

24

24

20

10

10

Our collections of Decorative and Architectural Mouldings are of the highest quality and can add a design feature or totally transform the look or character of a whole room.

To complement our Indoors collection, consider our Picton range of decorative mouldings. You can now create the total look to meet your decorative requirements.

GETTHE LOOK...




BC

DIY

WHITE FINESSE

- Engineered construction for additional stability
- Available in Pre Finished White or Unfinished Oak veneered surface
- All Doors are 40mm thick
- Each Set supplied with doors, frame, seals, folding
- hardware and mortice lock.
- Glass is tempered safety glass & complies with BSEN12150/12600



The sets can be fitted to open into or out from the room of your choice, and opening from left to right or from right to left. All sets are 2074mm high, outer frame dimension. Each door is 40mm thick and the frames size is 110mm.

Size Guide



The slidefold finesse door is a unique folding, sliding door system that provides a combination of quality, design, technology and affordability and has taken the market by storm. The doors are based on our highly successful and extremely popular external, sliding, folding door sets.

The Finesse internal folding sliding door and room divider brings elegance and beauty to the inside of your home, giving you the option of bright open spaces when open, and cosy rooms when closed.



Simple to install, each Finesse internal folding sliding door set includes doors, frames, top quality aluminium - folding hardware, tracks, and easyto-follow assembly and installation instructions. Door handle is not supplied so you can acquire one that matches your other internal door handles.

SLIDE

OAK FINESSE

Finesse has a top-hung roller system for a smooth fingertip opening and closing action.

Consisting of a single glass pane of toughened safety glass, the Finesse room divider is totally reversible for left or right opening without having to specify on the order. There is a daily access door for ease of entry and exit without having to open the whole of the set.



Special seals keep the draughts out.



to keep the doors

closed and in line

Slide bolts are included Our internal doors are the first in Ireland with completely

premachined frames for easy assembly.



Your flooring butts up neatly to the oak sill. which has a special aluminium sub sill fo easy fitting and ext strength



INTERIOR INSPIRE

SlideFold Inspire folding doors are a totally new and unique concept in internal folding room dividers. It offers simplicity, flexibility and stunning good looks simply not available from any other manufacturer.

SlideFold Inspire 8ft and 9ft have four doors, with the two centre doors opening individually or together, for daily access between the rooms.

Then by simply unlocking the top slide bolts the doors can be folded to the left and the right and then easily fold back against the wall to provide full open access between the two rooms. The 6ft and 7ft sets have three doors only, the 4ft and 5ft set have 2 doors only.

Size Guide

All sets are 2007mm high, outer frame dimension. The sets are available in 6 different sizes.

Outer Frame Wid 1190mm 1490mm 1790mm

2090mm 2390mm 2690mm



Simple Engineered construction for additional stability. Unfinished Oak veneered surface. All Doors are 40mm thick. Each Set supplied with doors, frame, seals, folding hardware and mortice lock. Glass is tempered safety glass & complies with BSEN12150/12600

SLIDING DOOR RAIL KIT

Winder struck a see

The Indoors Aluminium sliding door kit is the latest trend for home owners keen on "space saving". Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening) Its unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness). See page 78 for details on our Sliding rail Kits and Accessories.

L 1 1

RADIATOR COV

The radiator cover collection from Tema aims to bring style and elegance to your home. Our radiator covers are effortless both in aesthetic and build, you can upgrade the look of your home by turning your radiator into a perfect piece of furniture for your living space that can be assembled in minutes!

What Tema radiator covers promise to deliver:


- Our radiators covers are designed to allow heat to flow freely
- Protect infants from dangerous hot surfaces
- Conceal unsightly radiators and provide a new piece of furniture for your home
- Can be used as a stand alone piece of decorative furniture where no radiator is present.
- Assemble within minutes and without professional help

To view the full collection, please visit us at www.bghome.ie



GEORGIAN





- Luxurious Georgian style.
- Satin White
- Oregan grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

- Prefinished white and oak veneer
- Assembles in minutes.
- Easy 'keyslot fittings.
- Includes grille

AI	II Sizes i	in mm	Small	Medium	Large	Choosir	ng Your Radiator Cover
W	/idth	External Cabinet Size Maximum Radiator Size	1017 910	1198 1100	1710 1600	Step 1	Measure your radiator size (including valves)
He	0	External Cabinet Size Maximum Radiator Size	800 750	900 855	900 855	Step 2	Choose your radiator cover design
De	epth	External Cabinet Size Maximum Radiator Size	180 100	200 120	200 120	Step 3	Choose the appropriate radiator cover size



RADIATOR

CLASSIC ADJUSTABLE

TWO TONE ADJUSTABLE



- Pre-finished White.
- Adjustable width for perfect fit.
- Assembles in minutes.
- Easy 'keyslot fittings.
- Includes grille.

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	1	ECC20303030
		XXXXXX
		ILCOCCCCCCCCC III
	1000 Contractor (1000)	1 X X X X X X X 3
		Set 34: 34: 34: 34: 3
	Section Se	

- Adjustable width for perfect fit.
- Complete with best selling Oregan screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in n	nm	Medium	Large	Choosi	ng Your Radiator Cover
Width	External Min Cabinet Size Max	975 1425	1430 2000	Step 1	Measure your radiator size (including valves)
	Maximum Min Radiator Size Max	900 1350	1355 1925	Step 2	Choose your radiator cover design
Height	External Cabinet Size Maximum Radiator Size	918 870	918 870	Step 3	Choose the appropriate radiator cover size
Depth	External Cabinet Size Maximum Radiator Size	220 140	220 140		




RHODE ISLAND

_		

- Contemporary design.
- Pre-Finished in Satin White.
- Slatted grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

All Sizes in mm		Small	Medium	Large	Choosing Your Radiator Cover	
Width	External Cabinet Size Maximum Radiator Size	1020 940	1195 1113	1710 1640		Measure your radiator size (including valves)
Height	External Cabinet Size Maximum Radiator Size	800 775	900 870	900 870	-	Choose your radiator cover design
Depth	External Cabinet Size Maximum Radiator Size	180 110	200 130	200 130		Choose the appropriate radiator cover size



CONTEMPORARY ADJUSTABLE



- Adjustable width for perfect fit.
- Complete with best selling Oregan screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium Large			Choosing Your Radiator Cover	
Width	External Cabinet Size	Min Max	975 1425	1430 2000		Step 1	Measure your radiator size (including valves)
	Maximum Radiator Size	Min Max	900 1350	1355 1925		Step 2	Choose your radiator cover design
Height	External Cabin Maximum Rad		918 870	918 870		Step 3	Choose the appropriate radiator cover size
Depth	External Cabin Maximum Rad		220 140	220 140			



TO ENSURE THAT YOUR DOORS LOOK AND PERFORM TO THE HIGHEST STANDARDS,

Please Follow These Care And Installation Guidelines:

WHEN YOU RECEIVE YOUR DOORS

You should check each door thoroughly to ensure it is in perfect condition and have not been damaged during transit or storage and report any problems immediately. Always use 2 people when lifting doors and lift by the edges and not by the glazing bars or panels. Allow your doors at least 7 days to acclimatise to the room where they will be fitted. Store them at normal room temperature (about 20 degrees) lying FLAT on 3 battens to allow the air to circulate. Ensure the room is dry and well ventilated.

TEMPERATURE & HUMIDITY

All timber naturally expands when it absorbs moisture, and contracts when it dries. It is vitally important that your doors are protected from extremes of heat and humidity. Never fit or store doors in a newly plastered room or building. Please allow at least three months to ensure the rooms have been heated and dried thoroughly. We recommend that rooms are maintained between 18 – 20 degrees Celsius and between 40% - 60% humidity. Extremes of heat, dryness or humidity can cause cracking or warping. If under-floor heating is installed, it is recommended that it is not kept at a high setting for prolonged periods and at least 3 coats of sealer are applied on the bottom edge of each door.

UNFINISHED DOORS - SEAL BEFORE HANGING

You must not hang unfinished doors without fully sealing all surfaces, edges & cut-outs. It is very important that end grain on the top and bottom edges of the door is fully sealed as this is where moisture can most easily enter the door. Failure to properly seal the door can result in swelling, twisting, bowing, de-lamination or cracking. These problems may occur immediately or over a prolonged period depending on the conditions. We recommend that 2 coats of solvent based sealer are used. In areas such as bathrooms, kitchens and hot presses, where variations in humidity are likely, we recommend an extra coat of sealer. Water based finishes are NOT suitable for sealing wooden doors and base coat stains or primers are not considered to be an adequate sealant.

PRIMED/PRE-FINISHED DOORS - RESEAL AFTER ALTERING

Primed or Pre-Finished doors are already fully sealed. It is important however, to re-seal all exposed surfaces after trimming or cutting out for locks and hinges. Handle pre-finished doors with extreme care to ensure the surface is not damaged in any way. Doors should not be laid on their side or edge without protecting the surface with cardboard.

ALL PRE-GLAZED DOORS FITTED WITH SAFETY GLASS

For your safety, all our pre-glazed doors use toughened or laminated glass. Take care to avoid any impact to glass when hanging or fitting the hardware. For a superior finish, some of our Pre-Glazed doors may be glazed using the Cassette Glazing System and cannot be replaced. Glass should be checked thoroughly in daylight before hanging and any defects reported immediately.







GLASS MAINTENANCE

Glass may be cleaned using a soft damp cloth. Do not use any abrasives or cleaning fluids. Care should be taken when cleaning leaded or screen printed glass as excessive cleaning can damage or remove the finish.

INSTALLING YOUR DOOR

Before you start, inspect your doors thoroughly on all sides. Any roughness or slight gaps on unfinished or primed doors can simply be rectified by light sanding. Wood filler may be used if necessary to achieve a perfect finish. If you need to trim the door, reduce equally on both sides by no more than 5mm. The top and bottom of the door should not be reduced by more than 10mm to maintain the proportions and stability of the door. Do not fit locks where the stile meets the mid-rail, as this could weaken the door Joints. Keep the lock cavity to a minimum. Locks etc. must be installed before hanging the door and always use 3 hinges. Care should be taken to ensure hinges are fitted in perfect alignment.

If you need to rebate your doors, you should check the individual door specifications before rebating as not all doors are suitable for rebating. Rebate strips are available to suit most doors

FINAL FINISHING (UNFINISHED DOORS ONLY)

When the sealed door is hung, it should be finished immediately with a good, oil based paint or varnish treatment. Always follow the manufacturers' instructions for the paint stain

or varnish to be used. All surfaces of the door must be treated at the same time to prevent moisture imbalance, do not finish one side of the door only.

CARE AND MAINTENANCE

Regular care and maintenance will enhance the appearance and pro-long the life of your doors. Annual inspection and touch ups will prevent any breakdown of the finish and also protects the timber from deterioration. Panels are floating and can expand or contract to allow for variations in temperature. This can occasionally expose paint lines along the edges. This is not a fault and can easily be sanded and refinished. Regularly clean glass with warm, soapy water. Avoid using abrasives or excessive scrubbing as this may cause scratches or remove designs.

LIMITED 12 MONTH GUARANTEE ON INDOORS

All Indoors Products are guaranteed against any manufacturing faults or defects for a period of 12 months from date of purchase. For our guarantee to be valid, all of the above guide-lines must be followed. Timber is a naturally grown product which makes every door unique as such there can be a certain amount of colour variation in the timber or the veneer. Uniformity of grain or knots cannot be guaranteed. In the event that there is any defect in the product arising from manufacture or materials, we will immediately replace or refund the door, however no liability can be accepted for any other consequential costs such as painting, storage or installation.



INDEX



www.indoors.ie

this season we are principle of the season we are principle of the season we are



INDOORS IS A TRADEMARK OF B&G LIMITED, FIND US AT WWW.BGHOME.IE OR CONTACT US ON (01) 4569300 Follow us on Social

