

About Sadolin

Sadolin – advanced technology underpinned by over 200 years of history...

Renowned throughout the professional and DIY markets for offering the very highest possible standard of wood protection, products bearing the Sadolin name benefit from the most recent advances in coatings technology ...yet at the same time boast a rich history and heritage stretching back over 200 years.

The Sadolin story is set in the harsh and unforgiving Scandinavian climate and the roots of this well respected brand can be traced back to 1777 when Swedish born Jacob Holmblad was granted royal permission to establish a textile dye works in Copenhagen. Nurtured by Jacob and handed down through the generations, this enterprise would eventually become a thriving paint and varnish business.

In 1912 Holmblad & Co merged with Sadolin's Farver company, founded just five years earlier by Gunnar Asgeir Sadolin. This young and experimental businessman was producing wax colours that were inspired by the fresh colours of Egyptian antiquities. Heritage and innovation came together, and hundreds of years later these two driving forces continue to underpin the Sadolin brand as it is known today.

Sean Thompson, Technical Consultant

CONTENTS

PRO	JECTS	The same of the sa
	PREPARATION	4
	INTERIOR WOOD	6
	DOORS & WINDOW	s 8
	DECKING	10
	GARDEN BUILDINGS FURNITURE & CLAD	
	FENCING & SHEDS	14
PRO	DU <mark>CT</mark> INFORMATION	ON 20
	OURS	SEE CENTRE
INF	ORMATION	33
		TANK P
		Mark Mark 1 40

PREPARATION IS KEY TO A GREAT FINISH



CAN BE STAINED FOR PERFECT COLOUR MATCH



PRESERVATIVE FOR BARE TIMBER



EXCELLENT ADHESION



QUICK DRYING PRESERVATIVE FOR BARE TIMBER



SAND DOWN TIMBER



BRUSH OFF DUST



FILL ANY SURFACE CRACKS



REMOVE DIRT & GREASE WITH METHYLATED SPIRITS

^{*} For detailed product information see pages 20-21

INTERIOR

INTERIOR WOOD

TRANSLUCENT ENHANCES THE COLOUR OF WOOD



OUR MOST VERSATILE WOODSTAIN

COLOUR YOUR INTERIOR WOOD



DURABLE FINISH FOR WOODWORK

DURABLE FINISH FOR WOODEN FLOORS

SUPER DURABLE FINISH FOR FLOORS AND WOODWORK





DOORS AND WINDOWS

TRANSLUCENT ENHANCES THE COLOUR OF WOOD



- USE CLASSIC AS **BASECOAT UNDER** EXTRA ON NEW WOOD
- USE EXTRA ON ITS OWN FOR MAINTENANCE



FINISH THE JOB IN ONE DAY



CLEAR



HIGHIY **DURABLE** WOODSTAIN



HIGH GLOSS **VARNISH**



CONTEMPORARY MATT OR SATIN **VARNISH**



OPAQUE OBLITERATES THE COLOUR OF WOOD







DECKING

TRANSLUCENT ENHANCES THE COLOUR OF WOOD



OUR MOST VERSATILE WOODSTAIN





APPLY TO WET WOOD



CLEAR



REPLACES NATURAL OILS

TOP TIP

Pay particular attention to the end grains. Coat with wood preserver if freshly sawn.



OPAQUE OBLITERATES THE COLOUR OF WOOD



APPLY IN COOLER TEMPERATURES

* For detailed product information see pages 22 & 31

TOP TIP

Before staining decking, remove all debris and algae and allow to dry sufficiently before coating.



GARDEN BUILDINGS, FURNITURE & CLADDING

TRANSLUCENT ENHANCES THE COLOUR OF WOOD



OUR MOST VERSATILE WOODSTAIN





CLEAR



RETAIN THE EXISTING COLOUR OF WOOD

TOP TIP

Avoid waiting until wood becomes grey and denatured, this will need sanding back. Coat new wood as soon as possible to reduce preparation time.



OPAQUE OBLITERATES THE COLOUR OF WOOD



10 YFAR **PROTECTION**



APPLY IN COOLER TEMPERATURES



^{*} For detailed product information see pages 22, 27, 28 & 30

FENCING & SHEDS

TRANSLUCENT ENHANCES THE COLOUR OF WOOD



OUR MOST VERSATILE WOODSTAIN



5 YEAR PROTECTION



FINISH THE JOB IN ONE DAY

If buying more than one can intermix to ensure consistency of colour.



OPAQUE OBLITERATES THE COLOUR OF WOOD



10 YEAR PROTECTION



APPLY IN COOLER TEMPERATURES

TOP TIP

Opaque coatings are ideal for hiding timber imperfections.

* For detailed product information see pages 22, 27, 30 & 32



15

CONSIDERATIONS



Some woodstains are waterproof - but they can also prevent natural moisture passing through the wood. This can make wood swell, breaking the bond between the coating and the wood.

Sadolin exterior products are designed to form a microporous 'jacket,' which is both waterproof and allows the wood to breathe naturally. The benefit is greater, longer lasting protection for your wood.



Exposure to sunlight and the weather causes conventional woodstains to fade over time.

Sadolin products use specially selected light-filtering pigments to promote longer-lasting colours



The longer wood is exposed to the elements, the greater the risk of conventional woodstains blistering and peeling. Applying a new coat will require extensive sanding and preparation if wood is weathered.

Because Sadolin products are specially developed to weather naturally, applying a fresh coat requires only minimal preparation, reducing time, expense and labour.

CONSIDERING COLOURATION

Translucent woodstains will vary in appearance depending on the natural colour of the timber surface to which they are applied. For this reason, we recommend trial applications to ensure the acceptability of the final shade. The samples below represent the colour difference shown on softwoods and hardwoods when Antique Pine shade is applied.





Antique Pine - Softwood

Antique Pine - Hardwood

CONSIDERING TIMBER CONDITION

The condition of the timber may also influence your choice of coating. If the timber is unsightly, a translucent coating will not hide this, so an opaque finish would be preferable. If the timber is in good condition you may choose to highlight its natural beauty by applying a translucent coating.

CONSIDERING PRODUCT

There are both strengths and limitations when considering your choice between water or solvent based products. However, in order to avoid any potential problems we recommend that you are consistent through the whole system of application.

CONSIDERING APPLICATION TOOLS

Quality natural bristle brushes are best for solvent based systems, whereas we recommend synthetic brushes for water based.

CONSIDERATIONS

PRODUCT DETAILS

CONSIDERING APPLICATION

Coating all exposed surfaces and those that are susceptible to unwanted moisture ingress will provide the best protection. Particularly vulnerable are end grains, for example on decking and garden architecture such as pergolas. Window sills should be rounded off to avoid sharp edges where it is difficult to achieve an adequate film build. Finally, ensure sufficient product is applied. Window rebates and glazing beads should be fully coated prior to fitting.

CONSIDERING WHEN TO APPLY WOODSTAIN

We recommend that all of our woodcare products are not applied, or allowed to dry, in temperatures below 8°C or above 25°C. It is also important to consider that relative humidity levels should be below 80% during drying times.

If you are unsure of anything with regards to Sadolin woodcare products either consult our technical datasheets or contact our Sadolin Advice Centre on 0330 024 0298.

*Disclaimer for all colours within this card

We recommend a trial application before commencing. The final colour will depend on the original colour and condition of the timber and the number of coats applied. The colours shown are printed as accurately as the printing process will allow, however they may not match the applied product.

Due to the limitations of in-can tinting slight variations in shade may be noted from tin to tin. This is most noticeable in pastel shades. To avoid variations in shade on large areas the 'boxing' technique of mixing together the contents of a number of tins is recommended.

WOODFILLER STAINABLE WOODFILLER **QUICK DRY WOOD PRESERVER WOOD PRESERVER CLASSIC ALL PURPOSE WOODSTAIN POLYURETHANE VARNISH POLYURETHANE FLOOR VARNISH PV67 HEAVY DUTY VARNISH EXTRA DURABLE WOODSTAIN QUICK DRY WOODSTAIN CLEARCOAT WOODSTAIN YACHT VARNISH OUTDOOR VARNISH SUPERDEC WOODSTAIN BEAUTIFLEX WOODSTAIN DECKING OIL WET WOOD DECKING STAIN GARDEN FURNITURE STAIN & PROTECTOR SHED & FENCE WOODSTAIN**

Sadolin Woodfiller

Filler for small repairs and minor surface defects

Sadolin Quick Dry Wood Preserver

Water based preservative for all exterior bare/new timber



TOUCH DRY: 30 MINS RECOAT: 1 HOUR

PACK SIZE: 250ML

White









TOUCH DRY: 4-6 HOURS **RECOAT:** 24 HOURS **COVERAGE:** UP TO 5M²/L

PACK SIZE: 2.5L



Sadolin Stainable Woodfiller

Two pack filler that will stain with most woodstains and dyes

Sadolin Wood Preserver

Solvent Based preservative for all exterior bare/new timber



TOUCH DRY: 15 MINS RECOAT: 30 MINS PACK SIZE: 350ML





TOUCH DRY: 2-4 HOURS
RECOAT: 72 HOURS WATER BASED
RECOAT: 24 HOURS SOLVENT BASED
COVERAGE: UP TO 5M²/L

PACK SIZE: 2.5L



Sadolin Classic All Purpose Woodstain









TOUCH DRY: 4-6 HOURS RECOAT: 16 - 24 HOURS COVERAGE: UP TO 15M²/L PACK SIZE: 1, 2.5 & 5L

250ML SAMPLE POTS AVAILABLE FOR TINTED COLOUR





Sadolin Polyurethane Extra Durable Varnish

Water based varnish ideal for all interior woodwork, except flooring. Available in Clear Gloss, Satin or Matt

Sadolin PV67 Heavy Duty Varnish

Ultimate protection from this two pack varnish, ideal for bar tops, sports halls and dance floors. Excellent resistance to chemicals such as alcohol. Available in Clear Gloss or Satin



TOUCH DRY: 1 HOUR RECOAT: 2 - 4 HOURS COVERAGE: UP TO 12M²/L

PACK SIZE: 1 & 2.5L





TOUCH DRY: 30 MINS RECOAT: 2 - 4 HOURS COVERAGE: UP TO 13M² /L





Sadolin Polyurethane Extra Durable Floor Varnish

Water based floor varnish ideal for all interior wood flooring. Available in Clear Gloss or Satin



TOUCH DRY: 1 HOUR RECOAT: 2 - 4 HOURS COVERAGE: UP TO 15M²/L

PACK SIZE: 2.5 & 5L





Sadolin Extra Durable Woodstain

A durable finishing/maintenance coat for doors and windows. On new doors and windows use a basecoat of Classic, followed by two coats of Extra

Sadolin Quick Dry Woodstain

Rainproof in 20 minutes our water based woodstain is quick drying, durable and resists peeling, flaking and blistering. Complete the job in one day!



TOUCH DRY: 4-6 HOURS RECOAT: 16 - 24 HOURS COVERAGE: UP TO 15M²/L **PACK SIZE:** 500ML,1, 2.5 & 5L



TOUCH DRY: 1 HOUR RECOAT: 4 - 6 HOURS

COVERAGE: UP TO 13M²/L **PACK SIZE: 1 & 2.5**L







Sadolin Outdoor Varnish

Available in a contemporary matt or satin finish our Outdoor Varnish is a clear coating keeping doors and windows looking as natural as possible.

Sadolin Yacht Varnish

A high gloss finish varnish, maintaining the natural colour of wood whilst protecting against the weather



TOUCH DRY: 4 - 6 HOURS **RECOAT: 16 - 24 HOURS** COVERAGE: UP TO 13M²/L **PACK SIZE: 750ML & 2.5L**



Sadolin Extra Durable Clearcoat

This clear woodstain contains the minimum amount of pigment possible to protect wood from UV damage and prevent greying. Available in Clear Gloss or Satin



TOUCH DRY: 4 - 6 HOURS **RECOAT: 16 - 24 HOURS** COVERAGE: UP TO 15M²/L **PACK SIZE:** 1 & 2.5L








PACK SIZE: 750ML & 2.5L

Sadolin Superdec

10 years protection through this multi surface, self priming and undercoating formulation that flexes with the wood to give ultimate protection. Use also on weathered plastic, metal and concrete




Sadolin Decking Oil

This deeply nourishing finish replaces natural oils that are lost through weathering



TOUCH DRY: 4-6 HOURS RECOAT: 16 HOURS COVERAGE: 15M²/L

PACK SIZE: 2.5L





Sadolin Beautiflex® **Solvent Opaque Woodstain**

For all exterior wood **including decking** our solvent opaque woodstain. Allows decoration outside in cooler temperatures




TOUCH DRY: 4 - 6 HOURS **RECOAT:** 16 - 24 HOURS COVERAGE: UP TO 15M²/L **PACK SIZE: 1 & 2.5L**




Sadolin Wet Wood Decking Stain

Unique formulation specially designed for application to wet and dry wood



TOUCH DRY: 2 - 4 HOURS RECOAT: 4 - 6 HOURS COVERAGE: UP TO 10M²/L PACK SIZE: 2.5L





Sadolin Shed & Fence Woodstain


An advanced, wax enriched and non drip formulation which colours and weatherproofs rough sawn sheds and fences for up to 5 years and is showerproof in just 30 minutes



TOUCH DRY: 1 - 2 HOURS **RECOAT:** 4 - 6 HOURS COVERAGE: UP TO 6M²/L

PACK SIZE: 5 & 10L





Golden Gentle

Pale Grey

Green Forest

Grev Shadow

Sylvan

Woodland Walk

Ebony Wood

Sadolin Garden Furniture **Stain & Protector**

Our water based formulation protects against mould and algal growth and provides excellent weather protection



TOUCH DRY: 2 HOURS RECOAT: 4 - 6 HOURS COVERAGE: UP TO 14M²/L





INFORMATION SOURCES

Sadolin Product Videos





Scan our OR codes on the product pages of this guide to view our videos, alternatively search Sadolin



Woodcare on YouTube or visit our website product pages

Sadolin Advice Centre

For help and technical information please contact our dedicated advice centre

Tel: 0330 024 0298

Email: info@sadolin.co.uk



Sadolin Website

Access all our information regarding products, case studies, videos, datasheets etc on our website.

sadolin.co.uk







Facebook @sadolinuk Instagram @sadolin_sandtex

up to date with the latest

Golden Oak Natural Cedar Warm Teak

CORPORATE

OUR OTHER BRANDS



Our brands...



Crown Trade is one of the most widely used professional coatings brands in the UK. Crown Trade has all the products and systems needed for truly professional results and incorporates specialist paints such as the Crown Trade

Protective Coatings range and the Crown Trade Timonox range of flame retardant coatings.

crowntrade.co.uk



If it's outside,

WE'VE GOT IT COVERED.



When your work takes you outdoors there's only one name you need to remember – Sandtex Trade. This superior range of paints, protective coatings, preparatory and repair materials has everything you need for all your exterior decorating and

maintenance projects and has been protecting buildings for over 60 years.

sandtextrade.co.uk

