


# ABOUT SANDTEX

# CONTENTS

There may be several brands in the construction industry boasting a 60 year pedigree, but few claim to serve the very same purpose today as they did when they first appeared in the market. Sandtex® however has stayed true to its origins, and continues to serve the same industry needs in very much the same way as it did in 1961, ie protecting and decorating the nation's external substrates using a system approach.

Originally for sale from the Cement Marketing Company Limited (later to become Blue Circle Industries) in 1961, Sandtex Matt and Sandtex Textured were the two decorative finishes available in the system.

Over the decades Sandtex has gone from strength to strength with the launch of a brand specially developed for professionals. The Sandtex Trade brand and its product portfolio has benefited from extensive investment in research and development, and features state of the art coatings technology. That's why you will find accreditations, anti-carbonation certificates, and 20 years durability claims which ensure our formulations include the most durable, weather resistant and lightfast products money can buy. The Sandtex Trade system now consists of products that encompass wood, metal and even uPVC as well as stone, brick, pebbledash and render, and of course concrete which is where it all began.



**SANDEX TRADE MASONRY** 4

**SANDEX TRADE TRIM** 14


**SANDEX TRADE SUNDRIES** 24

**MORE INFORMATION** 26


*Kevin Donnell*



1960's / 1970's



1980's



current

# SANDEX TRADE X-TREME X-POSURE® SMOOTH MASONRY

20 YEARS PROTECTION

*For ultimate defence against the elements Sandtex X-treme X-posure® provides up to 20 years protection via it's ultimate dirt resistance and excellent adhesion. The best possible protection against weather exposure.*



**TOUCH DRY: 30 MINS**  
**RECOAT: 2 - 4 HOURS**  
**COVERAGE: UP TO 16M<sup>2</sup>/L**

#### APPLICATION





# SANDTEX TRADE 365 ALL WEATHER MASONRY

20 YEARS PROTECTION



*Formulated with high performance Pliolite® resins for application in adverse temperatures, Sandtex 365 All Weather masonry provides up to 20 years protection, can be applied at temperatures as low as -10°C, and is resistant to showers after only 20 minutes.*



**TOUCH DRY: 1 - 2 HOURS**  
**RECOAT: 16 HOURS**  
**COVERAGE: UP TO 10M<sup>2</sup>/L**


APPLICATION



# SANDEX TRADE HIGH COVER SMOOTH

15 YEARS DURABILITY

*Quality protective and decorative finish for everyday conditions. Highly durable and available in over 1,000 tintable shades.*



**TOUCH DRY:** 1 - 2 HOURS  
**RECOAT:** 3 - 5 HOURS  
**COVERAGE:** UP TO 16M<sup>2</sup>/L

APPLICATION



# SANDTEX TRADE HIGH BUILD TEXTURED DECORATIVE COATING

## REGULATES UNEVEN SURFACES

*Ideal for covering fine cracks and regulating repaired and uneven surfaces, this highly flexible protective coating can be used to create a variety of decorative effects. 15 years durability.*



**TOUCH DRY: 4 - 6 HOURS**  
**COVERAGE: UP TO 3KGM<sup>2</sup>**

APPLICATION



**TRADITIONAL HIGH BUILD**



**LACED HIGH BUILD**



**ARCS HIGH BUILD**




**SPRAYED HIGH BUILD**

# SANDEX TRADE FINE TEXTURED MASONRY

15 YEARS DURABILITY

*Helps disguise hairline cracks and has excellent opacity.  
The coating creates an aggregate reinforced film for extra  
protection. 15 years durability.*



**TOUCH DRY:** 1 - 2 HOURS  
**RECOAT:** 4 - 6 HOURS  
**COVERAGE:** UP TO 7M<sup>2</sup>/L


APPLICATION



# SANDEX TRADE FLEXIGLOSS X-TRA

# 10 YEARS PROVEN DURABILITY

*A high gloss finish for exterior wood with added inhibitors to reduce UV damage. Providing greater resistance to cracking and flaking compared to traditional glosses, Sandtex Trade Flexigloss will last up to 10 Years.*



**TOUCH DRY: 4 - 6 HOURS**  
**RECOAT: 16 HOURS**  
**COVERAGE: UP TO 18M<sup>2</sup>/L**


APPLICATION



# SANDTEX TRADE METALGLOSS X-TRA

## 10 YEARS PROVEN DURABILITY

*A high gloss finish for exterior metal, with excellent resistance to UV damage. The rust inhibiting formulation protects the surface with the coating lasting up to 10 Years.*



**TOUCH DRY: 4 - 6 HOURS**  
**RECOAT: 16 HOURS**  
**COVERAGE: UP TO 15M<sup>2</sup>/L**

APPLICATION






# SANDTEX TRADE EGGSHELL X-TRA

## 10 YEARS PROVEN DURABILITY

*A contemporary eggshell finish suitable for exterior wood and suitably primed metal. The coating flexes with the substrate to alleviate flaking and cracking, lasting up to 10 Years.*



**TOUCH DRY: 4 - 6 HOURS**  
**RECOAT: 16 HOURS**  
**COVERAGE: UP TO 15M<sup>2</sup>/L**

APPLICATION



# SANDEX RAPID DRY HIGH GLOSS

TOUCH DRY IN 2 HOURS

*Water based formulation providing a solvent based finish. Sandtex Rapid Dry High Gloss is quick drying meaning you can finish the job in a day.*



**TOUCH DRY: 2 HOURS**  
**RECOAT: 4 - 6 HOURS**  
**COVERAGE: UP TO 14M<sup>2</sup>/L**

APPLICATION



# SANDTEX RAPID DRY SOFT SATIN

TOUCH DRY IN 2 HOURS

*Water based formulation providing a solvent based finish.  
Sandtex Rapid Dry Soft Satin is quick drying meaning you can  
finish the job in a day.*



**TOUCH DRY: 2 HOURS**  
**RECOAT: 4 - 6 HOURS**  
**COVERAGE: UP TO 14M<sup>2</sup>/L**

APPLICATION



# SANDEX TRADE FLEXIBLE PRIMER UNDERCOAT

*Basecoat for use on wood*



**TOUCH DRY:** 4 - 6 HOURS  
**RECOAT:** 16 HOURS  
**COVERAGE:** UP TO 15M<sup>2</sup>/L



# SANDEX TRADE RUST INHIBITING PRIMER UNDERCOAT

*Basecoat for use on metal*



**TOUCH DRY:** 4 - 6 HOURS  
**RECOAT:** 16 - 24 HOURS  
**COVERAGE:** UP TO 12M<sup>2</sup>/L



## SUNDRIES



**DRYING TIME:** 4 HOURS  
**COVERAGE:** UP TO 10M<sup>2</sup>/L

*quick drying for chalky surfaces*



**DRYING TIME:** 16 HOURS  
**COVERAGE:** UP TO 6M<sup>2</sup>/L

*solvent based for chalky surfaces*



**DRYING TIME:** 1 HOUR  
*for hairline cracks*



**DRYING TIME:** 24 HOURS  
**COVERAGE:** UP TO 10M<sup>2</sup>/L  
*for mould and algae growth*



**DRYING TIME:** 4-6 HOURS  
**COVERAGE:** UP TO 4M<sup>2</sup>/L

*water repellent barrier for bare brick*

## OTHER BRANDS



Crown Trade is one of the most widely used professional coatings brands in the UK. Crown Trade has all the products and systems needed for truly professional results and incorporates specialist paints such as the Crown Trade Protective Coatings range and the Crown Trade Timonox range of flame retardant coatings.

[crowntrade.co.uk](http://crowntrade.co.uk)




If it's worth **doing**, it's worth **Sadolin**.

Renowned throughout the professional and DIY markets for offering the very highest possible standard of wood protection, products bearing the Sadolin name benefit from the most recent advances in coatings technology ... yet at the same time boast a rich history and heritage stretching back over 200 years.

[sadolin.co.uk](http://sadolin.co.uk)

## MORE INFORMATION

[www.sandtextrade.co.uk](http://www.sandtextrade.co.uk)



Kevin O'Donnell  
Product Trainer, Crown Paints

Visit our website or Sandtex Trade YouTube channel to view our "How to videos"



### Sandtex Trade Advice Centre

For help and technical information please contact our dedicated advice centre

Tel: 0330 024 0302

Email: [info@sandtextrade.co.uk](mailto:info@sandtextrade.co.uk)

