SALES SUPPORT:

**** 0113 240 2424

distribution.sales@uk.sika.com

TECHNICAL SUPPORT:

0808 141 0709

distribution.technical@uk.sika.com

Sika® Limite

Site 41, Knowsthorpe Way, Cross Green Industrial Estate Leeds 1.59 OSW

0113 240 3456

distribution.info@uk.sika.com

everbuild.co.uk

Sika® Ireland Limited

Sika® House

Ballymun Industrial Estate,

Duhlin D11 DA2

+353 (0) 1862 0709

info@sika.ie

irl.sika.com





CONTENTS

SEALANTS	
Professional	6
Fire Protection	14
DIY	15
Sika Sealants	17
Guns and Tools	18
Specifier	21
Specialist Sealants	26
ADHESIVES	
Hybrid Sealants and Adhesives	32
Grab	36
Plasterboard	42
Specialist Adhesives	43
Wood	44
Flooring	46
Contact	49
Superglues and activators	50
Craft	52
LANDSCAPING	
Jointing Compounds	56
Sealing and Protecting	59
Surface Cleaners and Treatments	62

WOOD CARE AND TREATMENT

reatments and Preservatives	68
Stains and Varnishes	72

ROOFING

Roof Repair	76
lashing	79
Bitumen	80

EXPANDING FOAMS

Professional and DIY	84
oam Ancillaries	86
ire Rated Foam	87

FILLERS AND DECORATING SUNDRIES

Surface protectors	91
Decorating Fillers	92
Wood Fillers	96
Dust sheets and Tarpaulins	98
Decorating Sundries	99

TAPES

Building Tapes	10
Repair Tapes	10
Masking Tapes	10
Safety Tapes	10
Packaging Tapes	10
Double sided Tapes	110
Plasterboard Tapes	111

CLEANERS

Wipes	114
Glazing Cleaners	116
Cleaners and Lubricants	117

PLUMBING AND HEATING SUPPLIES

Central Heating Treatments	120
Sealers and Compounds	121
Fire and Stove Sundries	123
Fire, Stove and Flue Cements and Mortars	124

BUILDING SUPPLIES

Waterproofing	128
Building Admixtures	130
Self Levelling Compounds	140
Floor Paints and Line Markers	144
Wall Finishing	145
Concrete and Brick Repair	146
Priming	150
PVA and SBR Bonding	151
Chemical Anchors	154
Putties	156
Pointing	157

TILING

Wet Room System	160
Tile Adhesives	162
Grouts	167

BUILDING FINISHING

Mineral Renders	17
Base Coats	17
Lime Renders	17
Top Coats	17
Complementary Products	17

WE ARE SIKA



BUILDING TRUST

INTRODUCTION




Sika's Distribution division is part of Sika Limited, the UK subsidiary of the worldwide Sika group. Established in 1927, Sika Limited is focused on developing and producing high quality products and systems for the construction and industrial markets across its four sites, located in the UK.

Specialists in construction chemicals, Sika Limited offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

As the UK's leading manufacturer of sealants, adhesives and building chemicals, Sika embodies the construction industry, working closely with merchant partners to supply the trade with high quality products and technical expertise.

Bringing Sika's unrivalled innovation in product development, high standards of manufacturing and renowned technical advice into the merchant market, customers now have direct access to the complete product portfolio opening up new opportunities for the trade industry.







Social Media

Stay up to date with all the latest company and product news by following us online.













WE ARE SIKA

Effective from 1 January 2023, Everbuild Building Products Limited will be legally integrated into Sika Limited. This is the final stage of the integration between Everbuild and Sika to become one statutory organisation.

To find out further information please visit our website: www.everbuild.co.uk/everbuild-to-sika-legal-integration/





Forever White Silicone Sealant





TRUSTED

FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY **TESTED IN ACCREDITED** MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH **AFTER 10 YEARS*.**

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN SMOOTHLY

PREMIUM QUALITY

STARTS WHITE -STAYS WHITE







SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461971	FOREVERWE	295ML	White	12	5029347603540
461972	FOREVERCLEAR	295ML	CLEAR	12	5029347603953
461973	FOREVERIV	295ML	IVORY	12	5029347606404
552487	FOREVERGY	295ML	GREY	12	5029347615376

A superior silicone sealant that's waterproof, flexible and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.













TRUSTED

Caulk Once Acrylic Caulk







SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489514	CLKONCEWE3	295ML	WHITE	12	5029347612955
489516	CLKONCEWE4	380ML	WHITE	12	5029347612962

A premium quality acrylic caulk - fast-drying, permanently flexible and tailor-made for a range of jobs.

Caulk Once - the best caulk you will ever use is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.

APPLY ONCE -JOB DONE

NO SLUMP

EASY SMOOTH















EVERFLEX®

Our huge range is ready for anything you throw at it.





WATCH THE VIDEO:

everbuild.co.uk/resources-andsupport/product-overview-videos/ here-comes-everflex/



Contract 115 GP Building Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489634	MASBN	285ML	BROWN	25	5029347601386
489635	MASGY	285ML	GREY	25	5029347601393
489636	MASNL	285ML	STONE	25	5029347601409
489637	MΔSWE	285MI	WHITE	25	5029347000141

A traditional oil based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low movement vertical building joints. This high solids formulation means excellent gap filling properties. It's semidrying too, so it remains permanently elastic beneath the surface skin.



Brick / Stone / Concrete / Timber

Contract 125 One Hour Caulk

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482349	125C3	300ML	WHITE	25	5029347000042
485992	125BN	300ML	BROWN	25	5029347601195
485994	125MAG	300ML	MAGNOLIA	25	5029347601201
485997	125C4	380ML	WHITE	12	5029347000059
485998	OHCC425	380ML	WHITE	25	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper – no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.




Timber / Plaster / Brick / Concrete

SEALANTS 9

Premium 145Butyl Rubber Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489633	145GY	300ML	GREY	12	5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber

Premium+ 195Siliconised Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482346	195WE	300ML	WHITE	25	5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of sealing applications both internally and externally. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants.



Timber / Plaster / Brick / PVCu / Concrete / Stone

Premium 175 Universal Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489426	175BN	300ML	BROWN	25	5029347601218
482253	175WE	300ML	WHITE	25	5029347000066
539204	175C4WE	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also for internal sealing around PVCu window, door frames, baths and basins, sealing cracks and gaps in brickwork, stone and concrete, and as an adhesive for bonding polystyrene coving and tiles.





LMA 200 Contractors Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
485984	200BK	295ML	BLACK	25	5029347601492
485985	200BN	295ML	BROWN	25	5029347601485
485986	200TR	295ML	TRANS	25	5029347601478
468667	200WE	295ML	WHITE	25	5029347601461

A cost effective acetoxy cure sealant that adheres to most smooth and nonporous materials. Contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins and other sanitary ware, as an adhesive for fixing PVCu trims, cladding and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing and for general draughtproofing.








Glass / Timber / Aluminium / Ceramics / Laminates

SEALANTS Professional

Contract 225Industrial and Glazing Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486133	225BK	295ML	BLACK	25	5029347601225
486134	225STEEL	295ML	STEEL	25	5029347602482
486135	225TR	295ML	TRANS	25	5029347601249
486136	225WE	295ML	WHITE	25	5029347000011

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.



Glass / Timber / Aluminium / Ceramics / Laminates

Premium+ 450Builders Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484831	450BF	300ML	BUFF	25	5029347601317
484832	450BK	300ML	BLACK	25	5029347601324
484833	450BN	300ML	BROWN	25	5029347601331
484834	450GY	300ML	GREY	25	5029347601348
484835	4500AK	300ML	OAK	25	5029347603502
484836	450TR	300ML	TRANS	25	5029347601355
484830	450WE	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up – which is particularly important in PVCu work. Conforms to ISO 11600 Class: F 25LM and G 25LM.



Timber / Brick / Stone / PVCu / Concrete / Metal

Premium 335Construction Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486137	335BK	295ML	BLACK	25	5029347601256
486138	335BN	295ML	BROWN	25	5029347601263
486139	335GY	295ML	GREY	25	5029347601287
486150	335NEWBZ	295ML	BRONZE	25	5029347601270
486152	335TOF	295ML	TOFFEE	25	5029347601294
486154	335TR	295ML	TRANS	25	5029347601300
486153	335WE	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant.



PVCu / Brick / Aluminium / Plastics / Glass

Premium+ 500Bath and Sanitary Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484838	500GREY	295ML	GREY	12	5029347603373
484839	500IV	295ML	IVORY	25	5029347601362
484840	500SAND	295ML	STONE	12	5029347603380
484841	500TR	295ML	TRANS	25	5029347601379
484842	500WE	295ML	WHITE	25	5029347000127

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid/damp conditions.



Ceramics / Acrylic / Laminates / Aluminium / Glass

Premium+ 565 Clean Room Silicone

486155	565WE	295ML	WHITE	_25_	502934
An advance that contains anti-bacte approved.	ced neutral of ains Mould Serial compourer the prevents the moulds. Offer best of the contraction in the con	curing hyg hield®, a p ind, and is ne growth ers outsta	ienic seal oowerful food cor of most nding adl	lant ntact nesio	n
	. Virtually o	٠. د			
	w skinning t				
joint runs	in larger app	olications.	Remains	í	
permanen	tly flexible v	with a mov	vement		
capability	of +/- 25%.	Approve	d for foo	d	
contact to	21CFR177.	2600 by I <i>l</i>	ANESCO		- 1
(France) a	ınd meets IS	50 11600 F	25LM.		- 1
		ANTI MOULD			

SGAN CODE SIZE COLOUR QTY BARCODE

Metal / Ceramics / Glass / Most Plastics

+/-25%

Contract AC50Acoustic Sealant and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489512	AC50900	900ML	WHITE	9	5029347600112
489513	AC50C4	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings and dry lining applications. Water based, solvent free formula, easy to use and clean up and adheres to just about all building substrates.



Timber / Plaster / Brick / Stone / Concrete

Contract 700T LMN Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486156	700TBN	300ML	BROWN	25	5029347615123
486157	700TNEWBZ	300ML	BRONZE	25	5029347615130
486158	700TCA	300ML	CARAMEL	25	5029347615147
486160	700TTR	300ML	TRANS	25	5029347600631
486161	700TWE	300ML	WHITE	25	5029347615116
486162	700TBK	300ML	BLACK	25	5029347615161
486166	FP700TTR	600ML	TRANS	12	NO BARCODE
474142	FP700TWE6	600ML	WHITE	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications. White and translucent also available in a foil pack.



Timber / Brick / Stone / PVCu / Concrete / Metal



SEALANTS Professional

Silicone Eater

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482505	SILEAT	100ML	-	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. Harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors and window frames.




Aqua Mate Aquarium Sealant

G20LM

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489687	ANHATR	295MI	TRANS	12	5029347120009

An acetoxy cure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. 100% fish safe formula. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths.

Meets the requirements of ISO 11600



Glass / PVCu / Aluminium

Weather MateGap Filler and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489689	WEACL	295ML	CLEAR	25	5029347601454
489692	WEAWE	295ML	WHITE	25	5029347000073
489693	WEABK	295ML	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.




Metal / Timber / Galvanised Steel / Bitumen

Galva Mate Duct Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489540	CALVAM	295MI	CREV	25	5029347000707

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible and resistant to mildew and mould growth.




Galvanised Steel / Stainless Steel

Heat Mate Heat Resistant Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484772	HEAT	295ML	RED	12	5029347113001
484776	HTSBK	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 275°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



Lead Mate Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486216	LEAD	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.



Lead / Brick / Concrete / Stone / Timber



Fire Mate Intumescent Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486028	FIRE	295ML	WHITE	25	5029347000134
486040	FIREMATEGY	295ML	GREY	25	5029347613648
486029	FIREMATEBN	295ML	BROWN	25	5029347613631

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.



Brick / Concrete / Stone / Timber / Plasterboard

Contract AC95 Intumescent Sealant and Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486163	AC95900	900ML	WHITE	9	5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested** to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/ products for residential ventilation. Tested to EN13963, Type 4A.





Pyro Mate Fire Rated Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486041	PRYWE	295ML	WHITE	12	502934760894

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047, 8339 and 10563.



Timber / Brick / Stone / Glass / Concrete / Metal

Firespan Intumescent Putty Pads

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486164	FSPANSNGL	SINGLE	RED	20	NO BARCODE
486165	FSPANDRI F	DOUBLE	RFD	20	NO BARCODE

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM. Double Socket Pad Size: 4MM thick x 230MM x 170MM.

Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.





General Purpose Silicone

12GPSTR

12GPSWE

EASI-SQUEEZE

482390

482391

EASI-SQUEEZE								
CODE	SIZE	COLOUR	QTY	BARCODE				
EASIGPCL	80ML	CLEAR	12	5029347606060				
EASIGPWE	80ML	WHITE	12	5029347606022				
E								
CODE	SIZE	COLOUR	QTY	BARCODE				
GPSBK	280ML	BLACK	25	5029347600938				
GPSBN	280ML	BROWN	25	5029347200008				
GPSGY	280ML	GREY	25	5029347608965				
GPSTR	280ML	CLEAR	25	5029347100001				
GPSWE	280ML	WHITE	25	5029347000004				
12GPSBK	280ML	BLACK	12	5029347600938				
12GPSBN	280ML	BROWN	12	5029347200008				
12GPSGY	280ML	GREY	12	5029347608965				
	EASIGPCL EASIGPWE CODE GPSBK GPSBK GPSGY GPSTR GPSWE 12GPSBK 12GPSBK 12GPSBK	CODE SIZE EASIGPCL 80ML EASIGPWE 80ML E CODE SIZE GPSBK 280ML GPSBN 280ML GPSGY 280ML GPSTR 280ML GPSWE 280ML 12GPSBK 280ML 12GPSBK 280ML	CODE	CODE SIZE COLOUR QTY EASIGPCL 80ML CLEAR 12 EASIGPWE 80ML WHITE 12 E CODE SIZE COLOUR QTY GPSBK 280ML BLACK 25 GPSBN 280ML BROWN 25 GPSTQ 280ML GREY 25 GPSTR 280ML CLEAR 25 12GPSBK 280ML BROWN 12 12GPSBN 280ML BROWN 12				

CLEAR

WHITE

5029347100001

12 5029347000004

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeezy tubes.

280ML

280ML



Glass / Ceramics / Timber / Aluminium / Laminates

Bath and Kitchen Sealant

EASI-SQUEEZE									
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE				
484863	EASIBATH	200ML	WHITE	12	5029347000547				
CARTRIDGE									
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE				
486278	BATH	290ML	WHITE	12	5029347000554				

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeezy tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

Flexible Decorators

EASI-SOUE	F7F				
SGAN	CODE	SIZE	COLOUR	OTY	BARCODE
484864	EASIFLEX	200ML	WHITE	12	5029347601041
ARTRIDG	E				
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486009	FLEX	290ML	WHITE	12	5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeezy tube form.




Glass / Ceramics / Timber / Metal / Laminates

ShowerproofBathroom Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467063	SHOWWE	280ML	WHITE	12	5029347609610
467062	SHOWTR	280MI	CLEAR	12	5029347609627

A mid modulus sanitary and shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.




Glass / Ceramics / Timber / Aluminium / Laminates

Timber and LaminateSealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483196	TIMBBCH	290ML	BEECH	6	5029347600143
483199	TIMBOAK	290ML	OAK	6	5029347600136
483200	TIMBPINE	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.



Timber / Laminates / MFC / MDF

Roof and Gutter Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486714	DUUE	295MI	RI ΔCK	17	50293/7000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.




Felt / Slates / Tiles / Wood / Bitumen / Gutters

External Frame Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483170	EXTBN	290ML	BROWN	12	5029347000585
483173	EXTGY	290ML	GREY	12	5029347000592
483174	EXTST	290ML	STONE	12	5029347000608
483175	EXTWE	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.



Timber / Plaster / Brick / Stone / Concrete

Sika® Sanisil Sanitary Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
73988	SKSANISILCL	300ML	CLEAR	12	3240240006050
73999	SKSANISILWE	300ML	WHITE	12	3240240006043

A high quality, acetoxy curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.



Sikaseal® Multi Purpose General Purpose Silicone

-	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
	548128	SKSEALMPTR	300ML	TRANSLUCENT	12	5055492701961
	548127	SKSEALMPWE	300ML	WHITE	12	5055492701947

A versatile acetoxy curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.



Sika® Plastix-22A Premium LMN Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
507294	SKPLAS22AANTH	300ML	ANTHRACITE	12	505549270148
507295	SKPLAS22ABK	300ML	BLACK	12	5055492701503
507297	SKPLAS22ACHGN	300ML	CHARTWELL GREEN	12	5055492701541
507296	SKPLAS22ACML	300ML	CARAMEL	12	5055492701527
507293	SKPLAS22ATK	300ML	TEAK	12	5055492701466
507292	SKPLAS22ATR	300ML	TRANSLUCENT	12	5055492701442
507285	SKPLAS22AWE	300ML	BRILLIANT WHITE	12	5055492701428

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.



SEALANTS Guns

Power Pro Sealant Gun

 SGAN
 CODE
 SIZE
 QTY
 BARCODE

 484912
 SGNEWPOWER
 C4/400ML
 6
 5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Professional Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
483371	SG310	C3/310ML	12	5029347602246
485999	SG400	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.



Jumbo Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
489587	SG9	900ML	1	5029347600785

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.



Jumbo Sealant Gun

SGAN	CODE	SIZE	QTY	BARCODE
489588	SGSUPERF	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever with a rotating barrel, smooth action trigger soft grip handle and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.





Foil Pack Spare Nozzles and Push Disc

SGAN	CODE	SIZE	QTY	BARCODE
489586	SGCOMBINOZ	=-	_1_	5029347600815

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.

Foil Pack Applicator Gun

SGAN	CODE	SIZE	ŲTY	BARCODE
483370	SGCOMBI6	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.







Sika® PowerCure Dispenser

DISPENSER							
SGAN	CODE	SIZE	QTY	BARCODE			
671579	7SPSKPCD	600ML	1	7612895699936			
NOZZLE							
SGAN	CODE	SIZE	QTY	BARCODE			
496783	7SPSKPCDRNOZZ	-	40	7612895230030			
	SGAN 671579 NOZZLE SGAN	SGAN CODE 671579 7SPSKPCD NOZZLE SGAN CODE	SGAN CODE SIZE 671579 75P5KPCD 600ML NOZZLE SGAN CODE SIZE	SGAN CODE SIZE QTY 671579 7SPSKPCD 600ML 1 NOZZLE SGAN CODE SIZE QTY			

The Sika PowerCure Dispenser provides a quick and efficient way of applying SikaBooster technology found in Sikaflex 423 Powercure. The fast curing technology coupled with the Sika PoweCure Dispenser creates the most convenient application method for when time is of the essence.



Standard Nozzles

SGAN	CODE	SIZE	QTY	BARCODE
489640	NOZSTD	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.



Seal Rite Smooth-Out Tool

SGAN	CODE	SIZE	QTY	BARCODE
486847	SMOOTHOUT	=	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.



Seal Rite Strip-Out Tool

SGAN	CODE	SIZE	QTY	BARCODE
482769	STRIPOUT	-	12	5029347603557

The Strip-Out Tool is a unique patented tool which works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.



Seal RiteStrip-Out and Smooth-Out Twin Pack

SGA	N	CODE	SIZE	QTY	BARCODE
4833	99	SRSSTWIN	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with Everbuild Silicone Sealants.



Silicone 825 Silicone Sealant



TRUSTED



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467283	825ANTH	380ML	ANTHRACITE	25	5029347615741
467206	825BG	380ML	BEIGE	25	5029347615734
467204	825BK	380ML	BLACK	25	5029347615727
467208	825BN	380ML	BROWN	25	5029347615710
467209	825BRICK	380ML	BRICK RED	25	5029347615703
467222	825BUFF	380ML	BUFF	25	5029347615697
534360	825DKANTH	380ML	DARK ANTHRACITE	25	5029347615673
467225	825DARKGY	380ML	DARK GREY	25	5029347615680
467226	825LMWE	380ML	LIMESTONE WHITE	25	5029347615666
467229	825MAG	380ML	MAGNOLIA	25	5029347615659
467240	825MIDGREY	380ML	MID GREY	25	5029347615642
467242	825PORT	380ML	PORTLAND STONE	25	5029347615628
467202	825WE	380ML	WHITE	25	5029347603977
518711	FP825WE6	600ML	WHITE	12	5029347612870

Shore A Hardness	20-30		
Movement Accommodation	+/-35% (ASTM C719)		
Skinning Time	30-45 mins		
Elastic Recovery	>80%		

Silicone 825 is a low modulus, neutral curing silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: glass, aluminium and PVC – all primerless.

SUBSTRATES: GLASS, ALUMINIUM AND PVC - ALL PRIMERLESS.

TECHNICAL EXCELLENCE PROFESSIONAL PERFORMANCE



CNIC

Fire Sealant 300 Intumescent Acrylic Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486192	300GY	380ML	GREY	25	5029347603984
486194	300WE	380ML	WHITE	25	5029347603984
486195	FP300GY6	600ML	GREY	12	NO BARCODE
486196	FP300WE6	600ML	WHITE	12	NO BARCODE

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

An intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke, with a fire rating of up to 4 hours. Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures. For internal perimeter pointing of fire rated door and window frames. Fire rated to EN1366-4 and EN1366-3, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components - products for residential ventilation.



Fire Sealant 400 Fire Rated Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489708	400BK	380ML	BLACK	25	5029347603991
489710	400GY	380ML	GREY	25	5029347603991
489703	400WE	380ML	WHITE	25	5029347603991

Movement Accommodation	+/-25%			
Skinning Time	30 - 45 mins			
Elastic Recovery	80%			
Elongation at Break	350%			

A neutral cure, elastic, acoustic rated silicone sealant with a fire rating of up to 4 hours. Typically used for all building and glazing joints which require a fire rating, sealing joints, voids and irregular holes in fire walls, partitions and other structures. Fire rated to EN1366-4, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components - products for residential ventilation. ISO 11600 class: F25LM.



Silicone S50 Sanitary Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486319	S50JAS	310ML	JASMINE	25	5029347604844
486430	S50MAN	310ML	MANHATTAN GREY	25	5029347604844
486431	S50TR	310ML	TRANS	25	5029347604844
486433	S50WE	310ML	WHITE	25	5029347604844

Movement Accommodation	+/-20%			
Skinning Time	15 mins @20°C			
Cure Time	3-4MM per 24hrs			
Service Temp	-40 to +150°C			

A mid modulus, acetoxy curing silicone sealant that contains a powerful antifungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. Tested to ISO 11600 F/ G20LM and EN15651.



Joint Backer Rod

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489399	BACK10	1150MT	GREY	1	NO BARCODE
489410	BACK12	750MT	GREY	1	NO BARCODE
489411	BACK15	550MT	GREY	1	NO BARCODE
489412	BACK19	350MT	GREY	1	NO BARCODE
489413	BACK25	200MT	GREY	1	NO BARCODE
489414	BACK31	160MT	GREY	1	NO BARCODE

Everbuild Tecnic Joint Backer Rod is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.



HM Silicone Acetoxy sanitary silicone

	HMWE	31UML	WHILE	_25_	502934/610210		
Movement Cap	ability	+/-2	0 % (ISO90	147)			
Elongation at b	Elongation at break			>350% (ISO8339)			
Elastic Recover	Elastic Recovery)			

SGAN CODE SIZE COLOUR QTY BARCODE

A premium, acetoxy curing silicone sealant engineered to provide enhanced body and superior toolability in sanitary

2-4 mm/24 hours (23 °C and 50 % RH)

It contains powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity.



Anti Pick 109

Pick Resistant Sealant

SGAN	CODE	SIZE	COLO	DUR	QTY	BARCODE
489422	ANTIP109GY	295ML	GRI	ΕY	25	5029347610210
489423	ANTIP109SL	295ML	SOFTL	INEN	25	5029347610210
489424	ANTIP109WE	295ML	WH	ITE	25	5029347610210
Shore A Hardness Tensile Strength (ISO 8339) Curing Time at 23°C and 50% RH			- :	~50 > 1N/m 2mm /		60% elongation

A very high modulus, one part, chemically curing sealant. Specifically designed for providing a hand pick resistant seal accommodating small movement for areas where a normal sealant is not hard enough.



SEALANTS

Hybriflex 25LM Low Modulus Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484641	HYB25LMWE	380ML	WHITE	25	5029347612054

Shore A Hardness 20-30 Skin Formation at 23°C and 50% RH 20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/ door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. Tested to ISO11600 class: F25LM.



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
492024	HYB40GY	295ML	GREY	12	5029347613334

Shore A Hardness 50 +/-5 **Skinning Time** 10-40 mins 2mm/24 hr **Cure Time** Elastic Recovery

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.

Hybriflex SMP Flooring Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE	
486738	FPHYBSMPGY	600ML	GREY	12	NO BARCODE	
Shore A H			30-4			
Movemer	nt Accommodatio	n	+/-20	+/-20%		
Elongatio	ongation at Break (ISO 8339)			>250%		
Service T	rice Temperatures			-40°C to +90°C		
	-					

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.

Hybriflex FR Fire Rated Hybrid Polymer

SGAN CODE SIZE COLOUR QTY BARCODE FPHYBFRGY 600ML GREY 12 NO BARCODE Shore A Hardness 40+/-5 Movement Accommodation +/-25% Skin Formation at 23°C and 50% RH 20-55 mins Elongation at Break (ISO 8339) >200%

A one part, chemically curing solvent free sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required. Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 -Warrington Fire Certificate 195854/A October 2010).



Hybriflex 55 Hybrid Polymer Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
518713	FPHYB55BK	600ML	BLACK	12	NO BARCODE
486224	FPHYB55WE	600ML	WHITE	12	NO BARCODE
Shore A H	Shore A Hardness				
Skinning	Гime		30-45 mins		
Elastic Recovery			>75%		
Tensile Strength			1.5N/mm ²		

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate, resistant to most chemicals.

Hybriflex 480 Hybrid Polymer Building Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486725	HYB480GY	380ML	GREY	25	5029347616007
486727	HYB480WE	380ML	WHITE	25	5029347606107

Shore A Hardness 35-45 **Skinning Time** +/- 25% Elastic Recovery 20-35 mins Tensile Strength

A one part general purpose building sealant based on hybrid polymer technology. Ideal for perimeter pointing of uPVC and all window/door frames, expansion joints, weatherproof sealing etc. which need to be painted over afterwards. Conforms to ISO 11600 Class: F25HM.



Puraflex 25 Low Modulus PU

1	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
	464966	INDPU25BK	300ML	BLACK	12	5029347613174
	464969	INDPU25BN	300ML	BROWN	12	5029347613181
	465347	INDPU25BU	300ML	BUFF	12	5029347613198
	464968	INDPU25GY	300ML	GREY	12	5029347613204
	464967	INDPU25WE	300ML	WHITE	12	5029347613211
	464714	FPINDPU25BK6	600ML	BLACK	20	NO BARCODE
	464962	FPINDPU25GY6	600ML	GREY	20	NO BARCODE
	464961	FPINDPU25WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness +100/-50% (ASTM C719) Movement Accommodation **Skinning Time** 70 mins

A one part low modulus building sealant based on polyurethane technology. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc. Conforms ISO11600 F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.



Puraflex 40 High Modulus PU

S	GAN	CODE	SIZE	COLOUR	QTY	BARCODE
46	4963	INDPU40BK	300ML	BLACK	12	5029347613143
46	4965	INDPU40GY	300ML	GREY	12	5029347613150
46	4964	INDPU40WE	300ML	WHITE	12	5029347613167
46	4712	FPINDPU40BK6	600ML	BLACK	20	NO BARCODE
46	4839	FPINDPU40GY6	600ML	GREY	20	NO BARCODE
46	4960	FPINDPU40WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness	30-40			
Skinning Time	~50 mins			
Cure Time	3.5mm/24 hr			
Elastic Recovery	>75%			

A high modulus, one-component PU sealant and adhesive which adheres strongly to most substrates. Provides excellent mechanical resistance (Shore A 30-40), resistance to most common chemicals and can be overpainted when cured.





Sikaflex® PRO-3 Purform Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
693977	FPSKPRO3PBK6	600ML	BLACK	20	7612895756448
694153	FPSKPRO3PGY6	600ML	GREY	20	7612895755496
694308	FPSKPRO3PWE6	600ML	WHITE	20	7612895758466

Containing new Purform technology for a future proof polyurethane formula, Sikaflex PRO 3 Purform is a onepart, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.











Sikaflex® PRO-3 Self Levelling Polyurethane Floor Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
410863	FPSKFLFXP3SLCGY	600MI	CONCRETE GREY	20	7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.













SikaHyflex®-250 Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
443600	FPSKHY250FCBGY	600ML	BASALT GREY	20	7612894991093
435543	FPSKHY250FCCGY	600ML	CONCRETE GREY	20	7612894945478
435616	FPSKHY250FCDGY	600ML	DARK GREY	20	7612894946819
443569	FPSKHY250FCIV	600ML	IVORY	20	7612894991079
435614	FPSKHY250FCWE	600ML	WHITE	20	7612894949094

A high performance, one-part, moisture curing, lowmodulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.







Sikaflex® Tank N Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
156879	FPSKFLEXTKGY6	600ML	CONCRETE GREY	20	761289463396

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.







Sikaflex® Construction+ Polyurethane Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
438640	FPSKFLEXCONCGY	600ML	CONCRETE GREY	20	7612894961690

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades.











Sikasil® Pool Silicone Sealant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
130877	SKSILPOOLGY	300ML	GREY	12	7612894590906
150295	SKSILPOOLWE	300ML	WHITE	12	7612894609400

A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.







Sikaflex®-423 Powercure


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
713122	7SPSKF423PCCGY	600ML	GREY	14	7612895813158


Sikaflex®-423 Powercure is a 1-part, non-sag, highperformance polyurethane sealant and booster, for vertical and horizontal joints in civil engineering application. Mixed by the Sika PowerCure dispenser, correct ratios of sealant and SikaBooster are applied directly to the joint for a quick and convenient application. Provides high movement capability, and high mechanical and chemical resistance.











Sikasil® DW

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
715630	7SPFPSKSDWBK6	600ML	BLACK	20	7612895817651
715585	7SPFPSKSDWSG6	600ML	SIGNAL GREY	20	7612895817637
680078	7SPFPSKSDWTR6	600ML	TRANSPARENT	20	7612895717258

Sikasil® DW is suitable for joints in contact with potable (drinking) water, e.g. in the water industry in drinking water reservoirs, tanks, treatment and filtration plants.











Approval Number: 2203515

Sika® Primer-115

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
708138	7SPSKP1151L	1LTR	TRANSPARENT (Slightly Yellow)	1	7612895791753

A one-component, solvent based primer based on Sika Purform technology and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.

Sika® Primer 3N

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
122239	SKPRIME3N1	1LTR	TRANSPARENT	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.







ADHESIVES

Hybrid Sealants and Adhesives 32
Grab 36
Plasterboard 42
Specialist Adhesives 43
Wood 44
Flooring 46
Contact 49
Superglues and activators 50
Craft 52

Stixall Extreme Power Sealant and Adhesive

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.

TRUSTED













Metal / Glass / Brick / Timber / Plastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483107	STIXBK	290ML	BLACK	12	5029347603281
483108	STIXBN	290ML	BROWN	12	5029347603304
483168	STIXCLEAR	290ML	CRYSTAL CLEAR	12	5029347603960
483109	STIXGY	290ML	GREY	12	5029347603298
483110	STIXWE	290ML	WHITE	12	5029347602604
546801	STIXNAT	290ML	NATURAL	12	5029347615291
483124	EASISTIXCL	80ML	CRYSTAL CLEAR	12	5029347606053
483111	EASISTIXWE	80ML	WHITE	12	5029347606015









Sikaflex® EBT+





TRUSTED

3-IN-1 ADHESIVE, **SEALANT AND FILLER**

PERMANENTLY FLEXIBLE AND ELASTIC

WATERPROOF AND **WEATHERPROOF**

Sikaflex®

300 ml

						HIGH-GRAB NON-SAG
GAN	CODE	SIZE	COLOUR	QTY	BARCODE	
	SKFLEXEBTWE	300ML	WHITE	12	7612894368475	
63337	SKFLEXEBTCR SKFLEXEBTBG	300ML 300MI	CLEAR BEIGE	12	5055492700780 7612894370546	
11395		300ML 300MI	BL ACK	12	7612894370546	
511393	SKFI EXEBTBN	300ML	BROWN	12	7612894370560	
511397	SKFLEXEBTGY	300ML	GREY	12	7612894368451	
mu olyu BT+ xcell	SKFLEXEBTGY Iti-purpose rethane* a	n, perma dhesive ll comm nd gap f	GREY anently- (e and sea non build filling pro	elast lant. ing m	r612894368451 ic, one-part, Sikaflex® naterials; its ies makes	
mu olyu BT+ xcell idea	SKFLEXEBTCY Iti-purpose rethane* a bonds to a lent grab ar al for use in tenance ap	, perma dhesive Il comm nd gap f n a wide plicatio	anently- of and sea non build filling programme of the contractions.	elast lant. ing m	r612894368451 ic, one-part, Sikaflex® naterials; its ies makes	
mu olyu BT+ xcell idea	Iti-purpose rethane* a bonds to a lent grab ar al for use in	, perma dhesive Il comm nd gap f n a wide plicatio	anently- of and sea non build filling programme of the contractions.	elast lant. ing m	r612894368451 ic, one-part, Sikaflex® naterials; its ies makes	

EB25







TRUSTED

SEALS AND BONDS UNDERWATER

WORKS ON VIRTUALLY ANY SUBSTRATE

SUPERIOR **FLEXIBILITY**

SANITARY AND FOOD SAFE

INCREDIBLE BOND STRENGTH

SGAN CODE SIZE COLOUR QTY 614049 EB25ANTH 300ML ANTHRACITE 5029347615550 FB25BK SUUMI BLACK EB25CL 300ML CRYSTAL CLEAR 5029347615543 605670 EB25GY 300ML GREY 5029347615567 605668 EB25WE 300ML WHITE 5029347615536

EB25 uses cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.
















Brick / Timber / Metal / Plastic / Glass

















SGAN CODE SIZE COLOUR QTY BARCODE

290ML WHITE 25 5029347000110

Multi Stick



TRUSTED



EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING



BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND **NON-POROUS SURFACES** IN THE WET OR DRY!

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
525020	SKMULTISWE	350ML	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.









Metal / Brick / Timber / Plastic / Concrete / PVCu

Gun A Nail Extra SGAN CODE SIZE COLOUR QTY BARCODE

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two nonporous materials together.

486026 SBGANC4 380ML BEIGE 12 5029347111007



Brick / Stone / Concrete / Timber

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461970	CLEARFIX3	290ML	CLEAR	12	5029347612931
A clear hy	/brid polymer	grab adh	esive		•

that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable - even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.













Metal / Glass / Brick / Timber / PVCu

Gun A Nail Standard

GANN3

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding,





framework and floorboards.





Brick / Stone / Timber / Concrete

Mirror Mate

CODE SIZE COLOUR QTY BARCODE MIRROR 290ML WHITE 12 5029347112004


Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces etc.













DEWILLE

Maximum Torque





SGAN	CODE	SIZE	COLOUR	QTY	BARCODE	
484807	MAXTQWE	290ML	WHITE	12	5029347610814	

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.









Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES

INCREDIBLE **INITIAL GRAB**



ADHESIVES

Griptite

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486238	GRIPTITEC3	310ML	BUFF GREEN	12	5029347611965
486717	GRIPTITEC4	350ML	BUFF GREEN	12	5029347611644

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.







Brick / Stone / Timber / Concrete

Coving Adhesive and Joint Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486008	COVE	290ML	WHITE	12	5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.





Plaster / Timber / Polystyrene / Brick / Stone / Concrete


Instant Nails

EASI-SQUEEZE

JUAN	CODE	2176	LULUUR	ŲΙΥ	DAKLUDE
484866	EASIINST	200ML	WHITE	12	5029347000578
CARTRIDG	E				
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484815	INST	290ML	WHITE	12	5029347000561
484816	25INST	290ML	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.







ADHESIVES

Pinkgrip MS

TRUSTED

PINKGRIP MS is a hybrid polymer grab adhesive. This next generation product is designed to overcome the limitations of traditional grab adhesives, whilst maintaining the legendary grab strength of the original Pinkgrip formulation.

MULTI SURFACE

Forget the limitations of traditional solvent or waterbased adhesives, PINKGRIP MS will bond almost all common building materials, porous and non-porous, indoors and out. It will even work on wet surfaces or underwater.

MAXIMUM STRENGTH

Worthy of the famous Pinkgrip name, PINKGRIP MS has an incredible grab strength.

MINIMUM SOLVENTS

The high adhesive performance of a solvent based product, without all of the harmful emissions.



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
708010	PINKGMSC3	290ML	PINK	12	5029347615925











Brick / Metal / Timber / Concrete / Plastic



Pinkgrip



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486022	PINKGRIP	350ML	PINK	12	5029347601690

Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.





Pinkgrip SF

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486023	SFREEPINK	380ML	PINK	12	5029347602420
486024	PINKWE	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.









ADHESIVES Specialist Adhesives

Pinkgrip Dry Fix FR

SIGNIFICANT TIME SAVING **OVER CONVENTIONAL DRY WALL ADHESIVES**

SUITABLE FOR PLASTERING IN JUST 1 HOUR

BOARDS ONLY NEED HOLDING **FOR 1 MINUTE**

NO MIXING, NO MESS





TRUSTED

 SGAN
 CODE
 SIZE
 COLOUR
 QTY
 BARCODE

 489721
 DRYFIX7
 750ML
 PINK
 12
 5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.







Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486434	DRYGUN			_1_	5029347606466

Pinkgrip Dry Fix Applicator Gun - for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Smart Tack Handy

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488882	SMARTHANDY	500MI	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.

Smart Tack

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488883	SMARTBULKCL	22KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal



Laminates / Timber / Cork / Rubber / Metal

Smart Tack

SGAN	CODE	SIZE	COLOUR	QΤΥ	BARCODE
488889	SMARTBULKGUN		_	_1_	NO BARCODE

For use with Smart Tack bulk tank and hose.



Smart Tack

SGAN CODE SIZE COLOUR QT	TY BARCODE
488892 SMARTBULKHOSE 1	1 NO BARCODE

For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.



ADHESIVES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484942	D41	1LTR	WHITE	12	5029347602703
484947	D425	25LTR	WHITE	1	5029247611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. Conforms to EN 204. D4 Strength and WATT91.





502 All Purpose Weatherproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483366	WOODBOT125	125ML	-	12	5029347005276
482248	WOODBOT250	250ML	-	12	5029347005238
482247	WOOD05	500ML	-	20	5029347005207
479511	WOOD1	1L	-	12	5029347005214
488859	WOOD5	5L	-	4	5029347005252
488861	WOODA25	25L	-	1	5029347052492

All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.





5 Minute Polyurethane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484682	5MINPU3	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. Conforms to EN 204. D4 Strength.





Wood / Metal / Brick / Concrete / Stone

5 Minute Polyurethane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484683	5MINIDI 17	75.0C.D	RDO\WN	6	50293/7601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.




Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

Lumberjack 30 Minute Polyurethane Wood
Adhesive Gel is a thixotropic, transparent,
gap filling gel which sets hard in 30
minutes. This one part, moisture curing gel
gives exceptionally high bond strength and
is resistant to most chemicals. It foams
slightly on application to fill small gaps,
which increases bond strength. Conforms
to EN 204. D4 Strength.

 SGAN
 CODE
 SIZE
 COLOUR
 QTY
 BARCODE

 484684
 30MINPU3
 310ML
 TRANS
 12
 5029347809010



Wood / Metal / Brick / Concrete / Stone

45 Minute Polyurethane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484686	45MINPU7	750GRM	BROWN	6	5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484685	30MINPU7	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. Conforms to EN 204. D4 Strength.



Wood / Metal / Brick / Concrete / Stone

Our Wood Filler range is perfect for professional preparation



ADHESIVES Flooring

SikaBond®-52

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
424418	FPSKBD52	600ML	BEIGE	20	7612894887525

A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.



LOW EMISSIONS

APPROX COVERAGE



SikaBond®-151

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
583888	SKBD15117	17KG	PAROUET BROWN	1	7612895512556

A one-part, solvent-free wood floor adhesive which is suitable for use on all types of wood flooring and most common types of floor substrates. SikaBond®-151 is a elastic adhesive that is easy to spread, whilst maintaining stable trowel peaks.

SikaBond®-54

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489209	SKBD54WF6	600ML	BEIGE	20	7612894887525
423888	SKBD5407	700ML	BEIGE	12	7612894885484
427784	SKBD5413	13KG	BEIGE	1	7612894907285

A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.





SikaBond® MS

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
466914	SKRDMSFI 14	14KG	PAROUET BROWN	1	5055492700902

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.

SikaBond® MS

SGAN CODE SIZE COLOUR QTY BARCODE 467798 FPSKBDMSFL6 600ML PARQUET BROWN 12 5055492700933

A high quality, gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.

CODE SIZE COLOUR QTY BARCODE 712872 SKBDWOODKIT

ADHESIVES

A complete wood floor bonding kit to easily and quickly fit up to 20M² of wood flooring. This kit contains ten 600ml SikaBond® MS Wood Floor adhesive foils, one bulk gun and two reusable precut nozzles.



SikaBond®

SGA	N	CODE	SIZE	COLOUR	QTY	BARCODE
16574	15	SKBD5500S18	16KG	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



Sika®



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
50368	SKSILENT0316	16.66M	-	1	5055047210252
55606	SKSILENT0513	13.33MTR	-	1	5055047210269

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SIkaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.











ADHESIVES Contact

49

Lumberjack 650 Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484940	LJACK65014	14KG	BUFF	1	5029347603175

Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.







Lumberjack 160

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484937	LJACK16010	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly onto porous substrates.

Lumberjack 550 Floor Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484939	LJACK5503	300ML	BUFF	12	5029347603151
484938	LIACKSSOS	600MI	BUFF	12	5029347603168

Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.



Stick 2

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484614	CON125	125ML	BEIGE	10	5029347006518
484613	CON250	250ML	BEIGE	12	5029347065027
484612	CON750	750ML	BEIGE	12	5029347065058
484611	CONA5	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.



 SGAN
 CODE
 SIZE
 COLOUR
 QTY
 BARCODE

 484593
 CONSPRAY5
 500ML
 12
 5029347060855

A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.







Stick 2 Carpet Fix Spray Adhesive

2.5M

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488880	CARPSPRAY5	500ML	-	12	5029347603212

Laminates / Timber / Cork / Rubber / Metal

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483334	2SPRAY05	500ML	_	12	502934761132

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.















ADHESIVES Superglues and Activators

Mitre Fast Bonding Kit is a two part instant adhesive system

comprising a cyanoacrylate adhesive and aerosol activator.

and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.

Mitre Fast is mainly used in the furniture, timber, kitchen

SIZE COLOUR QTY

CLEAR

CLEAR

CLEAR

51

5029347611637

5029347601126

Stick 2


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484651	CYN20	20GRM	CLEAR	25	5029347900069
484652	CYN50	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.

Stick 2

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484654	HV20	20GRM	CLEAR	25	5029347601072
484655	HV50	50GRM	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C - 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.







SGAN CODE SIZE COLOUR QTY BARCODE 489753 ACTIV2 200ML CLEAR 12 5029347000615

Mitre Fast Activator as supplied in bonding kit.



PVCu / Plastic / Glass / Metal

Stick 2

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
400001	DEBONDED	20141	CLEAD	10	E020247C0100C

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.



Metal

PVCu / Plastic / Glass / Metal

 SGAN
 CODE
 SIZE
 COLOUR
 OTY
 BARCODE

 486668
 THREADLOCK10
 10GRM
 BLUE
 10
 5029347601720

thixotropic non-drip formula For nuts, bolts, screws and

Medium strength anaerobic, allows for disassembly,

Stick 2



PVCu Acti-Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486901	PVCACT	200ML	CLEAR	12	502934760276

PVCu Acti-Spray is an aerosol applied activator for use with Everbuild Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-Spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.







Mitre Fast

MITRE1IND

MITRE2

489755

462029



Mitre Fast

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489752	MITREADH5	50GRM	CLEAR	10	5029347603434

Mitre Fast Adhesive as supplied in bonding kit.



Timber / Plastics / Metal



Timber / Plastics / Metal

ADHESIVES

Stick 2 Instant Bond

SGAN CODE SIZE COLOUR QTY BARCODE 489420 S2CONADH BEIGE

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.









Stick 2 All Purpose

TUBE					
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489510	S2CLEAR	30ML		12	5029347600013

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.







Stick 2 All Purpose Superglue

CODE SIZE COLOUR QTY BARCODE

CODE SIZE COLOUR QTY BARCODE

483374 S2SUPBOTO5 5GM - 6 5029347605933 Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.



Stick 2

SGAN CODE SIZE COLOUR QTY BARCODE S2HARD 30ML CLEAR

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.







PVCu / Plastic / Glass / Metal

Stick 2 Superglue

S2GEL3

Stick 2 Superglue Gel will bond

most common materials. The

high viscosity formula is ideal

for nondrip, vertical, porous or

bonding wood, plastics, metals,

small gap filling applications.

paper, porcelain, rubber and

Superglue Gel is ideal for

more.

Stick 2 Rapid Epoxy

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490483	S2RAPEXTUBE	12ML X 2	-	16	5029347605964

Adhesive

SGAN CODE SIZE COLOUR QTY BARCODE

3GM

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.









Metal / Glass / Wood / Ceramics

Stick 2

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.

487746 S2ENAMEL 25ML







SGAN CODE SIZE COLOUR QTY BARCODE







SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483851	S2RAPEX24	24ML	-	12	50293476016

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.








Metal / Glass / Wood / Ceramics



SGAN



Jointing Compounds

LANDSCAPING

Sika® FastFix All Weather Paving Jointing Compound





CODE	SIZE	COLOUR	QTY	BARCODE
SKFFIXDKBF15	15KG	DARK BUFF	1	5055492703644
SKFFIXDPGY14	14KG	DEEP GREY	1	5055492703637
SKFFIXCHRL16	15KG	CHARCOAL	1	5055492703125
SKFFIXFLT16	15KG	FLINT	1	5055492703118
SKFFIXSTN16	15KG	STONE	1	5055492703101
	SKFFIXDKBF15 SKFFIXDPGY14 SKFFIXCHRL16 SKFFIXFLT16	SKFFIXDKBF15 15KG SKFFIXDPGY14 14KG SKFFIXCHRL16 15KG SKFFIXFLT16 15KG	SKFFIXDKBF15 15KG DARK BUFF SKFFIXDPGY14 14KG DEEP GREY SKFFIXCHRL16 15KG CHARCOAL SKFFIXFLT16 15KG FLINT	SKFFIXDKBF15 15KG DARK BUFF 1 SKFFIXDPGY14 14KG DEEP GREY 1 SKFFIXCHRL16 15KG CHARCOAL 1 SKFFIXFLT16 15KG FLINT 1

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Available in 5 colours.











Colour swatches are a guide only and may vary.









TRUSTED

FOR USE ON JOINTS FROM **JUST 20MM DEEP**

EASY TO APPLY - FAST TO SET



ACTS AS A NATURAL BARRIER FOR WEED GROWTH

NO WASTE - STORE AND REUSE ONCE OPENED



WATCH THE VIDEO:

EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/FASTFIX-ALL-WEATHER-APPLICATION-VIDEO

SikaCeram® FlowFix Porcelain Paving System

SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.

SikaCeram® FlowFix Jointing Compound is a controlled, ementitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.



WATCH THE VIDEO:

EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/SIKACERAM-FLOWFIX-APPLICATION-VIDEO/

SikaCeram®-62 FlowFix





SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
633196	SKCMPRIM20	20KG	-	_1_	505549270328



SikaCeram®-621 FlowFix Porcelain Jointing Compound



BAGS					
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
633363	SKCMJOINTIV	20KG	IVORY	1	5055492703279
633361	SKCMIOINTLTGY	20KG	LIGHT GREY	1	5055492703255
667996	SKCMJOINTDKGY	20KG	DARK GREY	1	5055492703613
667995	SKCMJOINTBUF	20KG	BUFF	1	5055492703620

SGAN	CODE		COLOUR	ŲIY	
711500	SKCM621TUBIV15	15KG	IVORY	_1_	5055492703972
711449	SKCM621TUBLTGY15	15KG	LIGHT GREY	1	5055492703965
711447	SKCM621TUBDKGY15	15KG	DARK GREY	1	5055492703989
711448	SKCM621TUBBUF15	15KG	BUFF	1	5055492703996

Colour swatches are a guide only and may vary.

LANDSCAPING Sealing and Protecting

Sika® Setting Sand Narrow Paving Joint Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
442722	SKSANDBF20	20KG	BUFF	1	5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.







Sika® Water Repel + Water Repellent and Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
407296	SKWATREP5	5LTR	CLEAR	4	5055047210986

Sika Water Repel+ is a solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.



Sika® Patio Seal Clear Paving Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
115338	SKPAT5	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.



Sika® Water Seal Waterproofer and Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171270	SKWATSEAL5	5LTR	-	4	5055047210580

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.





Sika® Stone Protector Water Based Protector and Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
410465	SKSTONE5	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



Sika® Block Paving Seal Clear Driveway Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114882	SKBLOCKS5	5LTR	CLEAR	4	5055047206330
114883	SKBLOCKS25	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.





SOLVENT 4-8M²



WEATHER PROOF





SOLVENT FREE

LANDSCAPING Sealing and Protecting

Resiblock Indian Sandstone Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
173783	RBINDINV5	5LTR	INVISIBLE	4	5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.

Resiblock Indian Sandstone Sealer Colour Enhancer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171756	RBINDENH5	5LTR	=	4	5036143000237


A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.

402 Water Seal Water Repellent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488954	WAT5	5L	-	4	502934700425
488955	WAT25	25L	-	1	502934700426

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.

405 Path and Patio Seal



Path and Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.













Resiblock Superior Block Paving Sealer

4-6M²

APPROX COVERAGE

WEATHER PROOF

SOLVENT

SOLVENT BASED

WEATHER PROOF

SOLVEN

 $3M^2$

APPROX COVERAGE

 $6M^2$

APPROX COVERAGE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
116918	RBORIGGL5	5LTR	GLOSS	4	5036143000015
116919	RBORIGGL25	25LTR	GLOSS	1	5036143000022
119626	RBORIGNAT5	5LTR	NATURAL	4	5036143000312
119627	RBORIGNAT25	25LTR	NATURAL	1	5036143000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.

Resiblock Trade All Purpose Paving Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
171755	RBTRADD5	5LTR	-	4	5036143000503
171757	RBTRAD25	25LTR	-	1	5036143000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.

409 Block-Guard Block Paving Seal and Joint Sand Stabiliser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482659	BLOCKGUARD5	5L	-	4	5029347603083
482658	BLOCKGUARD25	25L	_	1	5029347605780

Block Guard is a block paving seal and joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.

408 Super Seal High Performance Water Repellent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489023	WALLSEAL5	5L	-	4	5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering etc. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.













LANDSCAPING

Surface Cleaners and Treatments

Sika® Mould Buster Mould and Algae Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
174996	SKMBUST5	5LTR	-	4	5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.

Sika® Brick and Patio Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102476	SKBC5	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick and Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.

Brick and Patio Cleaner

401




Brick and Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.

403 Concrete Hardener and Dustproofer

Surface Cleaners and Treatments

LANDSCAPING



Concrete Hardener and Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. Tested to BSEN1504-2.





















Sikagard®-112 Mortar and Brick Cleaner

100M²

APPROX COVERAGE

ANTI-FUNGAL MOULD

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
649545	SKGD112CLN5	5LTR	-	4	5055492703347

Sikagard®-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.

Sika® Dustproofer Concrete Surface Hardener

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102470	SKDUST5	5LTR	-	4	5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.

404 Fungicidal Wash

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488952	FUN1	1L	-	12	5029347004415
488953	FUN5	51	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.















Need a quick fix before you clean and treat? Check out our

Concrete and brick









APPROX COVERAGE



LANDSCAPING

Surface Cleaners and Treatments

406

Stabilising Solution

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483195	STAB5	5L	-	4	5029347601508

406 Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.









Patio Wizard Mould and Algae Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484817	PATWIZ1	1LTR	-	12	5029347606305
484818	PATWIZ5	5LTR	-	4	5029347606312

Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L









Oil Away Oil Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484752	OIL1	1L	-	12	5029347611187

Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.











Salt Away Salt Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484750	SALT5	5L	-	4	5029347611200
484751	SALT1	11	-	12	5029347611194

Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios and can be poured, sprayed or brushed on.



Cemstrip Cement Stain Remover

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482947	CEM5	5L	-	4	5029347611026
482948	CEMSPRAY1	1L	-	12	5029347611033

Everbuild Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.









Tarmac Restorer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488956	TARR5	5LTR	BI ACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.







WOOD CARE AND TREATMENT

Treatments and Preservatives

Sikagard® Universal 5 Star Wood Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
422881	SKGDUNI5	5LTR	CLEAR	4	5055047210344

An all-in-one, deeply penetrating wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algaecides and permethrin to actively kill and protect against all known wood rot, decay, fungi and wood boring insects.

Sikagard® Wood Preserver

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
172046	SKGDWPCL5	5LTR	CLEAR	4	5055047210436

A low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algaecides that are finely dispersed ensuring deep penetration and long term protection.







Sikagard® Woodworm Killer

INTERIOR AND EXTERIOR

3-4M²

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
408177	SKGDWORM5	5LTR	CLEAR	4	5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.









WOOD CARE AND TREATMENT

Treatments and Preservatives

Wood Preserver

- THE VEH

PRESERVER

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482976	LJCR01	1L	CLEAR	10	5029347802011
482977	LJCR05	5L	CLEAR	4	5029347802035
482978	LJCR25	25L	CLEAR	1	5029347802042
483723	LJD005	5L	DARK OAK	4	5029347802073
483724	LJGC05	5L	GOLDEN CHESTNUT	4	5029347802110
483725	LJRC05	5L	RED CEDAR	4	5029347802158
483727	LJFG05	5L	FIR GREEN	4	5029347803032

Wood Preserver is a low odour solution that effectively penetrates wood to give long lasting protection. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood. Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.

Triple Action Wood Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483183	LJUN01	1L	CLEAR	10	5029347801014
483184	LJUN02	2.5L	CLEAR	6	5029347801021
483185	LJUN05	5L	CLEAR	4	5029347801038
483186	LJUN25	25L	CLEAR	1	5029347801045

Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.









SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483790	LIWORM05	5L	CLEAR	4	5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation low odour with micro fine actives that penetrate deep into the wood.





WOOD CARE AND TREATMENT

Treatments and Preservatives

Masonry Dry Rot Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483768	LJROT05	5L	CLEAR	4	5029347610982

Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.

Creocote

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489043	CREODKBN4	4LTR	DARK BROWN	4	502934761040
489045	CREOLTBN4	4LTR	LIGHT BROWN	4	502934761038

Creocote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.













Shed and Fence Mate Water Repellent Treatment

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
514334	FENCEB05	5LTR	BURNT OAK	1	502934780503
514335	FENCECO5	5LTR	COUNTRY OAK	1	502934780505
515025	FENCEEB5	5LTR	EBONY BLACK	1	502934780509
514337	FENCERR5	5LTR	RUSTIC RED	1	502934780507

Shed and Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.















WOOD CARE AND TREATMENT

Stains and Varnishes

Wood Stain



				_	
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483215	WSTAINSN002	250ML	NATURAL OAK	6	5029347612177
483219	WSTAINSPN02	250ML	ANTIQUE PINE	6	5029347612184
483210	WSTAINSMAH02	250ML	MAHOGANY	6	5029347612191
483229	WSTAINSWAL02	250ML	WALNUT	6	5029347612214
483229	WSTAINSRW02	250ML	ROSEWOOD	6	5029347612221
483207	WSTAINSD002	250ML	DARK OAK	6	5029347612238
483226	WSTAINSTK02	250ML	TEAK	6	5029347612207
483216	WSTAINSN007	750ML	NATURAL OAK	6	5029347611330
483221	WSTAINSPN07	750ML	ANTIQUE PINE	6	5029347611347
483212	WSTAINSMAH07	750ML	MAHOGANY	6	5029347611354
483230	WSTAINSWAL07	750ML	WALNUT	6	5029347611378
483224	WSTAINSRW07	750ML	ROSEWOOD	6	5029347611385
483208	WSTAINSD007	750ML	DARK OAK	6	5029347611392
483227	WSTAINSTK07	750ML	TEAK	6	5029347611361
483217	WSTAINSNO2	2.5L	NATURAL OAK	2	5029347611408
483222	WSTAINSPN2	2.5L	ANTIQUE PINE	2	5029347611415
483214	WSTAINSMAH2	2.5L	MAHOGANY	2	5029347611422
483231	WSTAINSWAL2	2.5L	WALNUT	2	5029347611446
483225	WSTAINSRW2	2.5L	ROSEWOOD	2	5029347611453
483209	WSTAINSD02	2.5L	DARK OAK	2	5029347611460
483228	WSTAINSTK2	2.5L	TEAK	2	5029347611439
483204	WSTAINCLEAR07	750ML	CLEAR	6	5029347611514

A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.


The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding and garden furniture etc. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.







TRUSTED





TOUCH DRY IN 30 MINS, OVERCOAT AFTER 4 HOURS




NATURAL OAK















CLEAR COAT

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

WOOD CARE AND TREATMENT

Stains and Varnishes

Clear Varnish

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482973	WVARCLS02	250ML	CLEAR	6	5029347611477
482980	WVARCLS07	750ML	CLEAR	6	5029347611484
482975	WVARCLS2	2.5LTR	CLEAR	2	5029347612047
482967	WVARCLG02	250ML	CLEAR	6	5029347611491
482968	WVARCLG07	750ML	CLEAR	6	5029347611507
482969	WVARCLG2	2.5LTR	CLEAR	2	5029347612030
482972	WVARCLM02	250ML	CLEAR	6	5029347612979
482971	WVARCLM07	750ML	CLEAR	6	5029347612986
482970	WVARCLM2	2.5LTR	CLEAR	2	5029347612993

Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirtings, furniture etc.











Floor Varnish

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488529	FLOORVGL07	750ML	CLEAR	6	5029347612580
488530	FLOORVGL2	2.5L	CLEAR	2	5029347612597

Everbuild Ultra Hard Floor Varnish is a clear quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.















ROOFING

Roof Repair Flashing Bitumen

76 79 80

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED





Evercryl is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryl is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryl is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryl will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryl requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions - for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

TRUSTED

CAN BE USED IN THE WET NO PRIMER NEEDED



ONE COAT APPLICATION APPLY WITH A BRUSH

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484619	EVCBK02	2.5KG	BLACK	6	5029347600969
484625	EVCBK5	5KG	BLACK	4	5029347600976
484621	EVCCL01	1KG	TRANS	12	5029347612658
484620	EVCCL5	5KG	TRANS	4	5029347612665
484626	EVCGY01	1KG	GREY	12	5029347609658
484627	EVCGY02	2.5KG	GREY	6	5029347600709
484628	EVCRYL5GY	5KG	GREY	4	5029347600716
484629	EVCGY20	20KG	GREY	1	5029347600723
484640	EVCWE5	5KG	WHITE	4	5029347600686



Evercryl Emergency Roof Repair Cartridge

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486678	EVCGYCART	C3	GREY	12	5029347612368
486271	FVCCLCART	C3	TRANS	12	5029347612375

Evercryl Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The Evercryl formula has been gelled up to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryl. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489040	PATOIL05	500ML	-	10	502934760892
489041	PATOIL1	1LTR	-	10	502934760887

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.











Liquid Roof All Weather Roofing System



FAST CUR
 RESISTAN

CCAN	CODE	CITE	COL OUD	OTV	DARCORE
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
511382	AQLIQRFGY7	7KG	SLATE GREY	4	5029347614164
511383	AQLIQRFGY21	21KG	SLATE GREY	1	5029347614171
97480	SKLASFLE120150	1M X 50M	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.









TRUSTED

PU WATERPROOFING LIQUID MEMBRANE FOR FLAT AND PITCHED ROOFS

RING - RAIN NT IN 10 MINUTES



MOISTURE CURING TECHNOLOGY - NO CATALYST REQUIRED

> **FOR NEW ROOFS AND** REFURBISHING OLD ROOFS



STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material.



STEP TWO

Apply the first coat of Everbuild Liquid Roof liberally at a thickness of 1mm, by brush or solventresistant roller.



STEP THREE

If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet. overlapping the edges.



STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Everbuild Technical Services Department.



Black Jack Flashing Tape Trade

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482958	FLAS075	75MM	LEAD LOOK	8	5029347099015
482959	FLAS100	100MM	LEAD LOOK	6	5029347099022
482960	FLAS150	150MM	LEAD LOOK	4	5029347099039
482961	FLAS225	225MM	LEAD LOOK	2	5029347099046
482962	FLAS300	300MM	LEAD LOOK	2	5029347099053
482963	FLAS450	450MM	LEAD LOOK	1	5029347099060

Black Jack self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.







Black lack Flashing Tape DIY

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490255	FLDIY100	100MM	LEAD LOOK	6	5029347099084
490256	FLDIY150	150MM	LEAD LOOK	4	5029347099091
490258	EL DIV225	2251/11/	TEVDIOOK	2	50293/7099107

Black Jack self adhesive flashing with natural lead-look finish. All available in 3mtr long rolls.







Sika® MultiSeal

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
446882	SKMULTI100	10MTR	GREY	3	5055492700285
446883	SKMULTI150	10MTR	GREY	2	5055492700292
446884	SKMULTI225	10MTR	GREY	2	5055492700308
446885	SKMULTI300	10MTR	GREY	1	5055492700315

A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.













901 Black Bitumen Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486937	90101	1LTR	BLACK	12	5029347009113
486938	90102	2.5LTR	BLACK	6	5029347009120
486939	90105	5LTR	BLACK	4	5029347009151
486951	90125	25LTR	BLACK	1	5029347009137

Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.

902 Bitumen and Flashing Primer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486984	90201	1LTR	BLACK	12	5029347009212
486986	90205	5LTR	BLACK	4	5029347009250

Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.

All Weather Roof Coating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486998	90505	5LTR	BLACK	4	502934700955
487000	90525	25LTR	BLACK	1	502934700953

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.

906Bitumen Roofing Emulsion

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487001	90605	5LTR	BLACK	4	5029347009656

Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.































903 Bitumen Trowel Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486987	90301	1LTR	BLACK	12	5029347009311
486989	90302	2.5LTR	BLACK	6	5029347009328
486991	90305	5LTR	BLACK	4	5029347009359

A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.

904 Roof Felt Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486992	90401	1LTR	BLACK	12	5029347009410
486993	90402	2.5LTR	BLACK	6	5029347009427
486995	90405	5LTR	BLACK	4	5029347009458
486996	90425	25LTR	BI ACK	1	5029347009434

Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.

907Solar Reflective Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482683	90705	5LTR	SILVER	4	5029347009755
482682	90725	25LTR	SILVER	1	5029347601027

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.

908 D.P.M

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487003	90805	5LTR	BLACK	4	5029347009854
487004	90825	25LTR	BLACK	1	5029347009830

DPM is an rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.























84

86

87

EXPANDING FOANS

Professional and DIY
Foam Ancillaries
Fire Rated Foam

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

EXPANDING FOAMS

Professional and DIY

EXPANDING FOAMS

Professional Gun Grade

A quick setting polyurethane based foam

which expands greatly on application and

Can be cut, sawn, plastered and sealed

over after approximately one hour. Fills

irregular gaps, fixes framework, insulates

yields up to 50 times original can contents.

Expanding Foam

and sound deadens.

For professional use only.

Professional and DIY

SGAN CODE SIZE COLOUR QTY BARCODE 750ML -

GUN

Fix and Fill Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484689	EVFF5	500ML	-	12	5029347000080
484700	EVFF7	750ML	-	12	5029347000097

ADDITIONAL NOZZLES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488732	FOAMNOZZI F	_	_	1	NO BARCODE

Fix and Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.





PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484701	EVEXACT5	500ML	-	12	5029347609405
484702	EVEXACT7	750ML	_	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

No Waste Expanding Foam

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484704	NOWASTEHH	750ML		12	5029347602383

ADDITIONAL NOZZLES

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488733	NOWNOZZ			_1_	NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 24 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.







Constructa-Pro Adhesive Foam

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



SGAN CODE SIZE COLOUR QTY BARCODE 538593 CONPRO07 750ML

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.



Brick / Stone / Concrete / Metal / Timber

Thermofoam Insulating and Acoustic Expanding Foam

ACOUSTIC RATED UP TO 64 DB TO EN ISO 717-1

CERTIFIED AIR PERMEABILITY: A<0,1 M3 TO EN 12114:2000

TEMPERATURE RESISTANT -40 TO +80°C (SHORT TERM EXPOSURE TO +100°C)

FIRE RATED TO ISO 13501 (CLASS E)





SGAN CODE SIZE COLOUR OTY BARCODE

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.





PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

EXPANDING FOAMS

Foam Ancillaries

Fire Rated Foam

P45 Medium Duty Metal Gun

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486679	GFAPP35	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage

P65 Heavy Duty Metal Gun

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486680	GFAPP65	P65	-	1	5029347123000

A gun for heavy duty applications, now with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.





Dual Purpose Foam Cleaner

SGAN	CODE	SIZE	CUI UIID	ntv	BARCODE
JUAN	CODE	JIZE	COLOUR	Q I I	DARCODE
488713	CESCS	SUUMI	_	17	50293/7126001

Dual Purpose Foam Cleaner is used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.





Firefoam B1 Handheld

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488714	FVFIRE	750MI	PINK	12	5029347125004

Firefoam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Firefoam B2 Handheld

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
199717	B2EIDEH AND	750MI	DINIK	17	5029347600471

Firefoam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Firefoam B1 Gun Grade

EXPANDING FOAMS

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488715	B1FIREGUN	750ML	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Firefoam B2 Gun Grade

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488718	B2FIREGUN	750ML	PINK	12	5029347600464

Firefoam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



Surface Protectors

Roll and Stroll Premium Carpet Protector





SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
462111	ROLL20	25MTR	YELLOW	6	5029347605636
484946	ROLL 75	75MTR	VELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll and Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.













WON'T TEAR OR RIP

FIRE RATED

PREMIUM CARPET Protection film

whether the case • Nesses Largies against pile sportner, stated and per

I be to appropriate the same

Newton and Street,

A Michigan Common

Romx 25m

CAN BE USED ON FLAT SURFACES **AND STAIRCASES**

FILLERS AND DECORATING SUNDRIES

Surface Protectors

Roll and Stroll Textured Non-Slip Carpet Protector

SGAN CODE SIZE COLOUR QTY BARCODE 484868 ROLLTEXT75 75MTR YELLOW 1 5029347610265

Roll and Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



Roll and Stroll Contract Carpet Protector

CODE SIZE COLOUR QTY BARCODE 484869 ROLLCON50 50MTR CLEAR 5029347606206 484910 ROLLCON100 100MTR CLEAR 5029347606213

Roll and Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



















Roll and Stroll Hard Surface Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
462110	ROLLHARD20	25MTR	CLEAR	6	5029347606077
484945	ROLLHARD75	75MTR	CLEAR	1	5029347606084

Roll and Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate. vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.











Glass Protector

SGAN CODE SIZE COLOUR QTY BARCODE

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.









Decorating Fillers

Fill Once Ready Mixed Filler



TRUSTED



QUICK DRYING

APPLY ONCE - JOB DONE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486747	FILONCE03	325ML	WHITE	12	5029347602147
486748	FILONCE06	650ML	WHITE	12	5029347602154

The best filler you will ever use - Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once - job done.









Brick / Stone / Concrete / Plaster







FILLERS AND DECORATING SUNDRIES

Decorating Fillers

All Purpose Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480176	RMFILL06	600GM	WHITE	12	502934700089
480182	RMFILL1	1KG	WHITE	12	502934700088

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.

Fine Surface Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480440	RMFINE	600GM	WHITE	12	5029347000998

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.

















Deep Gap Ready Mixed Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480445	RMDEEP1	1LTR	LIGHT GREY	6	5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.














Decorating Fillers

One Strike Ready Mixed Filler





SGAN	CODE	SIZE	COLOUR	QΤΥ	BARCODE
461918	ONE025	250ML	WHITE	18	5029347300029
461917	ONE05	450ML	WHITE	12	5029347300050
461916	ONE1	1LTR	WHITE	6	5029347300012
488534	ONE2	2.5LTR	WHITE	1	5029347603458
480347	ONES5	5LTR	WHITE	1	5029347300500
461919	ONEC3	300ML	WHITE	12	5029347609450

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.










Brick / Stone / Concrete / Plaster

TRUSTED





IT WON'T TAKE LONG TO DRY (30 MIN)

IT WON'T BREAK THE BANK

FILLERS AND DECORATING SUNDRIES

Decorating Fillers

All Purpose Powder Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480442	FILL450	450GM	WHITE	16	5029347600570
480443	FILL15	1.5KG	WHITE	10	5029347600587
480444	FILL5	5KG	WHITE	1	5029347611873

All Purpose Powder Filler for both interior and exterior use. with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.

All Purpose Ready Mixed Filler Easi Squeeze

SGAN CODE SIZE COLOUR QTY BARCODE 480266 READYINST 330GRM WHITE 12 5029347600389

Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.









Fill and Skim Ready Mixed Plaster

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486745	FILLSKIM5	5LTR	WHITE	1	5029347603229

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.











SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486746	FILLCOAT5	5LTR	WHITE	1	5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.















Brick / Stone / Concrete / Plaster

Wood Fillers

Multi Purpose Joinery Grade Wood Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
480449	MPW00DEASILT1	100ML	LIGHT STAINABLE	6	5029347603335
480461	MPW00DLT2	250ML	LIGHT STAINABLE	6	5029347603359
480462	MPWOODMED2	250ML	MEDIUM STAINABLE	6	5029347603366
480463	MPW00DPINE2	250ML	PINE	6	5029347608286
480464	MPWOODMAH2	250ML	MAHOGANY	6	5029347608323
480465	MPW00DLT0AK2	250ML	LIGHT OAK	6	5029347608309
480466	MPWOODDKOAK2	250ML	DARK OAK	6	5029347608316
499701	MPW00DTEAK2	250ML	TEAK	6	5029347613921
480467	MPW00DWE2	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.













2 Part High Performance Wood Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
481022	2PLITE05	500GR	LIGHT STAINABLE	6	5029347608194
481023	2PLITE14	1.4KG	LIGHT STAINABLE	6	5029347608262
481028	2PMAH05	500GR	MAHOGANY	6	5029347608156
481029	2PMAH14	1.4KG	MAHOGANY	6	5029347608248
481024	2PMED05	500GR	MEDIUM STAINABLE	6	5029347608200
481051	2POAK05	500GR	OAK	6	5029347608132
481050	2POAK14	1.4KG	OAK	6	5029347608217
481027	2PPINE05	500GR	PINE	6	5029347608170
481026	2PPINE14	1.4KG	PINE	6	5029347608330
481052	2PRED05	500GR	REDWOOD	6	5029347608187
481053	2PRED14	1.4KG	REDWOOD	6	5029347608347
484991	2PWHITE05	500GR	WHITE	6	5029347608149
484990	2PWHITE14	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.











Wood / Brick / Stone / Concrete / Plaster

FILLERS AND DECORATING SUNDRIES

Mond Fillers

97

Pro-FillHigh Performance Filler

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490423	PROFILL5	500GR	LIGHT GREY	6	5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.

Wood Filler Hardener / Catalyst

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488531	WFCATALYST	40GRM	-	25	NO BARCODE

Spare catalyst/hardener tubes for use with all 2 part wood fillers.













Wood / Brick / Stone / Concrete / Plaster



Wet Rot Wood Hardener

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488537	WOODHARD2	250ML	-	6	5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild 2 part wood fillers.







Dust Sheets and Tarpaulins

CottonDust Sheets

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484993	DUST	3.7M X 2.7M (12' X 9')	-	10	5029347604127

Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.

Laminated CottonDust Sheets

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484992	LAMDUST	3.7M X 2.7M (12' X 9')	-	10	5029347602574

Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.







Polythene Dust Sheets

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484995	POLYDUST	3.7M X 2.7M (12' X 9')	CLEAR	20	5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.

Tarpaulins

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484996	1TARP9	3.7M X 2.7M (12' X 9')	BLUE	25	5029347605612
484997	1TARP18	3.7M X 5.5M (12' X 18')	BLUE	8	5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.

Comes in two sizes: Standard: 12ft x 9ft - 90gm Heavy Duty: 12ft x 18ft - 120gm

POLYTHENE DUST SHEET Perfect for Painting





FILLERS AND DECORATING SUNDRIES

Decorating Sundries

99

Brush Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482945	BRUSHCL	500ML	-	12	5029347601812

A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life.

Brush Restorer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488550	BRUSHREST	500ML	-	12	5029347601829

A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.







Sugar Soap Powder

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488588	SOAPPOW	430GR	-	12	5029347601911

A silicate free powder which when diluted with water effectively removes grease and grime from painted surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as a general household cleaner.



Sugar SoapLiquid and Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488589	SOAPLIQ	500ML	-	12	5029347601904
488591	SOAPSPRAY	500ML	-	6	5029347610883

A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.















Decorating Sundries

Stain Block

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488592	STAINSTP	400ML	-	12	5029347602017

Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



		(s
URING/ ING	OVER- PAINTABLE	1

SGAN CODE SIZE COLOUR QTY BARCODE

Turps Substitute

A solvent designed for cleaning paint off brushes and rollers to prolong their life and as a general household cleaner/degreasant.

2LTR







White Spirit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488597	WS7	750ML	-	12	5029347602000
488598	WS2	2LTR	-	8	5029347601997
488599	WS4	4ITR		4	5029347602215

White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.





Methylated Spirit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488607	MS5	500ML	-	6	5029347605872

Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.





Safer Spirit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488594	SAFERSP07	750ML	-	12	5029347611774

Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.





Wallpaper Stripper

SGAI	N COI	DE SIZI	E COLOU	JR QTY	BARCODE
48861	9 WALL	.STP 500N	1L -	12	502934760198

A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.





FILLERS AND DECORATING SUNDRIES

Decorating Sundries

A high strength, ready mixed paste suitable for all types of

borders (inc. vinyl). May be used for adhering overlaps and

repairs to damaged paper sections. Will stick all common

papers as well as to gloss and emulsion paint. High tack

excellent adjustability. Contains a powerful fungicide.

CODE SIZE COLOUR QTY BARCODE

CODE SIZE COLOUR QTY BARCODE

250GR - 12 5029347601799

Overlap and Border

Adhesive

101

All Purpose Wallpaper Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488610	PASTE5	5ROLL	-	25	5029347601874
488612	PASTE10	10ROLL	-	12	5029347601850
488614	PASTE20	30ROLL		10	5029347601867

A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.









500ML



Ready Mixed Wallcovering Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488621	WALLREADV4	4 5KG	_	2	5029347601973

A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.









Boiled Linseed Oil

BOILLIN

A traditional wood treatment used to

replace the natural sheen in aged/ tired

May also be mixed with mastic sand to

make trowel grade pointing mastic.

wood. Quicker drying than raw linseed oil.

Raw Linseed Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484802	RAWLIN	500ML	-	12	5029347601898

A traditional wood treatment for use on cricket bats, oak beams etc and as a lubricant in the French polishing industry. Nourishes and revives wood.



Teak Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484805	TEAK	500ML	-	12	5029347601928

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpolished timbers.









TAPES

Building Tapes	10
Repair Tapes	10
Masking Tapes	10
Safety Tapes	10
Packaging Tapes	10
Double sided Tapes	110
Plasterboard Tapes	111

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED


TAPES Building Tapes

Mammoth Powerful Grip Tape Extra Strong Double Sided Tape





TRUSTED








American

TRUSTED







SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484678	2POWERGRIP12	2.5MTR	CLEAR	48	5029347605896
484679	2POWERGRIP25	2.5MTR	CLEAR	24	5029347605773
40.4000	2DOW/EDCDIDEO	2 FAATD	CLEAD	12	E020247C0E7CC

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



USDUCTOG25

Repair Tapes

Mammoth

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
483326	2MEGBK50	50MTR	BLACK	24	5029347600549
483327	2MEGBL50	50MTR	BLUE	24	5029347604226
483328	2MEGRD50	50MTR	RED	24	5029347602611
483329	2MEGSV50	50MTR	SILVER	24	5029347602628
483330	2MEGWE50	50MTR	WHITE	24	5029347602635
483331	2MEGYW50	50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

Mammoth

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467448	2VGAFFBK45	45MTR	BLACK	12	5029347611743
696047	2VGAFFSV45	45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.

Mammoth

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488634	2CLEAR10	10MTR	CLEAR	36	502934761049

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.

Silweld

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484806	2SILWELD3BK	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



Mammoth

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488626	2BUILDBK50	33MTR	BLACK	24	5029347604646
488627	2BUILDBK75	33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.



Mammoth

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482270	2ALUM50	45MTR	SILVER	24	5029347604509
482271	2ALUM75	45MTR	SILVER	16	5029347604516
487759	2ΔΙ Ι ΙΜ100	45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°c, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.













Safety Tapes / Packaging Tapes

109

Mammoth Low Tack Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486865	2LOWMASK25	25MTR	OFF WHITE	60	5029347604622
486864	2LOWMASK50	25MTR	OFF WHITE	30	5029347604639

The professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.

MammothPro Blue Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486861	2PR025	33MTR	BLUE	48	5029347604530
486860	2PR050	33MTR	BLUE	40	5029347604547

Professional Long Stay Masking Tape that can be left on for up to 14 days without leaving a residue or damage to the surface.

MammothPVC Hazard Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488638	2HAZRD	33MTR	RED/WHITE	24	502934760440
488639	2ΗΔ7V\//	SZMTR	BL ACK / VELLOW/	74	502934760439

A strong and durable self adhesive PVC Hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.

MammothBarrier Tane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
482932	2BARRD500	500MTR	RED/WHITE	8	5029347604424

Super strength non adhesive polythene barrier tape supplied in an individual box.









Mammoth Labelled Masking Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487011	2MASKLAB19	50MTR	OFF WHITE	64	5029347604325
467447	2MASKLAB25	50MTR	OFF WHITE	48	5029347604332
487012	2MASKLAB38	50MTR	OFF WHITE	32	5029347604349
487013	2MASKLAB50	50MTR	OFF WHITE	24	5029347604356
487014	2MASKLAB75	50MTR	OFF WHITE	16	5029347604363

General Purpose, trade quality Masking Tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.

Mammoth Value GP Masking Tane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486871	2MASKVAL19	50MTR	OFF WHITE	64	NO BARCODE
486870	2MASKVAL25	50MTR	OFF WHITE	48	NO BARCODE
486868	2MASKVAL38	50MTR	OFF WHITE	32	NO BARCODE
486867	2MASKVAL50	50MTR	OFF WHITE	24	NO BARCODE
486866	2MASKVAL75	50MTR	OFF WHITE	16	NO BARCODE

General Purpose Trade Quality Masking Tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.

Mammoth Retail / Lahelled Packaging Tan

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488640	2PACKLABBN	50MTR	BROWN	36	5029347610432
488641	2PACKLABCL	50MTR	CLEAR	36	5029347610456

Low noise, quality packaging tape, individually wrapped and labelled. Ideal for all packing applications.

Mammoth Value Packaging Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488642	2PACKBN	50MTR	BROWN	36	5029347604387
488643	2PACKCI	50MTR	CLEAR	36	5029347604370

Quality Packaging Tape, available packed in towers, labelled and barcoded per tower.









Mammoth Multi-Purnose Double Sided Tane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488735	2DOUBLE25	25MTR	CLEAR	48	5029347604707
488736	2DOUBLE50	25MTR	CLEAR	24	5029347604714
488737	2DOUBLEDY5	5MTR	CLEAR	30	5029347610623

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.

Mammoth Heavy Duty Double Sided Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488760	2HDDOUBLE50	5MTR	CLEAR	36	502934761060

A premium quality, heavy duty, Double Sided Tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications.





Mammoth Carpet Fix Cloth Tape

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488761	2CARPT50	25MTR	CLEAR	24	5029347604738

Premium quality double sided Carpet Fix Cloth Tape is ideal for fixing all carpets to all surfaces. Easily torn by hand during application.



EuroScrim Self Adhesive Scrim Tape



QUICK AND EASY TO APPLY SELF ADHESIVE ELIMINATES NEED FOR PRE-PLASTERING

TRUSTED

FLEXIBLE, WILL NOT BUBBLE OR BLISTER

FOR DRYWALL, PLASTER WALLS AND CEILINGS

		Hau	ERI LD	
	- 4	THE WA		
		10S	Crii	
	MADE IN	EUROPE ERFORM	1	
1	B God B Seef and seed	n à Enq le igné mèse : «Seminée Se propinsiente		
	Property and the	d Controls or Sales or or deposited, pulsaries wealth & contingen		
	- Carre	40mm s 90mm		
		meniatrii		

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484687	2EURO48	90MTR	WHITE	24	5029347611750
484688	2EUR0100	90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.









CLEANERS

115

Wonder Wipes Multi-Use



T	RI	JS	TE	D

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467442	WIPE80	100	-	6	5029347601522
484948	GIANTWIPE	300	-	1	5029347604172
524290	MONSTERW	500	_	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



ROBUST AND EXTRA ABSORBENT TRIPLE LAYER WIPE THAT TRAPS DIRT AND ABSORBS MOISTURE

> **ANTIBACTERIAL ADDITIVE** TO PROVIDE PROTECTION

> > **CONTAINS VITAMIN E AND ALOE VERA TO NOURISH HANDS**



Wonder Wipes Heavy Duty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467443	WIPEHD75	75	-	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



Wonder Wipes Multi-Use Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
511711	WIPESPRA	Y 1LTR	-	12	5029347613952

Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.









CLEANERS Cleaners and Lubricants

117

Glass Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490894	GLACL	1L	-	12	5029347900014

Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome etc.



PVCu Cream Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486930	D\/CC1	11	_	17	50293/7900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



PVCu Solvent Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486919	PVCS1	1L	-	12	5029347900045

PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an "as new" look to old windows and plastic garden furniture. Fast drying.



Paper Glass Wipe Rolls

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
467444	PAPCENTRE	150MTR	-	6	5029347603427
488767	PAPRL	280MTR	-	2	5029347119003

Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.



All Purpose XT44 Maintenance Spray

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484811	MULTI	400ML	-	12	5029347600044

All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.



All Purpose Silicone Spray


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484813	SILSPRAY	400ML		_12_	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.









SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484814	GRAFE	4NNMI	_	12	5029347601683

Graffiti Remover is a powerful nondrip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.















Fire and Stove Sundries

Fire, Stove and Flue Cements and Mortars

Trusted products are tried and tested by leading tradespeople on the most demanding of projects

TRUSTED

PLUMBING AND HEATING SUPPLIES

Central Heating Treatments

P24 Power Cleaner

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
688226	P24CLEAN	500ML	-	12	5055492703774

P24 Power Cleaner is a high-strength, universal, rapid liquid cleaner for all central heating systems. It is designed to remove all debris, sludge, flux and scale from existing systems – its high-strength formulation makes it ideal for use for both new and older systems with heavier build-







P28 Filter Fluid

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687374	P28FILTERFILLIN	SOOMI	_	12	5055492703798

P28 Filter Fluid has been specifically developed to penetrate, release and lift magnetite deposits and contaminants. Debris is delivered directly to the in-line filter for fast and safe removal. Magnetite particles are over five times heavier than water and tend to settle in less turbulent areas of the system and cannot be captured by the filter.








P26 Biocide

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
686663	P26BIOCIDE	500ML	-	12	5055492703781

P26 Biocide is a high-strength, rapid attacking biocide designed for use with all central heating and underfloor heating systems. This product contains three active biocidal ingredients that rapidly acts to eliminate and prevent further formation of fungal growth and bacteria in heating systems.






P30 Protector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687372	PROPROTECTOR	SOOMI	_	12	5055492703811

P30 Protector is a high performance, long lasting, easy to use inhibitor that protects domestic heating systems against internal corrosion, limescale and hydrogen gassing. This product has enhanced pH buffering capabilities to ensure the system water pH level does not drop below 8.0 or exceed 8.5 - the optimum pH range for preventing limescale and corrosion build-up.





P32 Leak Sealer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687371	P32LEAKSEALER	500ML	-	12	5055492703804

P32 Leak Sealer is a rapid, internal leak sealer that is designed for central heating systems suffering from small, inaccessible leaks and weeps which may cause pressure loss. Once added to the system, the product locates the area of water loss and forms a soft barrier to seal the hole. P32 Leak Sealer is effective within 1 to 24 hours and has been tested and proven to prevent blockages or restrictions in system components.









Central Heating Treatments & Sealers and Compounds

121

Plumbers Gold Sealant & Adhesive







TRUSTED

CAN BE APPLIED TO WET SURFACES



WILL EVEN WORK UNDERWATER

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486774	PLUMBGCL	290ML	CLEAR	12	5029347607081
486777	PLUMBGWE	290ML	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.











P11 Central Heating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486756	P11CLEAN1	1LTR		12	5010618213100

This will remove commissioning and flux residue from new systems and restore circulation to old systems which suffer from sludge. P11 System Cleanser should also be used when components are replaced or existing systems are extended.



P14 Central Heating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486773	P14INHIB1	1LTR	-	12	5010618214107

P14 System Inhibitor is a multi purpose treatment specially designed to protect the entire central heating system from scale, sludge and corrosion. BuildCert Performance Standard.











PLUMBING AND HEATING SUPPLIES

Sealers and Compounds

P12 Silicone Grease

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
687373	P12GREASE	200GR	-	12	5055492703842

P12 Silicone Grease is a lubricant and sealant with excellent resistance to most chemicals, extreme temperatures and exceptional water resistance. It has low vapour tension up to 200 °C, enabling low residual pressure to be achieved. Everbuild P12 Silicone Grease is also chemically inert - it is non-corrosive on metals and has no plasticising effect on rubbers or plastics.

P13 Putty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488411	PLUMB7	750GR	BEIGE	12	502934760065

Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes. joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.

PLUMBING AND HEATING SUPPLIES

Sealers and Compounds / Fire and Stove Sundries

123

Heat Resistant Matt Black Paint Tin

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486783	PCHEATPNT1	125ML	BLACK	12	502934760930

Heat Resistant Paint is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.

Heat Resistant

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486786	PCHEATPNT4	400ML	BLACK	12	5029347609313

Heat Resistant Paint in an aerosol is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.













PVC Pipe Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488408	P16PIPF	250ML	_	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.

Gas Leak Detector

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486898	P18GASLEAK	400ML	-	12	5010618216101

Gas Leak Detector is a specially formulated foam designed specifically to identify even the smallest positive pressure, gaseous leak. It is suitable for use with most common gases and is compatible with paintwork, metals, wood and most plastics.















SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486898	P18GASLEAK	4NNMI	_	12	5010618216101



Flux Soldering Paste

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488416	P20FLUX140	140GR	WHITE	12	5029347613068

Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.

Heat Resistant Silicone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
186719	DCHEATSII	310MI	BI ACK	12	5029347609291

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 275°C. which is permanent flexibility - high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.

























PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars

KOS Fire Cement



TRUSTED



	BESTOS FREE
	RESISTANT TO EXTREME TEMPERATURES
0.80	AVAILABLE IN BUFF
	OR BLACK

					A PORCHA
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
484657	PCKOSFIRE05	500G	BUFF	18	5010618001110
484658	PCKOSFIRE1	1KG	BUFF	12	5010618002117
484659	PCKOSFIRE2	2KG	BUFF	6	5010618003114
484670	PCKOSFIRE6	6KG	BUFF	2	5010618005118
484672	PCKOSFIRE25	25KG	BUFF	1	5029347606657
484673	PCKOSBKFIRE05	500G	BLACK	18	5029347606619
484674	PCKOSBKFIRE1	1KG	BLACK	12	5029347606626
484675	PCKOSBKFIRE2	2KG	BLACK	6	5029347606633
484676	PCKOSBKFIRE12	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.











PLUMBING AND HEATING SUPPLIES

Fire, Stove and Flue Cements and Mortars

125

KOS

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486239	PCKOSFIREC3	300ML	BUFF	12	5010618070161
488425	PCKOSBKFIREC3	300ML	BLACK	12	5029347606886

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488394	PCKOSFLUE3	300ML		12	5010618016169

KOS Flue Cement is a high temperature (to 1250°C) ready mixed fireproof mortar paste, designed for the safe installation/ jointing of Type A1 (BSEN1857) concrete flue liners for use with domestic fires and stoves e.g. coal, wood burning or gas (including flame effect).





Flue Jointing Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488403	PCFJC05	500GM	-	12	5010618050019
488407	PCFJC1	1KG	-	12	5010618050217

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



XL Fire Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488389	PCXLFIRE05	500G	BUFF	18	5010404120056
488390	PCXLFIRE1	1KG	BUFF	12	5010404120100
488391	PCXLFIRE2	2KG	BUFF	6	5010404120209
488392	PCXLFIRE5	5KG	BUFF	2	5010404012054

XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.

















BUILDING SUPPLIES

Waterproofing

Sika®-1 Waterproofer Liquid Waterproofing Additive



TRUSTED

PROVEN TRACK RECORD **FOR OVER 100 YEARS**

> **EXCELLENT RESISTANCE** TO BACKWATER PRESSURE

> > **WATERPROOF RENDERS** TO RESIST MOISTURE **ABOVE GROUND**

CONSUMPTION: 0.75LTR PER 25KG CEMENT

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114448	SK1WAT5	5LTR	YELLOW	4	5055047200024
114449	SK1WAT25	25LTR	YELLOW	1	5055047200123

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.











BUILDING SUPPLIES

Waterproofing

129

Sika®-2 Water Plug

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114452	SK2PLUG5	5LTR	RED	4	5055047200048

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4 Rapid Setting

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114453	SK4RAP5	5LTR	BROWN	4	5055047200086

A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.





Sika®-4a Water Stop

0.7LTO

1KG

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
114454	SK4A5	5LTR	CLEAR	4	5055047200109

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping .Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489549	SKLAS1K20	20KG	GREY	1	505549270130

A one-component, highly flexible, cementitous, fibrereinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.









BUILDING SUPPLIES Waterproofing

Sika® Damp Proofing Slurry

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
456454	SKDPSLUR20	20KG	GREY	1	5055492700704
102198	SKDPSLUR25	25KG	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



SikaMur® InjectoCream-100

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
175179	FPSKMURINJ100	600ML	-	10	7612894718317
425016	SKMURINJCM100	300ML	-	12	7612894892604

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.



Febtank SuperWaterproof Coating

 $0.3M^{2}$

6.5-7M²

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486609	FBTANKSGY	25KG	GREY	1	5029347607807
489396	ERTANKTI IRC	20KC	CREV	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. BBA approved. Tested to BSEN 1504-3.







Febtank Plug

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486603	FBWATPLUG5	5KG	-	1	5029347607814

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.



THE WATERTIGHT SOLUTION ENGINEERED FOR BASEMENTS



Our ground-breaking Sika® Watertight Concrete System is specifically designed for water resistance underground. Made in Britain by the original innovators of watertight concrete to keep water in its place. Available now in powdered (hydrophobic or crystalline) and bulk liquid (hydrophobic).

- Keeps water out and in for swimming pools
- Industry leading design and technical support for complex projects
- Includes complementary jointing products for a complete watertight
- Incorporates the latest concrete admixture technology
- No.1 in the UK all formulas are BBA certified, backed with 15-year Sika® Guarantee

Find out more at sikawaterproofing.co.uk



BUILDING SUPPLIES

Building Admixtures

SikaMix® Plus Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
445021	SIKAMIXP5	5LTR	-	4	5055492700483
445917	SIKAMIXP25	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.





Sika® RendermixWater Resisting Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102452	SKREND5	5LTR	YELLOW	4	5055047200529

A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes.

Sika® Proof Liquid Waterproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102327	SKPROOF5	5LTR	WHITE	4	5055047200635

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.



CHLORIDE FREE



50KG



Building Admixtures

133

Sika® Release Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
513849	SKRELEAS5	5LTR	-	4	505504720060

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.

Sika® Wintermix

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
102408	SKWINT5	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproofer.







Sikamix®Powdered Mortar Plasticiser

30M²

APPROX COVERAGE

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
165860	SKMIXPMP	250 SACHETS	-	20	5055047209041

SikaMix® Powdered Mortar Plasticiser (PMP) is a premeasured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.



Building Admixtures

BUILDING SUPPLIES

3-In-1 Render Additive

Opti-Mix

(2009) + A1 (2012).

Building Admixtures

SGAN CODE SIZE COLOUR QTY BARCODE 697962 OPTIREND1 1LTR - 12 5029347609917

Opti-Mix 3-in1 render designed specifically for use with

additional waterproofing, plasticising and salt inhibiting

capability. Controlled dosage for a consistent mix in an

easy to use design with zero waste. 1 litre is equivalent

to 25 litres of standard product. **Tested to EN934-3**

renders, giving increased retarding properties with

135

Sika® MaxMix Waterproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
697906	SKMAXMWAT1	1LTR	YELLOW	6	7612894695649

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.





Sika® MaxMix Frostproofer and Accelerator

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170378	SKMAXMACC1	1LTR	STRAW	6	7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Frostproofer and Accelerator reduces the setting time of sand and cement based mortars, renders, screeds





Sika® MaxMix Cement Colour

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170406	SKMAXMCOLBK1	1LTR	BLACK	6	7612894695823
170408	SKMAXMCOLBN1	1LTR	BROWN	6	7612894695861
170410	SKMAXMCOLRD1	1LTR	RED	6	7612894695908
170412	SKMAXMCOLYW1	1LTR	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a uniform shade of colour to cement mortars, renders, concrete and pointing.

Sika® MaxMix Mortar Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
170376	SKMAXMPLAS1	1LTR	BROWN	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.









Opti-Mix Integral Waterproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
697951	OPTIPROOF1	1LTR	-	12	5029347609894

waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product.

Tested to EN934-3 (2009) +A1 (2012).



Opti-Tone Cement Colourant Black

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486213	OPTITONEBK1	1LTR		12	5029347609924

Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. Tested to EN12878.

Opti-Mix Mortar Plasticiser


SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486210	OPTIMIX1	1LTR	-	12	5029347609870

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product.

Tested to EN934 (2009) +A1 (2012).













Opti-Mix Integral Waterproofer is a plasticiser,





















BUILDING PRODUCTS

Building Admixtures

BUILDING PRODUCTS Building Admixtures

137

201 Mortar Admix

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486187	AD5L	5L	-	4	5029347002152
486189	ADM25L	25L	_	1	5029347002169

Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. **Tested to** BSEN934-Part 3 (2009)+A1(2012).









Integral Liquid Waterproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488850	ILW5L	5L	-	4	5029347002251
488851	ILWA25	25L	-	1	5029347002268

Integral Liquid Waterproofer is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. Tested to EN934-3 (2009)+A1(2012).









Accelerator and Frostproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488853	ACC5L	5L	-	4	5029347002350
488854	ACCE25L	25L	_	1	5029347002367


Accelerator and Frostproofer is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in subzero temperatures. Tested to EN934-2 (2009)+A1(2012).



Evermix 3 In 1

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488855	EMIX5	5L	-	4	5029347600006
488856	EMIXI25	25L	_	1	5029347070533

Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. Tested to EN934-3 (2009)+A1(2012).





206 Strike Release Oil

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488885	STRIKE5	5L	-	4	5029347002657

Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.









SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488857	ZER05	5L	-	4	502934700275
488858	ZEROM25	25L	-	1	502934700276

Zeromix CFF is a double action frostproofer and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. Tested to EN934-3 (2009)+A1(2012).







BUILDING PRODUCTS

Building Admixtures

Febmix Admix Air Entraining Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486723	FBMIX5	5LTR	-	4	5029347607203
487244	FBMIX25	25LTR	-	1	5029347607210
487247	FBSWMIX5	5LTR	-	4	5029347610791
487249	FBSWMIX25	25LTR	-	1	5029347610807

Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freezethaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country.

Conforms fully with the requirements of EN 934-3:(2009) +A1 (2012).



Febmix Plus Air Entraining Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487142	FBMIXPLUS5	5LTR	-	4	502934760718
487143	FBMIXPLUS25	25LTR	-	1	502934760719

Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. Conforms to EN 934-3:(2009) +A1 (2012).



AIR ENTRAININ

Feb Februix

Febproof Plus Waterproofer and Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487146	FBPROOFPS5	5LTR	AMBER	4	5029347607319
487147	FRPROOFPS25	25LTR	AMRER	1	5029347607326

Febproof Plus is a waterproofer and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. Conforms to EN 934-3:(2009) +A1 (2012).







BUILDING PRODUCTS

Building Admixtures

139

Rendamix Retarder and Plasticiser

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487149	FBRENDA5	5LTR	AMBER	4	5029347607234

Feb Rendamix is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. Conforms to EN 934-3:(2009) for air entraining properties.

Febspeed Accelerator and Frostproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487184	FBSPEED5	5LTR	CLEAR	4	5029347607333

Febspeed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. Tested to the requirements of EN 934-2: 2009 +A1 (2012).







Wintamix Accelerator and Frostproofer

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487186	FBWINTA5	5LTR	CLEAR	4	5029347607258

Feb Wintamix is a chloride free, double action liquid frostproofer and air entraining mortar admixture for use throughout the winter period, and also in sub-zero temperatures. Suitable for steel reinforced concrete, improves workability of mortar and increases resistance to frost in both wet and hardened state. Conforms to EN943-3:2009.



Brickclean Cleaner and Degreasing Solution

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
497199	EBBDICKCI 5	SITD	CLEVD	1	502934760785

Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.





BUILDING PRODUCTS

Self Levelling Compounds

Sikafloor®-122 Level Self Levelling Compound

FEATHER EDGE

THICKNESS

 \bigcirc

FLOOR COVERINGS

TRAFFICABLE WITHIN

 $5M^2$

APPROX COVERAGE

EN 13813

CT-C30-F7

EN CLASSIFICATION

обртн ог ЗММ

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
618323	SKLEV2025	25KG	GREY	1	5055047206316

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems this product is highly fluid and easy to apply.



Sikafloor®-125 Level Latex Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	OTY	BARCODE
619027	SKLEV25LAT25	25KG	GREY		5055047206323


A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.



Sikafloor®-440 LevelFibre Reinforced Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
612787	SKLEV440FB20	20KG	GREY	1	5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. SikaFloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.





BUILDING PRODUCTS

Self Levelling Compounds

141

Sikafloor®-131 Level Latex Ultra

 \supset

FLOOR COVERINGS

TRAFFICABLE WITHIN

2 HRS

FINAL WEARING SURFACE

 $5M^2$

APPROX COVERAGE

2-10mm

THICKNESS

оветн ог ЗММ

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
619525	SKLEV30ULT25	25KG	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. SikaFloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.



Sikafloor®-245 Level Deep Fill Ultra

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
612979	SKLEV245DP25	25KG	GREY	1	5055492702951

A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for is extremely low shrinkage properties and is suitable for use on internal and external floors.





BUILDING PRODUCTS

Self Levelling Compounds

720 Febflor Fibre PlusFibre Self Levelling Compound



TRUSTED

FOR USE ON INTERNAL UNEVEN RIGID FLOORS

SUITABLE FOR UNDERFLOOR HEATING APPLICATIONS BENEATH HEATING SYSTEMS

A fibre modified, cement based, protein free self-levelling compound used for levelling out uneven floors and screeds. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Free flowing mix that sets in 4 hours and can be overlaid after 8 hours.

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
6/17831	CI EIDDE 20	SUNC	CDEV	1	E0202/761E706













FLEXIBLE FORMULA - NO NEED TO ADD A SEPARATE LIQUID LATEX ADDITIVE

BUILDING PRODUCTS

Self Levelling Compounds

143

708 Febflor Universal Self Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620324	SEL20	20KG	-	1	5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2–4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.

710 Febflor FlexiplusSelf Levelling Compound

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620325	SLPLUS20	20KG	-	1	5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Self-smoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.





709 Febflor Latex Plus Liquid Additive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
189152	I ATE	EI		4	E020247002020

To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.









BUILDING SUPPLIES Wall Finishing

5 | 145

Floor Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
538684	FLOORGYNEW	5L	GREY	4	5029347602826
538683	FLOORRDNEW	5L	RED	4	5029347602833

Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.



Surveyline Marking Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490207	SURVEYBLUE	700ML	BLUE	12	5029347601560
490209	SURVEYGREEN	700ML	GREEN	12	5029347601584
490210	SURVEYOG	700ML	ORANGE	12	5029347608415
490213	SURVEYRED	700ML	RED	12	5029347601577
490214	SURVEYWE	700ML	WHITE	12	5029347000943
490215	SURVEYYELL	700ML	YELLOW	12	5029347601553

A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).



Trafficline Marking Paint

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489774	TRAFFICWE	700ML	WHITE	12	5029347602987
489782	TRAFFICYELL	700ML	YELLOW	12	5029347602994

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/ Hazard), Red (Danger/Prohibited).



Febond Blue GritPlaster Bonding Agent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487206	FBBLUE5	5LTR	BLUE	1	5029347608910
487207	FBBLUE10	10LTR	BLUE	1	5029347608880









507 Rendagrip Render Bonding Agent

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461975	RENDGP10	10L	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.









Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.



505 Plasterers Gripcoat

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461974	GRIPCT10	10LTR	BLUE	1	5029347611538

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.









BUILDING SUPPLIES

Concrete and Brick Repair

SikaGrout® 111 GP

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
527763	SKGROUT111	25KG	GREY	1	5055492702098

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.









Sikadur® 31 EF Norma

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
534999	SKDUR31NM1	1.2KG	GREY	8	8428868015646

A two-component, solvent-free, cold cure, thixotropic epoxy adhesive that is suitable for damp and dry substrates. Sikadur® 31 EF contains a combination of epoxy resins and special fillers that make it ideal for use at temperatures between +10 °C and +30 °C. This product is also available as rapid.





BUILDING SUPPLIES

Concrete and Brick Repair

147

Sikagard® 550 W ElasticCrack Bridging and Protective Coating

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
407930	7SPSKG550W1001	15 LTR	RAL 1001	_1_	7612894809237
407929	7SPSKG550W1002	15 LTR	RAL 1002	_1_	7612894809220
183570	7SPSKG550W1015	15 LTR	RAL 1015	_1_	7612895387826
524264	7SPSKG550W7023	15 LTR	RAL 7023	_1_	7612895322650
489356	7SPSKG550W7030	15 LTR	RAL 7030	_1_	7612895203720
504747	7SPSKG550W7032	15 LTR	RAL 7032	_1_	N/A
457266	7SPSKG550W7035	15 LTR	RAL 7035	_1_	7612895062860
403609	7SPSKG550W7037	15 LTR	RAL 7037	_1_	N/A
540553	7SPSKG550W7038	15 LTR	RAL 7038	_1_	7612894192360
452574	7SPSKG550W7040	15 LTR	RAL 7040	_1_	7612895046648
405013	7SPSKG550W7044	15 LTR	RAL 7044	_1_	7612895194356
414256	7SPSKG550W9001	15 LTR	RAL 9001	_1_	7612894841824
414250	7SPSKG550W9002	15 LTR	RAL 9002	_1_	7612894841794
182776	7SPSKG550W9010	15 LTR	RAL 9010	_1_	N/A
486873	7SPSKG550W9016	15 LTR	RAL 9016	1	7612895194356







RAL 7030



RAL 9016













Colour swatches are a guide only and may vary.

Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

RAL 7040

It has been specifically deisgned for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, gibing an exceptional protection against UV, weather and aging.









BUILDING SUPPLIES

Concrete and Brick Repair

Jetcem Rapid Repair Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620460	JETCEM3	3KG	GREY	4	5010618043103
620438	JETCEM6	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.

SETTIME PILL DEPTH SETTIME FILL DEPTH WEATHER PROOF EN 1504-3 CLASS R2 CLASS R2

Jetcem DeepRapid Repair Sand and Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620326	JETMIX2	2KG	GREY	6	5010618047101
620439	JETMIX6	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Jetcem Waterproof Rapid Repair Cement

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620436	IFTWAT3	3KG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.


Jetcem Plaster Rapid Repair

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
620437	JETPATCH6	6KG		2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.











BUILDING SUPPLIES

Concrete and Brick Repair

149

Febset 45 Rapid High Strength Repair Mortar

				_	
SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
628382	FBSET45	25KG	GREY	1	5029347607630


Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.



Febgrout Flowable Anchoring Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
627865	FBGRTFL025	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.





Pro Point Gun Kit

5	SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
4	89049	PROPOINT	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



BUILDING SUPPLIES PVA and SBR Bonding

151

EpoxySet 105 Heavy Duty Epoxy Mortar Kit

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
490359	EPOX1054	4KG	-	1	5029347010515
490405	EP0X10514	14KG	_	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.

EpoxySet NF Epoxy Adhesive and Bedding Compound

SGAN	CODE	SIZE	COLOUR	OTY	BARCODE
490427	EPOXNF3	3KG	-	2	5029347607609
490431	EPOXNF10	10KG	-	1	5029347607616

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves.



Brick / Stone / Concrete

SikaBond® Rapid DPM

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
175129	SKBDRAPDPM5	5LTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



Sika® Primer

400-

600g/M²

SOLVENT

Brick / Stone / Concrete / Metal

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
498982	SKPRIMEMB5	5KG	BLUE	1	7612894379990
498974	SKPRIMEMB10	10KG	BLUE	1	7612894354652

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.



SikaBond® PVA+

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
446005	SIKAPVA1	1LTR	WHITE	12	505549270056
446004	SIKAPVA2	2.5LTR	WHITE	6	505549270057
443233	SIKAPVA5	5LTR	WHITE	4	505549270046
445915	SIKAPVA25	25LTR	WHITE	1	505549270052

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. SikaBond® PVA + Conforms to BS5270.

SikaBond® Waterproof PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
183382	SKBDWATPVA5	5LTR	WHITE	4	5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.







SikaBond[®] Contractors PVA

PRIMER & SEALER

(F)

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
509205	SKBDCONPVA10	10KG	WHITE	_1_	5055492701688


A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.

SikaBond® SBR+

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
443839	SIKASBR25	25LTR	WHITE	1	5055492700537
445916	SIKASBR5	5LTR	WHITE	4	5055492700476

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.













BUILDING SUPPLIES

PVA and SBR Bonding

BUILDING SUPPLIES PVA and SBR Bonding

153

501 **PVA Bond**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489545	PVA05L	500ML	-	20	5029347005108
479075	PVA1L	1L	-	12	5029347005115
489546	PVA2	2.5L	-	6	5029347005122
482246	PVA5L	5L	-	4	5029347005153
489547	PVAB25L	25L	-	1	5029347005160
489427	PVAR1000	1000KG	_	1	_

501 PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Fully conforms to BS 5270.



503 S.B.R Bond









SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489469	SBR2L	2.5L	-	6	5029347613624
489466	SBR5L	5L	-	4	5029347005351
489467	SBRB25	251	-	1	5029347005368

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.

Contractors PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489453	CONPVA5	5KG	-	4	5029347602680
489454	CONPVAB25	25KG	-	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

Contractors PVA	
The same of the sa	

Febond PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
495084	FBBONDPVA1	1LTR	WHITE	12	5029347607449
495223	FBBONDPVA2	2.5LTR	WHITE	6	5029347607456
489517	FBBONDPVA5	5LTR	WHITE	4	5029347607463
495224	FBBONDPVA25	25LTR	WHITE	1	5029347607470

Febond PVA is the original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. Conforms to the requirements of BS 5270-1:1989.













Febond SBR

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489444	FBBONDSBR5	5LTR	WHITE	4	5029347607357
489445	FBBONDSBR25	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.

General Purpose PVA

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489446	FBGPPVA5	5KG	WHITE	4	5029347607487

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.

























Why Chemical Anchors?

Chemical Anchors, also often referred to as 'Resin Bonded' anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are

This key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

How are they used?

Anchorset Green 150

490165 ANCHGREEN150 150ML

loads.

Styrene Free Anchor Fixing Resin

Anchorset Green 150 is a styrene free anchor

fixing resin packed using a twin bag system for application with a standard sealant gun. Applied

in one single action, this general purpose resin will

produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings,

satellite dishes, brackets etc. which require heavy

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

SGAN CODE SIZE COLOUR QTY BARCODE

Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

- Satellite Dishes Railings Heavy Pipes
- Gates Sanitary Fixings Wall Ties Fire Surrounds • Lamps • Steel Structures
- Kitchen Wall Cupboards Towel Holders

Anchorset Green 300 Styrene Free Anchor Fixing Resin

SGAN	CODE	SIZE	בטו טוום	nTV	BARCODE
482457	ANCHGREEN	300MI	-		5029347606046
46245/	AINCHUREEN	JUUIVIL		1Z	502954/606046

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Sika® AnchorFix-1

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
461476	SKANCH13	300ML	GREY	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.











Anchorset Nozzle

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489048	METONOZ4		-	25	NO BARCODE


Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.

Structural Epoxy Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
498629	SKDUR33	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.







101 Multi Purpose Linseed Oil Putty

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489026	MPBN05	0.5KG	BROWN	12	5029347001179
489027	MPBN1	1KG	BROWN	12	5029347001186
480207	MPN05	0.5KG	NATURAL	12	5029347001100
480210	MPN1	1KG	NATURAL	12	5029347001117
480211	MPN2	2KG	NATURAL	6	5029347001124
480212	MPN5	5KG	NATURAL	1	5029347001155

101 Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.







102 Premium **Butyl Glazing Compound**

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489029	BUTGC2	2KG	BROWN	6	5029347001223

102 Butyl Glazing Compound is specially formulated for glazing double glazed units into timber window frames where a timber bead is to be used. Suitable for both soft and hardwood frames.

103 Premium Trowel Mastic

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488963	TROWRD	3KG	RED	4	5029347600532
488964	TROWST	3KG	STONE	4	5029347600525
488965	TROW6RD	6KG	RED	2	5029347606787
488966	TROWEST	EKC.	STONE	2	5029347606794

103 Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.







208 Powder Mortar Tone

1KG

ZKG /

3KG

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
489429	PMTBK1	1KG	BLACK	6	5029347002817
489440	PMTBN1	1KG	BROWN	6	5029347002831
489441	PMTBUFF1	1KG	BUFF	6	5029347002855
489442	PMTMA1	1KG	MARIGOLD	6	5029347002848
489443	PMTRD1	1KG	RED	6	5029347002824

Powder Mortar Tone is formulated from best quality oxide pigments for colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. Tested to EN12878.





209 Liquid Mortar Tone

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
488950	LMTBK1	1L	BLACK	12	5029347002916
488951	LMTBK5	5L	BLACK	4	5029347002954

Liquid Mortar Tone is formulated to provide a colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can

be adjusted to provide a wide variety of colour depths.

Tested to EN12878.















Aquaseal Wet Room System Kit

TRUSTED

SGAN CODE SIZE COLOUR QTY BARCODE 487861 AQWRSKIT LARGE 1 502934761149 487891 AQWRSSTDKIT STD 1 5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR - Standard, 5LTR - Large)
- Waterproof Tanking Tape (10MTR)
- · Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet









SIMPLE AND EASY TO APPLY 3 PART SYSTEM

COMES COMPLETE WITH ROLLER, BRUSH AND DRAIN MAT.

SUITABLE FOR USE WITH UNDERFLOOR HEATING



Tanking Primer Apply primer to surfaces that are to be waterproofed.



Tanking Tape and Mat Apply self-adhesive tape across all joints, corners and pipe penetrations. Next, apply the self-adhesive drain mat around the drain outlet.



Tanking Membrane The ready-to-

The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.



AquasealWaterproof Tanking Membrane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487333	AOWRSMEM5	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



AquasealWet Room System Tane

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
683645	AQWRSTAPE10	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.







TILING Tile Adhesives

SikaCeram®-140

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
674162	SKCM140GY20	20KG	GREY	1	5055492703712

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1FT

SikaCeram®-240

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677239	SKCM240GY20	20KG	GREY	1	5055492703729

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE

SikaCeram®-282

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
678298	SKCM282GY20	20KG	GREY	1	5055492703767

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2

701 Non Slip Showerproof

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487066	NS02	3.75KG	OFF WHITE	1	5029347070120
487067	NS05	7.5KG	OFF WHITE	1	5029347070137
487068	NS10	14KG	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. Tested to EN 12004 type D1T.











SikaCeram®-272 Ultra Flexible Rapid Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677329	SKCM272WE20	20KG	WHITE	1	5055492703736

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1



SikaCeram®-277 Flexible Standard Set

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
677506	SKCM277WE20	20KG	WHITE	1	5055492703743
677508	SKCM277GY20	20KG	GREY	1	5055492703750

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1











702 Water Resistant Ready Mixed Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487071	RES05	7.5KG	OFF WHITE	1	5029347070250
487072	RES10	16KG	OFF WHITE	1	5029347070205

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. Tested to EN 12004 type D2T.



703 Fix And Grout Ready Mixed Tile Adhesive and Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487074	FIX005	750G	WHITE	12	5029347600426
487075	FIX01	1.5KG	WHITE	12	5029347070311
487077	FIX02	3.75KG	WHITE	1	5029347070328
487078	FIX05	7.5KG	WHITE	1	5029347070359

Fix and Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. Tested to EN 12004 type D2T.





TILING Grouts

TileSet 700 Universal

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
678329	TS700GY20	20KG	GREY	1	5029347615819
695061	TS700WE20	20KG	WHITE	1	5029347615826

700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.





TileSet 705 Rapid Floor and Wall Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486663	RAPID20	20KG	GREY	1	5029347070526

705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.

TileSet 711 Flexiplus S1 Floor and Wall Tile Adhesive

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
486660	RSPLUS	20KG	GREY	1	5029347071110
695062	TS711WE20	20KG	WHITE	1	5029347615901

711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.





















730 Universal Flexible Hygienic Wall and Floor Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
695765	UNIFLEX2WE	2.5KG	WHITE	4	5029347615918
486468	UNIFLEX5WE	5KG	WHITE	1	5029347612283
486045	UNIFLEX5ANTH	5KG	ANTHRACITE	1	5029347612337
486466	UNIFLEX5IV	5KG	IVORY	1	5029347612306
486465	UNIFLEX5GY	5KG	GREY	1	5029347612290

730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.*.

*Simulated ageing.



























ANTHRACITE

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

TLING Grouts

167

SikaCeram® CleanGrout Floor and Wall Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
427156	SKCMCGANTH5	G5KG	ANTHRACITE	4	7612894904116
427154	SKCMCGASH5	5KG	ASH	4	7612894904079
427155	SKCMCGBEIG5	5KG	BEIGE	4	7612894904093
445625	SKCMCGBLA5	5KG	ABSOLUTE BLACK	4	7612895008011
445651	SKCMCGJAS5	5KG	JASMIN	4	7612895008318
427153	SKCMCGMAN5	5KG	MANHATTAN GREY	4	7612894904055
445640	SKCMCGSAN5	5KG	SAND	4	7612895008110
427157	SKCMCGWHI5	5KG	WHITE	4	7612894904130

SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

Used: in applications where water-resistance is essential including swimming pools and tanks.

Inhibits the formation of mould and bacterial growth

Suitable for interior and exterior applications


For use on all types of tiles, mosaic, marble and natural stone.




















SAND


BEIGE



WHITE

MANHATTAN GREY







JASMIN ASH

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Forever White Powder Wall Tile Grout

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
560638	FWPOWGROUT1	1.2KG	ARCTIC WHITE	8	5029347606145
485874	FWPOWGROUT3	3KG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.









Forever White Grout Reviver

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
487331	FWREVIVE	200ML	ARCTIC WHITE	12	5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.











BULDING FINSHING

Mineral Renders	17
Base Coats	17
Lime Renders	17
Top Coats	17
Complementary Draducts	17

Parex Monorex GM

Mineral Renders

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.

Please visit sika.co.uk/ buildingfinishing for full colour range.



Parex Monorex GF

A fine grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render. Available in a wide range of colours.

Please visit **sika.co.uk/ buildingfinishing**for full colour range.



Parex Monoblanco

PALLET QTY	
42	
42	
42	

A medium grain one-coat or top coat finish, through coloured, weather resistant and breathable decorative render.

SGAN SIZE COLOUR

25KG

25KG

25KG

721394

SikaWall-580 Monorex GM UK

G00 G10

G20



SGAN	SIZE	PALLET QTY
629246	25KG	48

A bright white, semilightweight, one coat, weather resistant and breathable one-coat render for vertical masonry and concrete walls. Monoblanco is a bright white version of Monorex GF.



SikaWall®-500 Wet Dash

SGAN	SIZE	COLOUR	PALLET QTY
711785	25KG	BROWN	40
711783	25KG	RED	40
711784	25KG	TAN	40
711782	25KG	YELLOW	40
711777	25KG	FAWN	40
711776	25KG	CREAM	40
711779	25KG	IVORY	40
711780	25KG	MAGNOLIA	40
711781	25KG	WHITE	40
711778	25KG	GREY	40

SikaWall®-500 Wet Dash is combined with decorative aggregate to create a wet dash finish for masonry applications.



SikaWall®-530 Top Coat

SGAN	SIZE	COLOUR	PALLET QTY
711795	25KG	YELLOW	40
711786	25KG	BEIGE	40
711793	25KG	TAN	40
711790	25KG	IVORY	40
711787	25KG	BROWN	40
711792	25KG	RED	40
711796	25KG	GREY	40
711788	25KG	CREAM	40
711789	25KG	FAWN	40
711791	25KG	MAGNOLIA	40
711794	25KG	WHITE	40

SikaWall®-530 Topcoat is a Dry Dash receiver for application onto SikaWall®-100 Base Coat.



SikaWall®-100Base Coat

SGAN	SIZE	PALLET QTY
711840	25KG	40

SikaWall®-100 Bast Coat is for use prior to the application of SikaWall®-530 Top Coat. Made in the UK.



SikaWall®-1015 Adhesive Coat

SGAN	SIZE	COLOUR	PALLET QTY
711844	25KG	WHITE	40
711843	25KG	GREY	40

SikaWall®-1015 Adhesive Coat is an adhesive to bond insulation as part of Sika EWI systems.



Parex Maité

SGAN	SIZE	COLOUR	PALLET QTY
632422	25KG	G00	48
633990	25KG	J20	48
684906	25KG	G16	48

An Insulation adhesive and base coat used with the Parextherm and Parexdirect render systems.



Parex Monogris E

SGAN	SIZE	PALLET QTY
674154	25KG	48

A high-performance polymer modified, weather resistant, grey base coat and finishing render for vertical external and internal walls.



Parex Parmurex

SGAN	SIZE	PALLET QTY
673948	25KG	42

One-coat weather resistant grey render for internal and external dense masonry and concrete walls. Suitable as a grey coat finishing render or as a base coat for receiving a Parex decorative finish.



One-Coat GPR General Purpose Render

SGAN	CODE	SIZE	COLOUR	QTY	BARCODE
636028	FACGPRGY25	25KG	Grey	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and

concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



Complementary Products

Parex Revlane+ Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size, Gros 1.6mm.

Please visit sika.co.uk/ buildingfinishing for full colour range.



Parex Revlane Siloxane Ignifuge Taloche Gros

A pre-mixed, vapour permeable, ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Gros 1.6mm.

Please visit sika.co.uk/ buildingfinishing for full colour range.



ready to apply Siloxane-based decorative coating offering increased weather resistance and water run off properties. Finished appearance is based upon grain size, Fin 1.0mm.

Please visit sika.co.uk/ buildingfinishing



Parex Revlane+ Regulateur

An acrylic-based, ready-to-use coloured primer designed to adjust the base absorption to substrates and increase the depth of colour prior to the application of Parex REVLANE+ top coat finishes.

Please visit sika.co.uk/ buildingfinishing for full colour range.



Parex Revlane+ Ignifuge Taloche Fin

A pre-mixed, vapour permeable, ready to apply Acrylic based decorative coating for external and internal walls. Finished appearance is based upon grain size. Fin 1.0mm.

Please visit sika.co.uk/ buildingfinishing for full colour range.



Parex Revlane Siloxane Ignifuge Taloche Fin

A pre-mixed, vapour permeable,

for full colour range.



Parex Crylane

An acrylic binder paint specially designed for new and existing building façades with excellent coverage. Can be used pure or diluted with water. Please see the Revlane Colour chart.

Please visit sika.co.uk/ buildingfinishing for full colour range.



Parex TV10 Reinforcement Mesh

SGAN	SIZE	PALLET QTY
633203	1M X 50M ROLL	33

A glass fibre mesh fabric combined with specially designed surface treatments that can be used in a wide range of Parex cement and lime render applications. For ease of identification the TV10 mesh is coloured green and has the Parex logo throughout the mesh.



Parex Render Bead Adhesive

SGAN	SIZE	COLOUR	BOX QTY
651522	350ML	WHITE	12

A new ready-to-use, high-strength render bead adhesive. The bead adhesive has been designed for ease of application, fast drying and is capable of bonding to a wide range of substrates.



Parex Fixopierre

SGAN	SIZE	PALLET QTY
633436	5LTR	90
633435	20LTR	28

A water vapour-permeable and microporous substrate porosity regulator and key coat admixture, particularly suitable for lime or earth-based substrates where high breathability of the substrate is required or where a high absorption substrate is expected.

FIXOPIERRE improves the adhesion of façade renders by reducing the risk of the product drying out before hardening.



Parex Monaccel Plus

SGAN	SIZE	PALLET QTY
669718	20LTR	26

Monaccel Plus is an admixture used to reduce the initial setting time of one-coat renders and other general mortars.



Parex Micro Gobetis 3000

SGAN	SIZE	PALLET QTY
633272	20LTR	27

the adhesion for one coat render systems.

A pink coloured liquid with a high granular consistency for ease of application recognition, and to provide excellent bonding characteristics. Micro Gobetis 3000 is designed to control suction to high absorption or low porosity substrates and improves



Parex Paraguard

SGAN	SIZE	PALLET QTY
630036	5LTR	48
630037	25LTR	24

A water-based coating, which provides a weatherproof. lotus leaf effect, water resistant surface to a range of render. paving, masonry and timber substrates.



In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with

"Bespoke Goods"

means any Goods which are made to measure, be spoke, or otherwise manufactured to a unique specification.

means the United Kingdom ceasing to be a member state of

"Buver"

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

'Company

Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, A I 7180

"Confidential Information"

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods

or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

"Contract"

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in

"Delivery Point"

the place where delivery of the Goods is agreed to take place, as set out in the Company's written acknowledgement of

"Final Inspection Cartificate

A Certificate issued for the benefit of a third party at the completion of the Services.

"Goods"

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.
"Guarantee"

a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

"Guarantee Period"

the on-going period of protection provided to a third party as set out in a Guarantee.

"Intellectual Property Rights"

all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries

in the world and together with all renewals and extensions

"Services"

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods. "Service Point"

the place at which the Services are to be performed, as set

"Specific Delivery Requirement"

any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions

the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company.

"Trademark"

the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

"Working Day"

any day other than Saturday or Sunday or a public or bank

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contact of the conditions and the contact of the

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Coods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation.

2.3 The Buver must ensure that the terms of its order and any

applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and

2.5 Subject to Condition 5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3 DESCRIPTION OF THE COORS AND SERVICES

3.1 The description of the Goods will be as set out in the Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; or

3.2.2 do not materially affect their quality

3.3 The Company will only perform Services which are ancillary to, or relating to, Goods provided under a contract.

3.4 The Services will only be performed by the Company at

3.5 The Company shall use all reasonable endeavours to perform the Services:

3.5.1 to the standard required for the issue of a Final

3.5.2 promptly, but time shall not be the essence for the performance of the services

3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buver in any such even

4. PRICE AND PAYMENT

A.1. The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company's warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom or inclusive of any costs of packaging and any other applicable sales tax or duty will be added to the sum in question.

A.2. The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first

4.3 Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of paycounters laim.

4.5 If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract: that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the contract.

4.7 Any invoice queries must be communicated to the Company within ten (10) Working Days of receipt of the invoice by the Buyer

5. INSTALMENTS

5.1 The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's

 $6.4\,\mbox{Delivery}$ of the Goods will be accepted at any time of day.

At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its calber riphts, may

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance): and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances

6.5 The Company will use reasonable endeavours to deliver Coods five (5) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the sesence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within five (5) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of Goods) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howscever caused (including as a result of negligence) by any delay or failure in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given ten (10) Working Day's written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods will not entitle the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.5

6.5.1 the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled:

6.5.2 and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been

6.6 Notwithstanding, the provisions of Condition 5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 5; and

6.6.2 waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 5.

6.7 The Buyer will provide at its expense at the Delivery Point

adequate and appropriate equipment and manual labour for off-loading the goods.

6.8 A £10.00 handling charge will be made in addition to the

carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the company.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1 the Goods: and

7.2.2 all other sums which are, or which become due to the Company from the Buyer on any account, whether for Goods or Services

7.3 Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1 hold the Goods on a fiduciary basis as the Company's bailee;

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property:

7.3.3 not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and
7.3.4 maintain the Goods in satisfactory condition insured

on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance. 7.4 The Buver may resell the Goods before ownership has

passed to it solely on the following conditions:
7.4.1 any sale will be effected in the ordinary course of the

7.4.1 any sale will be effected in the ordinary course of the Buyer's business at full market value and the Buyer will account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale
7.5 The Buyer's right to possession of the Goods will

7.5 The Buyer's right to possession of the Goods

TERMS AND CONDITIONS

Standard terms and conditions of sale for goods sold by Sika Limited.

terminate immediately if any of the circumstances set out in Condition 11.1 occur.

8. difference in the Company will be entitled to recover payment for the circumstances set out in Condition 11.1 occur.

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has tensionated in creaments.

Goods notwithstanding that title in any of the Goods has not

7.8 Where the Company is unable to determine whether any Coods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

nassed from the Company

8.1 The Company will, free of charge, within a period of twelve (12) months from the date of delivery of Goods, or where a Caurantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply

8.1.1 the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised

8.1.2 the Goods have been improperly installed or connected;
8.1.3 any maintenance requirements relating to the Goods

have not been compiled with:

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within forty-eight (48) hours of delivery where the defect(s) or missing item(s) should be apparent or reasonable inspection, or within forty-eight (48) hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later

than twelve (12) months from the date of delivery; 8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the twelve (12) month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period

8.3 In the event of any breach of the Company's express obligations under Conditions 5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to the Buyer $\,$

8.4.1 for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Coods and Services Act 1982; 8.4.2 for personal injury or death resulting from the

Company's negligence; 8.4.3 under section 2(3) Consumer Protection Act 1987:

8.4.5 for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.6 for fraud
8.5 Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever

8.5.1 any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or sub-contractors.

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or sub-

8.5.3 any breach by the Company of any of the express or

8.5.4 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5 any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or a 8.5.6 any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods

8.6 Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7 Each of the Company's employees, agents and subcontractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.3 to 8.6 in that person's own name and for that person's own benefit, as if the words "its employees, agents and sub-contractors" followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1. 8.8 The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax ilability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs on the contract of the company incurs on the contract of the contract of the contract where a Courantee has been issued, such indemnity shall continue until the end of the Contract events.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall:

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim.

10. FORCE MAIEURE

The Company will not be in breach of the Contract and / or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or incrumstance beyond the reasonable control of the Company including, without limitation, any act of Cod, disease, epidemic, pandemic, war, industrial dispute, protect, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such event or circumstance.

11. TERMINATION

11.1 The Company may by written notice terminate the Contract immediately if the Buyer:

11.11 is in material breach of any of the terms of the Contract.
Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not canable of remedy.

11.1.2 becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3 has any distraint, execution or other process levied or enforced on any of its property:

11.1.4 ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade;

11.1.5 the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2 The Company may terminate the Contract in accordance

WITH CONTINION 14.9.

11.3 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer's obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1 No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2 All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the company

12.3 The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any

13. DISTRIBUTION

13.1 The Buyer shall not give additional or more favourable warranties than the ones given under clause 8 if it resells the Goods, and the Company shall not bear any liability whatsoever in relation thereto.

Furthermore, if the Buyer intends to resell the Goods for a non-approved Sika use or outside of the United Kingdom, then the Buyer/Reseller shall do so at its own risk and the Company shall not bear any liability whatsoever with respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including without limitation, expenses, fees and damages that could be claimed against the Company. 14 CENERA

14.1 Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2 Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not

14.3 If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4 No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5 Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on trustor sub-contract all or any part of its rights or obligations under the Contract.

14.7 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without

the Company's prior written consent.

14.8 The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/ or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any

14.9 Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10 Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by had, or first class or special delivery post or The notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, forty-eight (48) hours after being posted or in the case of Airmail, fourteen (14) days after being posted or

14.11 The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract. The parties agree to submit to that jurisdiction.

14.12 Where Part II of the Housing Grants, Construction and Regeneration Act 1995 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedures and the agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successor

14.13 The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations on the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent

jurisdiction.

14.14 Where a Brexit Trigger Event occurs (as defined below)

and the Company gives notice to the Buyer of the same: 14.14.1 the Company shall not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract where there is a Brexit Trigger

Event (and the notice shall have effect from its date)

14.14.2 the Company may require the Buyer to negotiate in good faith an amendment to the Contract to alleviate the Brexit Trigger Event; and if no such amendment is made to the Contract within seven (7) days from notice given by the Company, the Company may terminate the Contract by giving Buyer not less than twenty one (27) days written

14.15 For the avoidance of doubt the rights afforded by this clause 14.14 are without prejudice to the entitlement of the Company to exercise its rights pursuant to Condition 2.5, and the Company may cancel the Contract at any time prior to delivery of the Cook or commencement of the performance of the Services, for any reason

14.16 "Brexit Trigger Event" means any of the following events occurring at any time on or after Brexit

14.16.1 an adverse impact on the Company's ability to perform the Contract in accordance with its terms and the law (and the Company shall determine in its absolute discretion whether such an adverse impact has occurred);

14.16.2 an increase in the costs incurred by the Company performing the Contract since the price for the Goods was last agreed.

Revised April 2020

PRODUCT INDEX

PRODUCT INDEX

Numbers		903 Bitumen Trowel Mastic	80	Evercryl Emergency Roof Repair Cart	77	Heavy Duty Wonder Wipes	115	0		Puraflex 25	25
101 Multi Purpose Putty	156	904 Roof Felt Adhesive	80	Evercryl One Coat	76	HM Silicone	23	Oil Away	65	Puraflex 40	25
102 Butyl Glazing Compound	156	905 All Weather Roof Coating	81	Exact Gap Foam	84	Hybriflex 25LM	24	One Strike Ready Mixed Filler	94	PVC Cream Cleaner	116
103 Trowel Mastic	156	906 Bitumen Roofing Emulsion	81	External Frame Sealant	16	Hybriflex 40	24	Opti-Mix 3-In-1 Render Additive	134	PVC Hazard Tape	109
105 EpoxySet	150	907 Solar Reflective Paint	81			Hybriflex 480	24	Opti-Mix Integral Waterproofer	134	PVC Solvent Cleaner	116
115 GP Building Mastic	8	908 DPM	81	F		Hybriflex 55	24	Opti-Mix Mortar Plasticiser	134	PVCu Acti-Spray	51
125 One Hour Caulk	8			Fob Prickslapp	120	Hybriflex FR	25	Opti-Tone Cement Colourant Black	134	Pyro Mate	14
145 Butyl Rubber Sealant	9			Feb Brickclean	139	Hybriflex SMP	25	Overlap and Border Adhesive	101		
175 Universal Acrylic	9	A		Feb General Purpose PVA	153			•		0	
195 Siliconised Acrylic	9	ACSO Acoustic Sealant and Adhesive	- 11	Feb Rendamix	139	1				•	110
2 Part Wood Filler	96		11	Feb Wintamix	139	la directal al Composalora CD	F0	Р		Quick Mac Instant Tarmacadam	149
200 Contractors LMA Silicone	9	AC95 Intumescent	14	Febgrout Flowable	149	Industrial Superglue GP	50	P11 System Cleanser	121		
201 Mortar Admix	136	All Purpose Powder Filler	95	Febmix Admix	138	Industrial Superglue HV	50	P12 Silicone Grease	122	R	
202 Integral Liquid Waterproofer	136	All Purpose Ready Mixed Filler	93	Febmix DH	138	Instant Nails	39	P13 Plumbers Putty	122	Raw Linseed Oil	101
203 Accelerator and Frostproofer	136	All Purpose Ready Mixed Filler	95	Febmix Plus	138			P14 System Inhibitor	121	Resiblock Indian Sandstone Sealer	60
204 Evermix 3 In 1	136	American Duct Tape	105	Febond Blue-Grit	145	J		P16 Pipe Cement	122	Resiblock Superior	60
206 Strike Release Oil	137	Anchorset Green	154	Febond PVA	153	Jetcem Deep Rapid Repair Sand and Cemen	t 148	P18 Gas Leak Detector	122	Resiblock Trade	60
207 Zeromix C.F.F	137	Anchorset Nozzle	155	Febond SBR	153	Jetcem Plaster Rapid Repair	148	P20 Flux Soldering Paste	123	Roll and Stroll Carpet Protector	90
208 Powder Mortar Tone	157	Anti Pick 109	23	Febproof Plus	138	Jetcem Rapid Repair Cement	148	P24 Power Cleaner	120	Roll and Stroll Contract Carpet Protector	91
209 Liquid Mortar Tone	157	Aqua Mate	12	FebSet 45	149	Jetcem Waterproof Rapid Repair Cement	148	P26 Biocide	120	Roll and Stroll Glass Protector	91
225 Industrial and Glazing Silicone	10	Aquaseal Waterproof Tanking Membrane	161	Febspeed	139	Joint Backer Rod	22	P28 Filter Fluid	120	Roll and Stroll Hard Surface Protector	91
30 Minute PU Wood Adhesive Gel	45	Aquaseal Wet Room Kit	160	Febtank Plug	130	Jumbo Sealant Gun	18	P30 Protector	120		91
30 Minute PU Wood Adhesive Liquid	45	Aquaseal Wet Room Tape	161	Febtank Super	130	jambo scalant dan	.0	P32 Leak Sealer	120	Roll and Stroll Textured Carpet Protector	91 16
335 Construction Silicone	10			Fill and Skim	95			P45 Medium Duty Foam Gun	86	Roof and Gutter Sealant	lb
401 Brick and Patio Cleaner	63	В		Fill Once	92	К		P65 Heavy Duty Foam Gun	86		
402 Water Seal	61		0.7	Filler Coat	95	KOS Fire Cement	124	Parex Crylane	172	S	
		B1 FireFoam	87	Fine Surface Filler	93	KOS Fire Cement - Cartridge	125	Parex Fixopierre	173	Safer Spirit	100
403 Concrete Hardener and Dustproofer	63	B2 FireFoam	87	Fire Mate	14	KOS Flue Cement	125	Parex Maité	171	Salt Away	65
404 Fungicidal Wash	63	Barrier Tape	109	Fire Sealant 300	22			Parex Micro Gobetis 3000	173	Seal Rite Smooth-Out Tool	20
405 Path and Patio Seal	61	Bath and Kitchen Sealant	15	Fire Sealant 400	22	1		Parex Monaccel Plus	173	Seal Rite Strip-Out / Smooth-Out Twin Pack	
406 Stabilising Solution	64	Black Jack Flashing DIY	79	Firespan Intumescent Pads	14		00	Parex Monogris E	171	Seal Rite Strip-Out Tool	20
407 Mortar Stain Remover	64	Black Jack Flashing Trade	79	Fix and Fill	84	Laminated Dust Sheets	98	Parex Monorex GF	170	Shed and Fence Mate	71
408 Super Seal	61	Boiled Linseed Oil	101	Flexible Decorators Filler	15	Lead Mate	13	Parex Monoblanco	170	Showerproof Bathroom Silicone	16
409 Block-Guard	61	Brush Cleaner	99	Floor Paint	144	Lead Mate Patination Oil	77	Parex Paraguard	173	Sika Accelerator	132
45 Minute PU Wood Adhesive Liquid	45	Brush Restorer	99	Floor Varnish	73	Liquid Roof	78	Parex Parmurex	173	Sika Anchorfix-1	155
450 Builders Silicone	10			Flue Jointing Compound	125	Low Tack Masking Tape	108		173	Sika Block Paving Seal	59
5 Minute PU Wood Adhesive Gel	44	С		Foil Pack Applicator Gun	19	Lumberjack 160 Woodbond	48	Parex Render Bead Adhesive	173	Sika Brick and Patio Cleaner	62
5 Minute PU Wood Adhesive liquid	44	Carpet Fix Cloth Tape	110	Foil Pack Spare Nozzles and Push Disc	19	Lumberjack 550 Floor Adhesive	48	Parex Revlane+ Ignifuge Taloche Gros			62
500 Bath and Sanitary Silicone	10	Caulk Once	7	Forever White	6	Lumberjack 650 Floor Adhesive	48	Parex Revlane+ Ignifuge Taloche Fin	172	Sika Dustproofer	56
501 PVA Bond	152		65	Forever White Grout	167			Parex Revlane Siloxane Ignifuge Taloche Fin	172	Sika FastFix All Weather	
502 All Purpose Weatherproof Wood Adhesive		Cemstrip		Forever White Grout Reviver	167	M		Parex Revlane Siloxane Ignifuge Taloche Gros		Sika MaxMix Cement Colour	134
503 SBR Bond	152	Clear Fix	37	Forever willte Grout Reviver	167	Mammoth Aluminium Tape	106	Parex Revlane+ Regulateur	172	Sika MaxMix Frostproofer and Accelerator	134
505 Plasterers Gripcoat	145	Clear Varnish	73			Mammoth Builders PVC Tape	106	Parex TV10	173	Sika MaxMix Mortar Plasticiser	134
506 Contractors PVA	152	Clear Weatherproof Tape	107	G		Mammoth Spray Adhesive	49	Packaging Tape	109	Sika MaxMix Waterproofer	134
507 Rendagrip	145	Constructa-Pro	85	Gaffa Tape	106	Masking Tape	108	Paper Wipe Roll	116	Sika MonoTop-115 GP	146
565 Clean Room Silicone	11	Cotton Dust Sheets	98	Galva Mate	12	Masonry Dry Rot Treatment	71	Patio Wizard	64	Sika Mould Buster	62
700 TileSet Universal	164	Coving Adhesive	39	General Purpose Render	167	Maximum Torque	38	Pinkgrip	41	Sika Multiseal	79
700T LMN Silicone	11	Creocote	71	General Purpose Silicone	15	Mega Tape	106	Pinkgrip Dry Fix Applicator Gun	42	Sika Patio Seal	58
701 Non-Slip Tile Adhesive	163			Glass Cleaner	116	Methylated Spirit	100	Pinkgrip Dry Fix FR	42	Sika Plastix 22A	17
702 Water Resistant Tile Adhesive	163	D		Graffiti Remover	117	Mirror Mate	37	Pinkgrip MS	40	Sika Powercure Dispenser	19
703 Fix and Grout	163	D4 Wood Adhesive	44	Griptite	39	Mitre Fast Activator	51	Pinkgrip Solvent Free	41	Sika Primer -115	29
705 TileSet Rapid	164	Damp Proofing Slurry	130	Gun A Nail Extra	37	Mitre Fast Adhesive	51	Plumbers Gold	121	Sika Primer 3N	29
708 Febflor Universal	143	Deep Gap Filler	93	Gun A Nail Standard	37	Mitre Fast Kit	51	Polythene Dust Sheets	98	Sika Primer MB	150
709 Febflor Latex Plus	143	Dual Purpose Foam Cleaner	86	dall A Nall Standard	57	MP Wood Filler	96	Power Pro Sealant Gun	18	Sika Proof	132
710 Febflor Flexiplus	143	baarr arpose roam cleaner	UU			MP Wood Filler Multi Stick		Powerful Grip Tape	104	Sika Release Oil	133
711 TileSet Flexiplus	164			Н			36	Pro Blue Masking Tape	108	Sika Rendermix	132
720 Febflor Fibre Plus	142	E		Heat Mate	13	Multi-Purpose Double Sided Tape	110	Pro Point Gun Kit	149	Sika Sanisil	17
720 1 EU1101 1 IUIE F IUS											
730 Universal Flexible Hygienic	165	EB25	35	Heat Resistant Paint	123			Professional Gun Grade Foam	85	Sika Setting Sand	58
	165 80	EB25 EpoxySet NF	35 150	Heat Resistant Paint Heat Resistant Silicone	123 123	N		Professional Gun Grade Foam Professional Sealant Gun	85 18	Sika Setting Sand Sika Silent Layer Mat	58 47

178

PRODUCT INDEX

SikaWall-1015

Silicone 825

Silicone Eater

Silicone S50

Silweld

Silicone Spray

Smart Tack Bulk

Smart Tack Bulk Gun

Smart Tack Bulk Hose

Smart Tack Handy

Standard Nozzles

Stick 2 All Purpose Clear Adhesive

Stick 2 All Purpose Contact Adhesive

Stick 2 All Purpose Superglue Bottle

Stick 2 All Purpose Superglue Tube Stick 2 Carpet Fix Spray Adhesive

Stick 2 Contact Adhesive

Stick 2 Hard Plastic Adhesive

Stick 2 Rapid Epoxy Syringe

Stick 2 Spray Contact Adhesive

Stick 2 Rapid Epoxy Tube

Stick 2 Superglue Gel

Stick 2 Textile Adhesive

Stick 2 Touch Up Enamel

Stixall Extreme Power

Sugar Soap Liquid

Sugar Soap Powder Superflow Sealant Gun

Superglue De-bonder

Surveyline

Stain Block

Sika Water Repel+	58
Sika Water Seal	59
Sika Wintermix	133
Sika-1 Waterproofer	128
Sika-2 Water Plug	129
Sika-4 Rapid Setting	129
Sika-4A Water Stop	129
SikaBond Contractors PVA	151
SikaBond MS Foil	47
SikaBond MS Wood Floor	46
SikaBond PVA	151
SikaBond Rapid DPM	150
SikaBond SBR+	151
SikaBond Waterproof PVA	151
SikaBond Wood Flooring Kit	47
SikaBond-151	46
SikaBond-52	46
SikaBond-54	46
SikaBond-5500S	47
SikaCeram CleanGrout	170
SikaCeram FlowFix Bonding Primer	57
SikaCeram FlowFix Jointing Compound	57
SikaCeram-140 Rapid	162
SikaCeram-240 Flexible Rapid	162
SikaCeram-272 Ultra Flexible	162
SikaCeram-277 Flexible Standard	162
SikaCeram-282 Fibre Reinforced	163
SikaCim No Crack Concrete	133
Sikadur-31 EF Normal	146
Sikadur-33	155
Sikaflex -423 Powercure	28
Sikaflex Construction+	27
Sikaflex EBT+	34
Sikaflex PRO-3 Purform	26
Sikaflex PRO-3 Self Levelling	26
Sikaflex Tank N	27
Sikafloor-122 Level	140
Sikafloor-125 Level Latex	140
Sikafloor-131 Level Latex Ultra	141
Sikafloor-245 Level Deep Fill Ultra	141
Sikafloor-440 Level Fibre Reinforced	140
SikaGard Universal 5 Star Wood Treatment	68
SikaGard Wood Preserver	68
Sikagard Woodworm Killer	68
Sikagard-112 Mortar and Brick Cleaner	62
Sikagard-550 W Elastic	147
SikaGrout-111 GP	146
Sikahyflex-250	26
Sikalastic-1K SIkaMix Plus	129
Sittal like Flag	132
Sikamix Powdered Mortar Plasticiser	133
SikaMur InjectoCream-100	130
Sikaseal Multi Purpose Silicone Sikasil DW	17 29
Sikasii Pool	29 27
SikaWall-100	27 171
SikaWall-500	170
SikaWall-530	170
SikaWall-580 Monorex GM UK	170

Wood Filler Hardener / Catalyst	97
Wood Preserver	70
Wood Stain	72
Woodworm Killer	70

171

21

12

22

117

107

43

43

43

43

100

20

52

49

52

52

52

52

53

53

49

53

52 53

32

99

99

19

50

144

XYZ	
XL Fire Cement	125
XT44 Multi Spray	115

Т	
Tarmac Restorer	65
Tarpaulin	98
Teak Oil	101
Thermofoam	84
Threadlock GP	50
Timber and Laminate Sealant	16
Trafficline	144
Triple Action Wood Treatment	70
Turps Substitute	100

V Value Masking Tape 108

W	
Wallpaper AdWallcovering Adhesive	101
Wallpaper Adhesive	101
Wallpaper Stripper	100
Weather Mate	12
Wet Rot Wood Hardener	97
White Spirit	100
Wonder Wipes	114
Wonder Wipes Spray	115

Acetoxy – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.



CE / UKCA – There are four main types of approval under the sealant CE / UKCA Mark:

- 1 F Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:
 - **P** Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.
 - **E** Elastic which means the product behaves more like an elastic band.
 - **HM** High Modulus.
 - LM Low Modulus.
- 2 **G** Glazing use.
- 3 **S** Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.
- 4 **PW** Pedestrian Walkway use.

JARGON BUSTER

Fire Rating – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Neutral Cure – Products which cure by a system of crosslinkers that, when activated by exposure to moisture in the air release almost odourless by-products, mainly alcohols. Neutral cure sealants have very little effect on the substrate applied to i.e. non-corrosive.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come is a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.