



Designed to work beautifully

STOVES
FIRES
RANGE
COOKERS



Pellet | Wood
Multi Fuel | Oil
Electric | Gas

2022/2023

Waterford Stanley Innovation

Waterford  **Stanley**



An Irish company with a long and proud tradition, Waterford Stanley has been bringing warmth and comfort to homes for generations, stretching back to when the first range cooker was designed and built in Waterford, Ireland in 1936.

Our brands include Stanley, AGA, Rangemaster, Rayburn, Falcon, Mercury, La Cornue, Novy, Bilberry and Waterford Appliances, these combine superb craftsmanship and design to create products that suit a modern lifestyle and bring people together over good food, warmth and a strong sense of heritage.

Our product portfolio includes, gas, electric, wood, multi fuel and pellet stoves, Air to Water Heat Pumps and Underfloor Heating, as well as built-in appliances including hobs, ovens, dishwashers, microwaves and refrigeration. We also offer a comprehensive and stunning range of cookers from Stanley, Rangemaster, AGA, Rayburn, Falcon, Mercury and La Cornue.



Your Stanley Story Starts Here	<u>04-05</u>
Stanley Product Chooser	<u>06-07</u>
ARGON Electric Fires	<u>08-17</u>
ARGON Gas Inserts & Stoves	<u>16-31</u>
Stanley Stories	<u>32-33</u>
SOLIS Pellet Stoves	<u>34-47</u>
Bilberry Stoves	<u>48-49</u>
SOLIS Wood Burning & Multifuel Stoves	<u>52-69</u>
Stanley Classic Stoves	<u>70-89</u>
Stanley Range Cookers	<u>90-97</u>
Stanley Air to Water Heat Pumps	<u>98-103</u>
Specifications Overview	<u>104-105</u>
Dimension Drawings	<u>106-117</u>
Installation	<u>118</u>
Stanley & Eco Design 2022	<u>119</u>

Part of

Middleby Residential



Middleby Residential is a collection of premier international consumer brands dedicated to manufacturing and distributing many of the best known and loved kitchen appliances and interior furnishings in the world. Stanley, AGA, Rangemaster, Rayburn, Falcon, Mercury and La Cornue are just some of the brands under the Middleby Residential division.

For more than 100 years the company has been innovating and leading the way in foodservice and you'll find Middleby brands in many of the world's most famous kitchens.

Waterford Stanley is part of the Middleby Corporation, the leading global provider of commercial kitchen equipment.



Our renewable Stanley heating product range comprises air-to-water heat pumps together with bespoke underfloor heating solutions

We provide an extensive design and support service. Heat loss calculations, heat pump certification, underfloor heating design and designer sign-off certification are all part of our service to ensure that our product meets the building regulations requirements.

In addition, we offer room heating and central heating stoves in pellet, wood and multifuel options all of which are compliant with Ecodesign 2022, the new European standard for lowering emissions from wood burning and multi-fuel stoves.





Every home should have a Stanley

As Ireland's leading heating company we understand that when you bring home a Waterford Stanley product you are choosing a product you can rely on, from a name you can trust. Based in Waterford since 1936 the ideals and dedication to perfection remain unchanged today ensuring that every appliance that bears the Stanley name is of the highest quality.

RANGE OF MODELS

Range of Styles - Insert, Cassette, Built in, Wall Hung or Freestanding, there's a model to suit everyone's needs.

Energy outputs - Whether it's simply an electric fire to provide ambience in your home or the Reginald stove which will heat up to 14 radiators, we have a Stanley to suit you.

Choice of Fuels - Stanley have a comprehensive range of products in various fuels types: electric fires and inserts, gas fires and stoves, wood and multifuel stoves, oil, multifuel, all electric and dual fuel cookers. We have a Stanley for your home.

HERITAGE

Over 500,000 homes throughout Ireland have one of our products, supported by a comprehensive network of stockists. Across the country we have dedicated centres of excellence for Stanley, Rangemaster and AGA, with the largest range of our displayed including working models and trained staff with an in-depth knowledge of our product range.

In addition we have an extensive network of service engineers across the Island of Ireland for Stanley and Rayburn and Republic of Ireland for AGA and Rangemaster.

For tips and inspiration across our brands, follow us @waterfordstanley



@waterfordstanley



waterfordstanley



WaterfordStanley



waterford-stanley-ltd



WaterfordStanley

TALK TO SOMEONE WHO OWNS ONE

Follow your heart to Stanley, and if you need convincing, talk to somebody who already has one. They'll tell you how much you save, and how much more you gain. Why not check our Stanley Stories online or in this brochure from people who have a Stanley in their home?

A NAME TO TRUST

As Ireland's leading heating company, every single product that bears the Stanley name is designed to the highest standards and built to last. Throughout Ireland, home heating experts are available in your local Stanley retailers to offer advice and guide you in choosing the best Stanley appliance to suit your needs. Our Customer Service team in Waterford are always on hand to provide expert advice on spare parts availability and after sales support on your Stanley.

ECODESIGN 2022

Ecodesign is the European-wide programme to lower emissions to improve air quality from a range of appliances that use energy including stoves and will come into force 1st January 2022. It will apply to both wood burning and solid fuel stoves.

Waterford Stanley is committed to certifying its stoves for Ecodesign 2022. Where you see the Ecodesign logo on our SOLIS and Classic range, they have already been certified for Ecodesign 2022.

CERTIFICATION AND TESTING

Before a product receives the Stanley seal of approval, our research and development team carry out exhaustive safety, quality and performance testing, measuring heat economy, CO emissions and build durability. Every stove is then independently tested and approved to the relevant European Standard.



The perfect match

Find the ideal Stanley for your home

Room only 

INSERT STOVES



ARGON Electric 2kW

p.8



CARA Gas [<37m²] 5.5kW

p.30



SOLIS I500 [<37m²] 5kW

p.54



SOLIS I900 [<43m²] 9kW

p.56



SOLIS I60 [<43m²] 9kW

p.58



SOLIS I100/80DS
[<78m²] 14 & 16kW

p.60



CARA Insert Mk III
[<37m²] 6.5kW

p.86



CARA Glass
[<37m²] 6.5kW

p.88



I5001 Elegance
[43m²] 7kW

p.22



I5003 Panoramic
[43m²] 7kW

p.24

FREESTANDING STOVE



ARGON Cube Electric 2kW

p.14



ARGON Gas [<37m²] 5.5kW

p.26



SOLIS F500 Edge [<37m²] 5kW

p.62



SOLIS F500 Curve [<37m²] 5kW

p.64



SOLIS F650 Style [<37m²] 6.5kW

p.62



SOLIS F800 Grande [<43m²] 8kW

p.66



SOLIS F900 Ridge [<43m²] 9kW

p.62



SOLIS F1100 Panoramic [<64m²] 11kW

p.68



Oisín Eco [<37m²] 6.4kW

p.84



Aoife Eco [<43m²] 7.3kW

p.82



Tara Eco [<43m²] 8kW

p.80



Ardmore Eco [<43m²] 9kW

p.76



Lismore Eco [<64m²] 12kW

p.74

PELLET STOVES



SOLIS K50 [<37m²] 6.4kW

p.36



SOLIS K100 Curve [<43m²] 8kW

p.38



SOLIS K100 Edge [<43m²] 8kW

p.38



SOLIS K300 [<43m²] 8kW

p.40



SOLIS K500 [<43m²] 10kW

p.42



FREESTANDING STOVE



Erin Eco | Up to 6 radiators

p.78



Reginald Eco | Up to 7 radiators

p.72

To find out which Stanley stove is your perfect match, measure your room, then use this calculation to find your room size in metres and the heat output in kW of the stove.

Find your perfect match online at www.waterfordstanley.com/stanley-stoves/stove-chooser

<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>
Height (m)		Length (m)		Width (m)
=		x .0606 =		kW

PELLET STOVE



SOLIS K1200+
Up to 8 radiators

p.44



SOLIS K1700+
Up to 12 radiators

p.44



SOLIS K2300+
Up to 16 radiators

p.44



SOLIS K2300+ Curved
Up to 16 radiators

p.46



SOLIS K2300+ Curved
Up to 16 radiators

p.46

RANGE COOKERS



Brandon 60 | Up to 12 radiators

p.94



Brandon Condensing | Up to 16 radiators

p.92



Brandon 80 | Up to 16 radiators

p.94



Brandon 100 | Up to 20 radiators

p.94



Supreme Deluxe 90cm | Cooking Only

p.96



Supreme Deluxe 110cm | Cooking Only

p.96



Wall Hung 200cm shown

Stanley ARGON

Wall Hung Electric Fires



Add luxury to any room with a minimum of effort. The ARGON coloured flame and wood log feature is a beautiful thing to behold and creates a stunning focal point in any room. Freedom to place in any room in your home.


FEATURES

- Output: Flame only, 1kW and 2kW options
- Wall Mounted full width glass front
- Variable flame effect with no heat setting
- New and Improved with 8 piece logset, realistic fire bed plus new lights and back glass material
- Manual, WIFI and Remote Control
- 24 Hour – 7 Day Timer
- Thermostatically Controlled with Open Window Function
- Can be recessed to 58mm for compact installation


DIMENSIONS



90cm



110cm



140cm

BENEFITS

- Installation has never been easier – All you need is the wall space and a 3 pin socket
- Create your own style. You can wall mount or recess your ARGON fire using kits provided. The unit may be recessed to 58mm for compact installation
- Range of sizes to suit everyone's needs - 90cm, 110cm, and 140cm
- New and Improved Flame picture - 8 piece logset, realistic fire bed of orange pebbles and flakes plus additional lights and back glass material
- Open Window Function - The Open Window function when selected will ensure that the heating function on the unit turns off in a situation where a window is left open
- 2 year parts and labour warranty
- Controllable from your phone, remote or electric fire



ELECTRIC HEATER



REMOTE OPERATION



VARIABLE FLAME EFFECT



FULLY REMOTE CONTROLLED



WIFI ENABLED

See page 106 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice



125cm Built In shown

Stanley ARGON

Built In Electric Fires





Add luxury to any room with a minimum of effort. The ARGON coloured flame and wood log feature is a beautiful thing to behold and creates a stunning focal point in any room. Freedom to place in any room in your home.

FEATURES

- Output: Flame only, 1kW and 2kW options
- Built-in with steel frame optional
- Variable flame effect with no heat setting
- New and Improved with 8 piece logset, realistic fire bed plus new lights and back glass material
- Manual, WIFI and Remote Control
- 24 Hour – 7 Day Timer
- Thermostatically Controlled with Open Window Function

DIMENSIONS



BENEFITS

- Installation has never been easier – All you need is the wall space and a 3 pin socket
- Available in 2 sizes – 100cm and 125cm
- New and Improved Flame picture – 8 piece logset, realistic fire bed of orange pebbles and flakes plus additional lights and back glass material
- Open Window Function – The Open Window function when selected will ensure that the heating function on the unit turns off in a situation where a window is left open
- 2 year parts and labour warranty
- Controllable from your phone, remote or electric fire



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT



FULLY REMOTE
CONTROLLED



WIFI ENABLED



ARGON Three Sided 125cm Model shown

Stanley ARGON Built in Two & Three Sided Fire



Viewable from all sides, the Stanley ARGON two and three sided electric fires add a stunning focal point to any room. Available in 100cm and 125cm widths, the ARGON electric fire can be installed in a chimney style effect, or an angled wall creating a striking feature with realistic flames, wood and embers.

FEATURES

- Output: Flame only, 1kW and 2kW options
- Can be installed as two or 3 sided option
- Variable flame effect with no heat setting
- New and Improved with 8 piece logset, realistic fire bed plus new lights and back glass material
- Manual, WIFI and Remote Control
- 24 Hour – 7 Day Timer
- Thermostatically Controlled with Open Window Function

DIMENSIONS



100cm



125cm

BENEFITS

- Installation has never been easier – All you need is the wall space and a 3 pin socket
- Available in 2 sizes – 100cm and 125cm
- New and Improved Flame picture - 8 piece logset, realistic fire bed of orange pebbles and flakes plus additional lights and back glass material
- Open Window Function - The Open Window function when selected will ensure that the heating function on the unit turns off in a situation where a window is left open
- 2 year parts and labour warranty
- Controllable from your phone, remote or electric fire



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT



FULLY REMOTE
CONTROLLED



WIFI ENABLED

See page 106 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice



ARGON Cube Insert shown

NEW

Stanley ARGON Cube

Wall Hung, Insert and Stove

The stylish Stanley ARGON three sided electric Cube stove and insert offer a little bit something different in the electric fire range. The stunning flame presentation and unique media options can now be viewed from almost any angle through 3 sides of glass viewing area.

With three distinct styles to choose from; freestanding, wall hung or built-in, the Stanley ARGON Cube is perfect for any space, indoors or outdoors, including bathrooms.

FEATURES

- Available in Wall Hung and Freestanding Model
- 1kw – 2kW Output / No Heat Option
- Log Effect with Variable Flame Option: Red/Blue/Yellow
- Manual, WIFI and Remote Control
- 24 Hour – 7 Day thermostatically Controlled
- Open Window Function

DIMENSIONS



WALL HUNG



FREE STANDING

BENEFITS

- Installation has never been easier – All you need is a fireplace and a 3 pin socket
- Controllability at your fingertips - Remote Control
- Fits into standard fireplace opening - 16" or 18"
- Easy to install - Simply plug and play
- 2 year parts and labour warranty
- Controllable from your phone, remote or electric fire



FULLY REMOTE
CONTROLLED



WIFI ENABLED



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT

See page 107 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice



Arranmore Insert shown

Stanley ARGON

Arranmore Fire Inset

The Arranmore fire insets will add a sense of cosiness to any room. Available in chrome finish with adjustable flame settings and remote control options, simply plug and play your Arranmore today.

FEATURES

- Flame only, 1kW and 2kW options
- Adjustable flame effect with no heat function
- Two heat settings plus overheat function
- 3 light settings: 1) Flame/Coal
2) Coal only
3) Flame only
- Remote control with 7 day programmer
- LED display under canopy displays time, heat setting, timer setting and room temperature
- No Flue required
- Built in room stat

DIMENSIONS



BENEFITS

- Installation has never been easier – All you need is a fireplace and a 3 pin socket
- Controllability at your fingertips – Remote Control
- Fits into standard fireplace opening – 16" or 18"
- Easy to install – Simply plug and play
- 2 year parts and labour warranty



FULLY REMOTE
CONTROLLED



ELECTRIC
HEATER



REMOTE
OPERATION



VARIABLE
FLAME EFFECT

Our new range of contemporary freestanding and insert gas stoves have outputs between 2kW and 7kW and are available in Natural Gas or LPG.



Stanley ARGON Gas



I5003 Panoramic Stove shown



ARGON F650 Gas shown

Stanley ARGON

F650 and F900 Gas Stove

The Stanley ARGON F650 and F900 gas stoves offer stylish looks and plenty of heat. With realistic gas flames including a second burner which offers stunning flame picture. The eco flame model allows you to increase the flame without increased consumption.

FEATURES

- Output controllable 2kW to 5.5kW
- Natural Gas and LPG Options available
- Graphite steel frame with cast iron door
- Remote control with smartphone app option
- Balanced flue top outlet only
- Remote control functionality: [1] 7-day timer, [2] Child lock [3] Countdown timer [4] Built in room stat
- High efficiency – up to 83%
- Eco Flame mode for reduced running costs
- Ceramic log fuel bed

DIMENSIONS



BENEFITS

- No need for a chimney. All you need is an external wall
- Creates a stunning focal point in any room
- Warm your home in the flick of a switch
- Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- Eco Flame mode - reduces costs by 50% making it more efficient to run
- 2 year parts and labour warranty

OPTIONAL EXTRAS

- Wi-Fi modem for smartphone operation
- Mains adapter



ALSO AVAILABLE
IN MULTIFUEL
VERSION



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO FLAME
MODE



FULLY REMOTE
CONTROLLED



ARGON I5001 Elegance Gas shown

Stanley ARGON

I5001 Elegance Gas Stove

For a contemporary look combined with high output and efficiency, the Stanley ARGON I5001 Elegance will add a stunning focal point in any room. The I5001 Elegance offers realistic gas flames with variable controls which allow you to increase the flame picture without increased gas consumption.

FEATURES

- › Output controllable 2.3kW to 7kW
- › Natural Gas and LPG Options available
- › Full front glass for stunning flame picture
- › Remote control with smartphone app option
- › Mains adapter as standard
- › Balanced flue top outlet only
- › Remote control functionality: [1] 7 day timer, [2] Child lock, [3] Countdown timer [4] Built in room stat
- › High efficiency up to 83%
- › Eco Flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any space
- › Warm your home in the flick of a switch
- › Eco Flame mode - reduces costs by 50% making it more efficient to run
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation



FULLY REMOTE CONTROLLED



BALANCED FLUE



REMOTE OPERATION



2 YEAR WARRANTY



ECO FLAME MODE



ARGON I5003 Panoramic Gas shown

Stanley ARGON

I5003 Panoramic Gas Stove

The Stanley ARGON I5003 Panoramic is a stunning three sided gas insert stove which allows you to view the fire from all angles of a room. With realistic gas flames and eco flame model which allows you increase the flame without increased consumption, the I5003 frameless Panoramic gas fire is statement piece in any room.

FEATURES

- Output controllable 2.3kW to 7kW
- Natural Gas and LPG Options available
- Three sided glass frame allows you to view the fire from all angles of a room
- Remote control with smartphone app option
- Mains adapter as standard
- Balanced flue top outlet only
- Remote control functionality: [1] 7 day timer [2] Child lock [3] Countdown timer [4] Built in room stat
- High efficiency up to 83%
- Eco Flame mode for reduced running costs
- Ceramic log fuel bed

DIMENSIONS



BENEFITS

- No need for a chimney. All you need is an external wall
- Creates a stunning focal point in any space
- Warm your home in the flick of a switch
- Eco Flame mode - reduces costs by 50% making it more efficient to run
- 2 year parts and labour warranty

OPTIONAL EXTRAS

- Wi-Fi modem for smartphone operation



FULLY REMOTE CONTROLLED



BALANCED FLUE



REMOTE OPERATION



2 YEAR WARRANTY



ECO FLAME MODE



ARGON F500 Oval Gas shown

Stanley ARGON F500 Oval Gas

The ARGON F500 Oval gas stove offers controllability at your fingertips and a fantastic flame picture giving you all the advantages of a contemporary wood burning stove but none of the hard work. It also features a stunning large glass window almost the full length of the stove providing optimum views of the fire.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Natural Gas and LPG Options available
- › Double glazed door & side panels
- › Extended glass door & side panels
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer 4) Built in room stat
- › High efficiency up to 83%
- › Eco Flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco Flame mode - reduces costs by 50% making it more efficient to run
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



FULLY REMOTE
CONTROLLED



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO FLAME
MODE



ARGON F500 Slim Gas shown

Stanley ARGON F500 Slim Gas

With a slimmer design and flat sides, the ARGON F500 Slim profile offers a different styling design. However, it still has the curved panoramic glass and the large side windows so you really see the depth of the dancing flame.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Natural Gas and LPG Options available
- › Double glazed door & side panels
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer, 4) Built in room stat
- › High efficiency up to 83%
- › Eco Flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco Flame mode - reduces costs by 50% making it more efficient to run
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



FULLY REMOTE
CONTROLLED



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO FLAME
MODE



Cara Glass shown

Stanley ARGON

Cara and Cara Glass Insert Gas

The Cara and Cara Glass inserts in gas are the ideal solution for those who want warmth, efficiency and contemporary good looks of an open fire with the controllability of gas. Due to their compact size, both models fit beautifully into a standard fireplace with the Cara Glass available in 4 frame, so it can be hung like a piece of art on the wall. Available in cast iron and steel and glass.

FEATURES

- › Output controllable 2kW to 5.5kW
- › Steel frame and glass door - Cara Glass
- › Cast Iron in black gloss enamel - Cara Insert
- › Fits in to a standard 16" or 18" fireplace
- › Remote control with smartphone app option
- › Balanced flue top outlet only
- › Remote control functionality: 1) 7 day timer, 2) Child lock, 3) Countdown timer, 4) Built in room stat
- › Available in 3 and 4 sided frames - Cara Glass only
- › High efficiency up to 83%
- › Eco Flame mode for reduced running costs
- › Ceramic log fuel bed

DIMENSIONS



BENEFITS

- › No need for a chimney. All you need is an external wall
- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Dual burner technology for variable flame picture, means you can increase flame picture without increased consumption
- › Eco Flame mode - reduces costs by 50% making it more efficient to run
- › Can be connected to conventional system using Stanley chimney system
- › 2 year parts and labour warranty

OPTIONAL EXTRAS

- › Wi-Fi modem for smartphone operation
- › Mains adapter



ALSO AVAILABLE IN
ELECTRIC VERSION
Cara Insert Only



BALANCED
FLUE



REMOTE
OPERATION



DUAL
BURNER



2 YEAR
WARRANTY



ECO FLAME
MODE



FULLY REMOTE
CONTROLLED


Feel the warmth



“ We just loved the look of the SOLIS F800 Grande, stylish and modern, and it really suits our home design. It's also very reliable and we've had no issues with it. ”



“ We saw the Stanley SOLIS F900 Ridge stove in the shop and knew immediately it was the one we wanted because of the large viewing glass and that it was modern and sleek. My sisters have Stanley stoves and it's a reliable local brand. ”



“ We estimate that we are burning about two thirds less fuel than we did last year when we had the open fire and it means spending time in this room with the Aoife lighting is a really cosy place to be. ”



“ The Oisin is definately more efficient and we get a lot more heat from it. We only use wood. The Oisin is in the good room and really works with the space and the fireplace. ”



“ My parents had a Stanley range cooker and stove in their home. I just grew up with the brand.

The Supreme is the main feature of our kitchen. You pay for what you get. Actually the Supreme Deluxe is really quick and efficient to cook on so will save us money in the long run.

”



“ You know you are getting a good product with a Stanley. It was the right size, we didn't want anything too big and we just loved the look of it. All my family have Stanley's in their home – my daughter Lucy loves to crawl around it!

”

SOLIS F650 Style



“ It's homely, it's cosy and it's inviting. I find the Cara Glass therapeutic to sit and look at the fire. The room where it went in to is north facing and was typically a cold room. When the Cara Glass is lighting, the heat builds up in the room so we often open the door and let the heat out into the hall and up the stairs


”



“ The heat and the flame picture is a winner. Looks even more impressive than an open fire. Love the subtle handle. The kids don't know where it is and don't reach for it so that's a plus. Even when friends come over the first question is 'How do you open it?'

”

SOLIS 1900



“ Being old fashioned about my cooking, I couldn't see myself cooking on an electric hob. I wanted something with the look and feel of a traditional cooker but with all the modern elements.

”

Supreme Deluxe



“ We had a solid fuel stove before and we wanted to get away from burning coal and logs and do our bit to help the environment. Pellets are also a lot cheaper than buying coal.

”

K50 Pellet Stove

Combining unbeatable energy efficiency, sustainability and stunning design, the Stanley Pellet stove range is the ideal heating range for your home.



Pellet Stoves



SOLIS K100 Edge shown



SOLIS K50 in Black shown

Stanley SOLIS K50 Pellet Stove

The SOLIS K50 is all that is good about pellet stoves: high efficiency, reduced carbon emissions, cleaner, controllable and autonomy but in a smaller size. At just 823mm high its one of the smallest pellet stoves on the market.

FEATURES

- Maximum Heat Output 6.1kW to the room
- High Efficiency up to 95% - almost 4 times more efficient than an open fire
- Ideal for open plan living
- 11Kg internal hopper runs for up to 10 hours from a fill of pellets
- Pellet consumption min 0.68 kg/h max 1.36 kg/h
- Fully adjustable in terms of time and temperature including sleep timer
- Programmable controller with up to 6 on/off times per day
- Flue outlet size 80mm
- Rear flue outlet only

DIMENSIONS



BENEFITS

- Approved to EN 14785 standard
- External air compatible
- Available in 4 colours - Grey, Claret, Black and White
- Ecodesign 2022 ready
- A+ Energy Label Rating



OPTIONAL EXTRAS

- Pellet WIFI Kit
- External air supply kit

COLOUR OPTIONS



FULLY REMOTE CONTROLLED





SOLIS K100 Curve White shown

Stanley SOLIS

K100 Curve & Edge Pellet Stove

The Stanley SOLIS K100 Pellet stove is the ideal heating solution for your home. It comes in 4 finishes: Grey, White, Black and Claret, provides between 3kW and 8kW heat output to the room and is fully remote controlled. Can also withstand high temperatures due to the high quality of steel.

FEATURES

- Maximum Heat Output 8kW to the room
- High Efficiency up to 96% - almost 4 times more efficient than an open fire
- Ideal for open plan living
- Self-cleaning burner means reduced waste in your ash pan
- 15Kg internal hopper runs for up to 14 hours from a fill of pellets
- Pellet consumption min 0.68 kg/h max 1.80 kg/h
- Fully adjustable in terms of time and temperature including sleep timer
- Programmable controller with up to 6 on/off times per day
- Flue outlet size 80mm
- Rear flue outlet only

DIMENSIONS



BENEFITS


- Creates a stunning focal point in any room
- Warm your home in the flick of a switch
- Tested and approved to European standard - EN 14785
- 2 years parts and labour warranty



OPTIONAL EXTRAS

- Pellet WIFI Kit
- External air supply kit

COLOUR OPTIONS



FULLY REMOTE CONTROLLED

See page 109 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice. ¹Waterford Stanley will send a commissioning agent after installation to ensure your pellet stove has been installed correctly. This is part of the purchase price and validates warranty.



SOLIS K300 in Oak shown

Stanley SOLIS K300 Pellet Stove

The Stanley SOLIS K300 pellet stove is truly unique with its oak panel features, full glass door and is a stunning piece of furniture in any room. Available in 8kW the K300 is notable by its ease of use by touch screen or remote control. Also available in Claret and White.

FEATURES

- › Maximum Heat Output 8kW to the room
- › High Efficiency up to 96% - almost 4 times more efficient than an open fire
- › Ideal for open plan living
- › Self-cleaning burner means reduced waste in your ash pan
- › 18Kg internal hopper runs for up to 17 hours from a fill of pellets
- › Pellet consumption min 0.68 kg/h max 1.80 kg/h
- › Fully adjustable in terms of time and temperature including sleep timer
- › Programmable controller with up to 6 on/off times per day
- › Flue outlet size 80mm
- › Rear flue outlet only
- › Glass Door

DIMENSIONS



BENEFITS


- › Creates a stunning focal point in any room
- › Warm your home in the flick of a switch
- › Tested and approved to European standard - EN 14785
- › 2 years parts and labour warranty



OPTIONAL EXTRAS

- › Pellet WIFI Kit
- › External air supply kit

COLOUR OPTIONS



White



Claret



Oak



FULLY REMOTE CONTROLLED





SOLIS K500 in Claret shown

Stanley SOLIS K500 Pellet Stove

Renewable never looked so good. The Stanley SOLIS K500 Pellet stove is as visually stunning as it is efficient - Up to 96%. The SOLIS K500 comes in 3 finishes: white, black and claret with glass door and heat output between 3kW and 9kW.

FEATURES

- Maximum Heat Output 9kW to the room
- High Efficiency up to 96% - almost 4 times more efficient than an open fire
- Ideal for open plan living
- Self-cleaning burner means reduced waste in your ash pan
- 17.5Kg internal hopper runs for up to 25 hours from a fill of pellets
- Pellet consumption min 0.7 kg/h max 2 kg/h
- Fully adjustable in terms of time and temperature including sleep timer
- Programmable controller with up to 6 on/off times per day
- Flue outlet size 80mm
- Rear flue outlet only

DIMENSIONS



BENEFITS


- Creates a stunning focal point in any room
- Warm your home in the flick of a switch
- Approved to EN 14785 standard
- External air compatible
- Available in 3 colours - Claret, Black and White



OPTIONAL EXTRAS

- Pellet WIFI Kit

COLOUR OPTIONS



White



Claret



Black



FULLY REMOTE CONTROLLED





SOLIS K1700+ in Black shown

Stanley SOLIS K1200+ | K1700+ | K2300+ Pellet Boiler Stoves

The SOLIS range of pellet boiler stoves with integrated boiler are ideal for all your central heating, domestic hot water and room heating needs. As they are controllable, it is suitable for radiators and/or underfloor heating. Thanks to its reduced maintenance and cleaning, and with a maximum performance guaranteed up to 95% efficiency, the SOLIS range of pellet boiler stoves are the perfect choice for your future home.

FEATURES

- Available in 3 Outputs to the boiler: 10kW, 14kW & 18.8kW
- 3 Models – 8, 12 and 16 standard radiators
- High Efficiency up to 95% - almost 4 times more efficient than an open fire
- Two internal hopper sizes and duration from fill of pellets:
 - 30kg runs for 27 hours
 - 45kg runs for 41 hours
- Stunning glass door finish
- Self-cleaning burner means reduced waste in your ash pan
- Fully adjustable in terms of time and temperature including sleep timer
- Programmable controller with up to 6 on/off times per day
- Flue outlet size 100mm
- Rear flue outlet only

DIMENSIONS



COLOUR OPTIONS



BENEFITS

- Warm your home in the flick of a switch
- Tested and approved to European standard - EN 14785
- 2 years parts and labour warranty

OPTIONAL EXTRAS

- Pellet WIFI Kit
- External air supply kit





SOLIS K1700+ Curved in White shown

Stanley SOLIS K1700+ | K2300+ Curved Pellet Boiler Stoves

Our central heating boiler models come with stylish curved panels. The K1700+ and K2300+ heat 14 and 16 radiators respectively and are fully adjustable in terms of time and temperature. Efficiency and control at the touch of a button.

FEATURES

- Available in Outputs to the boiler: 14kW & 18.8kW
- 2 Models – 12 and 16 standard radiators
- High Efficiency up to 95% - almost 4 times more efficient than an open fire
- Two internal hopper sizes and duration from fill of pellets:
 - 30kg runs for 27 hours
 - 45kg runs for 41 hours
- Self-cleaning burner means reduced waste in your ash pan
- Fully adjustable in terms of time and temperature including sleep timer
- Programmable controller with up to 6 on/off times per day
- Flue outlet size 100mm
- Rear flue outlet only

DIMENSIONS



COLOUR OPTIONS



BENEFITS

- Approved to EN 14785 standard
- External air compatible
- Available in 3 colours - Claret, Black and White

OPTIONAL EXTRAS

- Pellet WIFI Kit
- External air supply kit



See page 110 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice. ¹Waterford Stanley will send a commissioning agent after installation to ensure your pellet stove has been installed correctly. This is part of the purchase price and validates warranty.

Leading heating
understand that
g home a Stanley
ou are choosing a
n rely on, from a
trust.



Bilberry Stoves



Bilberry Nore shown

Bilberry Eco Stoves



Compact and stylish, our range of new Ecodesign Bilberry stoves come in 2 outputs: 5kW Nore and 8kW Suir with the Barrow stove offering a log store. The stoves are named after The Three River Sisters in Ireland, the River Barrow, the River Nore and the River Suir.

FEATURES

- › Nominal Heat Output
 - Nore & Barrow 5kW to the room
 - Suir 8kW to the room
- › Efficiency up to 78.8% on solid fuel and up to 82.5% on wood - three times more efficient than an open fire
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › Steel Frame with Cast Iron Door
- › Multifuel stove
- › Large viewing glass
- › Top and rear flue exit
- › Flue outlet size 125mm
- › External Air Capability (Spigot Included)
- › Log Store on Barrow

DIMENSIONS



A+
ENERGY
RATING



78.8
%
NET EFFICIENCY
SOLID FUEL

82.5
%
NET EFFICIENCY
WOOD

BENEFITS

- › Tested & approved to European standard - EN 13240
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - directs air from the outside into the stove to aid efficient combustion



Bilberry Nore shown

Contemporary design for modern living, the Stanley SOLIS range is all that is good about open fires but with the efficiency and class of a modern stove.



SOLIS Stoves



SOLIS I60 shown

Stanley SOLIS I500 Cassette Stove

The SOLIS I500 Cassette stove looks good in any position whether standing alone on a wall or replacing your open fire. Three times more efficient than an open fire, the SOLIS I500 takes up minimal hearth space and is the perfect solution where space is a premium.

FEATURES

- › Model: Insert Room Heating
- › Dedicated wood burning stove
- › Nominal heat output 5kW
- › Fits into standard fireplace
- › Top flue outlet (5"/127mm flue)
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › Maximum log length: 260mm
- › 3 and 4 frame models available
- › Large viewing glass
- › Chrome detailing
- › Weight: 75kg

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Defra approved

OPTIONAL EXTRAS

- › Multifuel kit available as optional extra
- › External air supply kit - directs air from the outside into the stove to aid efficient combustion



DISCREET HANDLE FEATURE
FOR SAFETY





SOLIS I500 4 sided frame shown

Stanley SOLIS I900 Cassette Stove

The SOLIS I900 Cassette stove is the ultimate heating solution when you have a little more space. With clever door opening features, breath-taking flame pictures not to mention strong smooth lines, the SOLIS I900 will create a stunning focal point in any room. Be the envy of your neighbours.

FEATURES

- › Model: Insert Room Heating
- › Dedicated wood burning stove
- › Nominal heat output 9kW
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › Maximum log length: 440mm
- › 3 and 4 frame models available
- › Top flue outlet (6"/150mm flue)
- › Large viewing glass
- › Chrome detailing
- › Weight: 105kg

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Defra approved

OPTIONAL EXTRAS

- › Multifuel kit available as optional extra



DISCREET HANDLE FEATURE
FOR SAFETY





SOLIS I900 4 sided frame shown

Stanley SOLIS

I60 and I80 Insert Stove

The Stanley SOLIS I60 and I80 insert stove adds luxury to any room. The designer glass frame and large viewing window make it a must have in any living room. SOLIS I80 Model also features fan assisted convection heating so you can heat other rooms in your home

FEATURES

- › Model: Insert Room Heating
- › Available in 2 outputs:
I60 SS 10kW
I80 SS Max 12kW
- › Efficiency up to 85% - three times more
- › Wood burning stove
- › Ideal for open plan living
- › Graphite steel build with high end glass frame
- › Combined Secondary window wash & Tertiary control
- › Fan assisted convection heat (I80SS)
- › Combined Secondary window wash & Tertiary control
- › Flue size - 150mm

DIMENSIONS



SOLIS I60



SOLIS I80

BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit





SOLIS I60 shown

Stanley SOLIS

I80 and I100 Double Sided Insert Stove

The Stanley SOLIS double sided insert stove will provide plenty of heat for two sizable rooms in your home. In addition with its generous output you can also direct heat into other rooms of the house. With large glass viewing window and designer glass frame on both side, the SOLIS double sided range will make any room luxurious.

FEATURES

- Model: Insert Room Heating
- Available in 2 outputs:
I80 DS - Max 14kW and I100 DS - Max 16kW
- Wood burning stove
- Graphite steel build with high end glass frame
- External Air intake as standard - (80mm pipe not supplied)
- Fan assisted convection heat
- Combined Secondary window wash & Tertiary control
- Capability to channel air into other rooms
- Efficiency - 79%
- Flue size - 150mm

DIMENSIONS INCLUDING FRAME



BENEFITS

- Ventilation to channel air into other rooms - The SOLIS double sided comes with vents on top which can channel air into other rooms heating more of your home.
- Fan assisted convection heat allows you to increase heat output to the room when required.
- Tested & approved to European standard - EN 13229
- 5 year warranty

OPTIONAL EXTRA

- External air supply kit



TWIN FAN



WOOD



Double Sided View

See page 112 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice.



SOLIS I100 DS shown

Stanley SOLIS

F500 Edge, F650 Style, F900 Ridge

The family of SOLIS stoves, F500 Edge, F650 Style and F900 Ridge have been crafted to bring through the very best designs for today's market. A beautiful fusion of contemporary and traditional, the stoves feature eye catching design and functionality that's a joy to use. The cleverly designed air control allows you to switch between solid fuel and wood as well as controlling the air intake. The end result is exquisite controllability and a magnificent flame picture.

FEATURES

- Model: Freestanding Room Heating
- Available in 3 Max Outputs - 5kW, 6.5kW and 9kW
- Multifuel and Wood burning stove
- Graphite steel frame with cast iron door
- External air intake as standard
- Top flue and rear outlet
- Efficiency - F500 81.1%, F650 84.8%, F900 77.5%
- Flue size - F500, F650, F900 - 125mm
- Primary, secondary & tertiary air management

DIMENSIONS

WB500 AVAILABLE IN
WOODBURNING



F500



F650



F900

BENEFITS

- Tested & approved to European standard - EN 13240
- Defra approval pending
- 5 year warranty

OPTIONAL EXTRAS

- External air supply kit - directs air from the outside into the stove to aid efficient combustion



NET EFFICIENCY



WOOD



MULTI FUEL



F500 WOOD BURNING MODEL
ALSO AVAILABLE F500WB

F650 AND F900 MODELS ALSO
AVAILABLE IN GAS



SOLIS F900 Ridge shown

Stanley SOLIS F500 Curve Stove

One of the smallest contemporary stoves on the market, the SOLIS F500 Curve is all that is good about heating in a smaller size. Featuring stylish chrome handles and convenient log store, the SOLIS F500 Curve can burn wood and multi fuel with the option of a coal kit.

FEATURES

- › Nominal Heat Output 5kW to the room
- › Efficiency 82% - three times more efficient than an open fire
- › Primary air control for under grate air
- › Combined Secondary window wash & Tertiary control
- › True wood burning stove
- › A+ rated stove
- › Large viewing glass
- › Fully steel stove
- › Top and rear flue outlet [5"/127mm flue]

DIMENSIONS



BENEFITS

- › Log store incorporated into design of stove
- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13229
- › Ecodesign 2022 ready

OPTIONAL EXTRAS

- › Multifuel kit available
- › External air supply kit - directs air from the outside into the stove to aid efficient combustion



DISCREET HANDLE FEATURE
FOR SAFETY





SOLIS F800 Grande shown

Stanley SOLIS F800 Grande Stove

Wood burning never looked so good. With its unique handle feature and compact Scandinavian design, the SOLIS F800 Grande will look good in any home. With 83% efficiency and a maximum heat output of 8kW, the F800 Grande will comfortably keep your room cosy and warm.

FEATURES

- › Model: Freestanding Room Heating
- › Multifuel and Wood burning stove
- › 8kW Max output to the room
- › Graphite steel frame with large steel handle
- › Log store with door
- › External air intake as standard
- › Top flue and rear outlet
- › Efficiency - 83%
- › Flue size - 150mm

DIMENSIONS



BENEFITS

- › Log store incorporated into design of stove
- › Large handle features offers unique opening
- › Smaller dimensions allows it to fit better into rooms
- › Tested & approved to European standard - EN 13240
- › 5 year warranty

OPTIONAL EXTRAS

- › Multifuel kit available
- › External air supply kit - directs air from the outside into the stove to aid efficient combustion





SOLIS F800 Grande shown

Stanley SOLIS F1100 Panoramic

A truly beautiful stove, the SOLIS F1100 Panoramic wood burning stove adds inspiration to any space it fills. With high efficiency at 81% and a whopping 11kW max output, it is ideal for medium and large living areas. The F1100 features windows on either side as well as the ample front glass to ensure you can see the flame effect from virtually anywhere in the room.

FEATURES

- › Model: Freestanding Room Heating
- › 11kW Max output to the room
- › Wood burning stove
- › Graphite steel frame
- › Panoramic curved glass door & side panels
- › External air intake as standard - (100mm pipe not supplied)
- › Top and rear flue outlet
- › Efficiency - 81%
- › Flue size - 150mm

DIMENSIONS



BENEFITS

- › External Air supply as standard - (100mm pipe not supplied)
- › Tested & approved to European standard - EN 13240
- › 5 year warranty





SOLIS F1100 Panoramic shown

A living, breathing
fire in a stylish,
efficient, economic
Stanley stove



Classic Stoves



Lismore Eco Enamel shown



Reginald Eco Enamel Black shown

Reginald Eco

Inspired by the famous Reginald's Tower in Waterford that has protected the city for almost 1,000 years, the Reginald is designed and developed in Waterford to the highest standards of enduring craftsmanship. Behind the sculpted curves, chrome detailing and elegant styling lies a next generation stove designed for a new era in home heating efficiency.

FEATURES

- › Model: Freestanding Central Heating
- › Sculpted curve design
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Top and rear flue outlet (6"/150mm flue)
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large ashpan

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › Ecodesign approved 2022
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

COLOUR OPTIONS



Enamel
Black



Matt
Black

ROOM AND CENTRAL HEATING

Maximum heat output to room	5kW
Maximum boiler output	10.5kW
Maximum radiators	Up to 7

PERFECT FOR

- › Larger homes
- › A complete home heating solution
- › Contemporary design aesthetic
- › Burning all approved solid fuels



NET EFFICIENCY



Lismore Eco Enamel Cream shown

Lismore Eco

Sister to the Reginald Eco stove, the Stanley Lismore Eco is all that is good about the Reginald only 20% smaller in size and output. With its contemporary good looks, high performance and energy management, the Lismore is ideal for today's stylish homes.

FEATURES

- › Model: Freestanding Room Heating
- › External air supply as standard
- › Dual position grates for wood and coal
- › Sculpted curve design
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Top and rear flue outlet (6"/150mm flue)
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large ashpan

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Dual grates to burn wood and coal
- › External air supply as standard



COLOUR OPTIONS



Enamel
Black



Matt
Black



Cream

ROOM HEAT

Maximum heat output to room

12kW

PERFECT FOR

- › Heating large living spaces or open plan rooms
- › Contemporary design aesthetic
- › Burning all approved solid fuels



Ardmore Eco Enamel Black shown

Ardmore Eco

The third and smallest in the next generation range of stoves which include the Reginald and Lismore, the Ardmore Eco provides a maximum of 9kW of heat output to the room, has a large viewing window and high chromium grates.

FEATURES

- › Model: Freestanding Room Heating
- › Integrated Firedoor and Ashdoor
- › Sculpted curve design
- › Large viewing glass
- › Suitable for burning all approved solid fuels
- › Top and rear flue outlet [5"/125mm flue]
- › Separate air inlet for under grate combustion air supply
- › Raised grate for optimum fuel burn
- › Large ashpan

DIMENSIONS



BENEFITS

- › Ecodesign approved 2022
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion

COLOUR OPTIONS



Enamel
Black



Matt
Black



Cream

ROOM HEAT ONLY

Maximum heat output to room

9kW

PERFECT FOR

- › Open plan living
- › Burning all approved solid fuels
- › Contemporary design aesthetic



A
ENERGY
RATING

81
%

NET EFFICIENCY



Erin Eco Matt Black shown

Erin Eco

As one of our largest and most popular stoves, the Erin Eco not only heats up to 6 radiators but also provides a plentiful source of hot water for your home. The Erin features a thermostatic (water temperature) control as well as clean burn technology with primary and secondary air intakes for optimum control.

FEATURES

- › Model: Freestanding Central Heating
- › Removable ash pan
- › Automatic thermostat control
- › Easy action riddling
- › Overnight burning capacity
- › Top and rear flue outlet (6"/153mm flue)
- › Air-wash facility to clean stove window

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

COLOUR OPTIONS



Matt
Black

ROOM AND CENTRAL HEATING

Maximum heat output to room	4.5kW
Maximum boiler output	9.7kW
Maximum radiators	6

PERFECT FOR

- › Heating large Irish homes
- › A plentiful source of hot water for your home





Tara Eco Matt Black shown

Tara Eco

The Tara Eco is a medium-sized stove in our classics collection which comes in a choice of colours to suit a wide variety of interiors. With simple, easy-to-use controls, the Tara Eco stove combines durability and efficiency and has all the flexibility to suit your lifestyle.

FEATURES

- › Model: Freestanding Room Heating
- › Overnight burning capability
- › Easily removable boiler cleaning door [Central Heating Model]
- › Removable ash-pan, fire fence and front ashtray
- › Top and rear flue outlet [6"/150mm flue]
- › Controllable heat output
- › Suitable for burning wood, coal, anthracite and peat briquettes

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

PERFECT FOR

- › Heating medium sized living spaces or rooms
- › Burning all approved solid fuels

ROOM HEAT

Maximum heat output to room

8kW

COLOUR OPTIONS



Satin
Black



Matt
Black



Satin
Cream





Aolfe Eco Enamel Cream shown

Aoife Eco

The Aoife Eco's neat size suits urban living and is powerful enough to heat open-plan rooms. The clean design lines and large viewing glass offer a stunning contemporary take on a traditional stove design. The Aoife Eco provides a maximum of 7.3kW of heat to the room and can be flued into a standard fireplace opening.



FEATURES

- › Model: Freestanding Room Heating
- › Lower horizontal flue height which fits in existing fireplaces
- › Manual controlled primary air
- › Separate secondary window wash air control
- › Top and rear flue outlet [5"/125mm flue]
- › Large viewing glass
- › High chromium grates
- › Detachable door handle

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces
- › Comes in the largest range of colours:
 - Enamel Slate
 - Enamel Cream
 - Enamel Black
 - Matt Black

ROOM HEAT ONLY

Maximum heat output to room

7.3kW

PERFECT FOR

- › Open fireplace conversion
- › Open plan living
- › Burning all approved solid fuels

COLOUR OPTIONS



Matt
Black



Enamel
Black



Enamel
Cream



Enamel
Slate



NET EFFICIENCY



Oisin Eco Matt Black shown

Oisin Eco

The Oisin Eco solid fuel stove is the smallest stove in our classic collection and offers high heat output and great efficiency. Its compact design ensures that it will fit easily into your home and is ideal for small rooms and apartment living. Perfect for those who want efficiency and convenience in a compact space.

NEW
COLOURS!

FEATURES

- › Model: Freestanding Room Heating
- › Removable ash-pan
- › Fits into standard fireplace
- › High chromium grates
- › Top and rear flue outlet (5"/125mm flue)
- › Controllable heat output
- › High heat efficiency

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

ROOM HEAT ONLY

Maximum heat output to room

6.4kW

PERFECT FOR

- › Smaller living spaces or rooms
- › All interiors styles with our widest range of colours
- › Burning all approved solid fuels

COLOUR OPTIONS



Matt
Black



Satin
Black



Satin
Cream





Cara Insert Matt Black shown

Cara Eco Insert

The Cara Eco Insert Stove is the ideal home heating solution for those who want the warmth and efficiency of a cast iron stove with all the visual benefits of an open fire. The Cara Eco Insert aims to retain the appearance of an open fire while bringing all the benefits of a stove and is 3 times more efficient than an open fire. It is the perfect solution for where space is at a premium.

FEATURES

- › Model: Insert Room Heating
- › Fits into a standard fireplace
- › Easily connected to a standard 125mm diameter chimney
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large Ashpan
- › High quality, cast iron build
- › Modern, yet classic design

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces
- › Ecodesign 2022 approved

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.
- › Cast iron filler piece available in matt black to fit most curved fireplaces

ROOM HEAT ONLY

Maximum heat output to room

6.5kW

PERFECT FOR

- › Heating small to medium sized rooms
- › Replacing an inefficient open fire but retaining all the visual benefits
- › Burning all approved solid fuels

COLOUR OPTIONS



Enamel
Black



Matt
Black



See page 115 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice. The minimum clearance to combustibles required is 550mm to the top, 350mm to the sides, 550mm directly to the front and 350mm to any combustible flooring. If the mantelpiece protrudes further than 100mm from the fireplace, then it will be necessary to have further clearance to the top of the stove. The distance the mantle protrudes past the 100mm should be added to the clearance. For example, if the mantle protrudes 200mm, the clearance to the mantle should be 650mm.



Cara Glass Eco Insert

Our contemporary Cara Glass Eco Insert is the ideal solution for those who want warmth, efficiency and contemporary good looks. The Cara Glass Eco Insert is three times more efficient than an open fire and takes up minimal hearth space meaning less intrusion in your room. The Cara Glass Eco Insert comes in 3 and 4 frame meaning it can fit into standard fireplace or can be placed on a wall.

FEATURES

- › Model: Insert Room Heating
- › Fits into a standard fireplace
- › Top flue outlet only
- › Available in 3 and 4 sided frame
- › Easily connected to a standard 125mm diameter chimney
- › Large viewing glass
- › Secondary air provides cleaner combustion
- › Window wash air to maintain a clean glass
- › Raised grate for optimum fuel burn
- › Large ashpan

DIMENSIONS



BENEFITS

- › Tested & approved to European standard - EN 13229
- › 5 year warranty
- › Fits into most standard fireplaces
- › Available in 3 frame and 4 frame options
- › Ecodesign 2022 approved

OPTIONAL EXTRAS

- › External air supply kit - Directs air from the outside into the stove to aid efficient combustion.

ROOM HEAT ONLY

Maximum heat output to room

6.5kW

PERFECT FOR

- › Small to medium sized living spaces or rooms
- › Rooms where space is at a premium
- › Burning all approved solid fuels

COLOUR OPTIONS




Gloss
Black



See page 115 for detailed dimension drawings. All images shown are for illustration purposes only. Actual product may vary due to product enhancement. Waterford Stanley reserve the right to change product images and specification without notice. The minimum clearance to combustibles required is 550mm to the top, 350mm to the sides, 550mm directly to the front and 350mm to any combustible flooring. If the mantelpiece protrudes further than 100mm from the fireplace, then it will be necessary to have further clearance to the top of the stove. The distance the mantle protrudes past the 100mm should be added to the clearance. For example, if the mantle protrudes 200mm, the clearance to the mantle should be 650mm.

For generations, Stanley range cookers have been renowned for their durability, superb efficiency and powerful performance.



Rainge Cookers



Brandon Condensing Oil Black 100cm shown

Brandon Oil Condensing

The Brandon Condensing range cooker is an oil fired central heating range cooker complete with condensing technology that offers an improved heating efficiency of 92%. Essentially, it's a cooker that's also a boiler - so not only does it cook your food; it warms your home and heats your water too. Superior controllability with excellent eco-credentials makes this Brandon cooker truly exceptional.

Handcrafted from cast iron with a beautifully enamelled exterior, the Brandon fits easily into any style of kitchen, transforming it into a warm and welcoming space.

FEATURES

- Available in 80,000 BTU (23.4kW) boiler output
- Heats up to 16 standard radiators
- Condensing technology offers improved heating efficiencies of 92%
- Two flueing options available:
 - Balanced flue which must be installed against an external wall
 - Conventional left hand flue which can flued into chimney opening
- Integral cooker programmer
- Must be connected to independent external controls for central heating and hot water
- Fits a standard 1 metre opening

DIMENSIONS



BENEFITS

- Condensing technology makes it the highly efficient at 92%
- Two flue options, balanced and conventional offer up more locations for it to be installed
- At 1000mm wide it fits into standard kitchen alcoves and at 910mm high it is level with most kitchen worktops
- Will work with underfloor heating

COLOUR OPTIONS



Cream

Black



Brandon Condensing Oil Balanced Flue shown

Brandon Oil

The Brandon is the ultimate range cooker for style and precision control. A beautifully designed statement at the heart of your kitchen combined with the majestic presence of Stanley mean the Brandon strikes the perfect chord between past and present.

It heats up to 20 standard radiators and is also compatible with underfloor and zone control heating. Central heating, hot water and cooking are controlled individually for even more efficiency.

FEATURES

- › Digital display and electronic controls including digital control and display of oven temperature
- › Automatic seven day programmer and countdown timer
- › Separate control of hot water¹, central heating¹ and oven preheat to 150°C
- › Chrome hotplate covers as standard
- › Simmer plate cover as standard
- › Large capacity main oven and warming oven
- › Available in 3 central heating models: 12, 16 and 20 radiators

DIMENSIONS



BENEFITS

- › Will work with underfloor heating
- › Model to suit all your heat needs: 12, 16 and 20 radiators
- › Heating, Hot water and cooking all controlled separately

COLOUR OPTIONS



Cream



Black

¹ When connected to a motorised valve



Brandon Oil 100k in Cream shown

Supreme Deluxe 90cm and 110cm


The Stanley Supreme Deluxe displays timeless design quality that enables it to fit in to any style of kitchen. Its classically simple, understated appeal will match any taste, from the contemporary to the traditional and is available in a choice of five colours to suit your kitchen décor.

The Stanley Supreme Deluxe is available in two sizes - 90cm and 110cm - and with a choice of an induction or gas hob. This cooker is the epitome of understated elegance, perfect for anybody who aspires to owning a Stanley but prefers the instant control of a conventional range cooker.

FEATURES

- › 'A' rated for energy efficiency
- › Slow cooking oven Supreme Deluxe 110
- › Two ovens – one fan oven, one multifunction oven – to offer extra flexibility and high volume cooking capability
- › Multifunction oven offers fan oven, conventional oven, fan assisted oven, base heat, fanned grilling, browning, defrost and Rapid Response
- › Separate grill compartment with a glide-out grill system
- › Choice of a five-burner gas hob or a five zone induction hob – for complete cooking flexibility
- › Gas hob is in Natural Gas and can be converted to LPG
- › Bridging zone on Induction hob can link two zones together

DIMENSIONS



BENEFITS

- › 2 ovens on both models sizes gives you lots of cooking possibilities
- › Slow cooking oven on the 110cm offers you an insight into cast iron cooking
- › Large cooking top with 5 cooking zones for complete cooking flexibility

ACCESSORIES

- › 110cm Black Chimney Hood with Chrome Detailing
- › Separate griddle plate - Induction Model
- › Separate wok ring - Gas Hob model
- › Meat Probe

COLOUR OPTIONS



Black



Cranberry



Cream



Pearl Ashes



Pewter



Supreme Deluxe 110cm Induction in Cranberry shown

With a proven record in heating Irish homes, we are looking to the future and renewable energy in the form of air to water heat pumps.



Air to Water Heat Pumps



Why Stanley Heat Pumps?

Warming homes for over 80 years, Stanley believe that everyone should be able to enjoy the cosy benefits of a Stanley. With a proven record in heating Irish homes, we are looking to the future and renewable energy in the form of air to water heat pumps.



Better for you, better for nature

Heat pumps are central heating systems that are an extremely efficient and cost effective method of heating your home. Heat from the air is absorbed at low temperature into a fluid using an external unit. This fluid then passes through a compressor or internal unit where its temperature is increased and transfers its higher temperature heat to the heating and hot water circuits of the house.

An air-to-water system distributes heat via your wet central heating system. Heat pumps work much more efficiently at a lower temperature than a standard boiler system. This makes them more suitable for underfloor heating systems or larger radiators, which give out heat at lower temperatures over longer periods of time.

Ideal for new builds or when renovating heating systems in existing buildings and their low noise emission make it ideal for family homes.

SUITABLE FOR



NEW BUILD
HOMES



HOME HEATING
RETROFITS

Capacity: Variable 2kW to 12kW

Floor Area: Up to 275m²

LWT: up to 60°C

Options: Split or Monobloc



EMISSION
REDUCTION
UP TO 60%



TESTED
AND CERTIFIED



REMOTE
MANAGEMENT



SAVING UP
TO 70%
HEATING COSTS



REMOTE
DIAGNOSTIC

COP

UP TO
6.1^{*}
*A7/27



ENERGY CLASS

A++



ENGINEERED IN EUROPE
DESIGNED FOR IRELAND

Stanley Air to Water Heat Pumps

INTERIOR UNITS



WSL 141

FEATURES - INTERNAL UNIT

- › 50 Litre Buffer Tank
- › Range of operation from -20° to 40°C
- › Built In web module to control heat on the go
- › Compact External Housing
- › Twin Zone Capability
- › COP: 5.1
- › Energy Class: A++



WSL 142

FEATURES - INTERNAL UNIT

- › 200 Litre DHW Cylinder
- › 50 Litre Buffer Tank
- › Range of operation from -20° to 40°C
- › Built In web module to control heat on the go
- › Compact External Housing
- › Twin Zone Capability
- › COP: 5.1
- › Energy Class: A++



SOLIS ECO CYLINDER

FEATURES - INTERNAL UNIT

- › 200 Litre DHW Cylinder
- › 50 Litre Buffer Tank
- › Circulation Pump, 2kW Heater
- › Built In Sim Card, Data Transfer Unit
- › COP: Up to 6.1
- › EN16147 Certification
- › Energy Class: A++



DHW HEAT PUMP

FEATURES - DHW UNIT

- › Domestic Hot Water Heat Pump
- › Water & Electrical connections only
- › 200 Litre Capacity
- › Power Supply: 230V AC 50HZ
- › Electric Heater 1.5 kW
- › Noise 45 Db(A)
- › COP: 3.7
- › Operation Range: -5° - 43°C

EXTERIOR UNITS



WSL HP7

FEATURES

- › Air to Water Split System
- › 2kW - 7kW Inverter



WSL HP12

FEATURES

- › Air to Water Split System
- › 4kW - 12kW Inverter



SOLIS ECO HEAT PUMP

FEATURES

- › Air to Water Monobloc System
- › 2kW - 6kW Inverter

Be sure with a Stanley



With a proven record in heating Irish homes, we are looking to the future with our Stanley Air to Water heat pumps.

Design Services

- Monobloc or Split option available
- Heat Loss calculations
- Underfloor Heating Design*
- On site commissioning

Support Partners

- Heat pump certification
- Designer sign-off certification
- SEAI Grant Support
- Remote Diagnostic support

* Our underfloor heating comprises top of the range components including Danfoss manifolds and actuators, Heatmiser Thermostats & Wiring Centres and more.

Why choose a Stanley Heat Pump?

A maximum balanced energy saving system for your carefree comfort

Key Features Monobloc Heat Pump

- › Monoblock heat pump with dedicated internal unit
- › Output up to 60°C
- › Internal unit 250 litre with integrated buffer tank
- › 200 Litre DHW Cylinder and 50 Litre Buffer Tank
- › Flow meter to monitor flow rate from the heat pump to internal unit
- › Magnetic filter and Y strainer fitted to protect heat pump from contamination
- › Stainless steel cylinder
- › Maximum pressure 6 bar
- › Factory insulated 40mm high density insulation
- › Stainless steel domestic hot water coil of surface area 3.3m²
- › Temperature and pressure relief, 7 bar – 90°C
- › Integrated Central heating pump & wiring centre
- › Crank case heater to protect external unit
- › Weather compensation function
- › COP: Up to 6.1
- › EN16147 Certification
- › Energy Class: A++

Key Features Split Heat Pump

- › 7kW and 12kW Outputs
- › Silent Mode Function
- › 200 Litre DHW Cylinder - WSL 142
- › 50 Litre Buffer Tank - WSL 141 & 142
- › Range of operation from -20° to 40°C
- › Built In web module to control heat on the go
- › Compact External Housing
- › Twin Zone Capability
- › COP: 5.1
- › Energy Class: A++

*COP [coefficient of performance] - heating number: represents the ratio between gained heat energy and work used for the operation of the heat pump (electricity).

** TUV Third part certification for Heat Pumps



Air-to-Water Heat Pumps distribute heat via your wet central heating system, working more efficiently than standard boilers. At Waterford Stanley, we offer both Monobloc and Split type Heat Pumps.



Stanley Underfloor Heating

As well as supplying our range of Stanley Air to Water Heat Pumps, we offer an extensive design and support service. Heat loss calculations, heat pump certification, underfloor heating design and designer sign-off certification are all part of our service, to ensure that our product meets the building regulations requirements.

Our underfloor heating comprises top of the range components including Danfoss manifolds and actuators, Heatmiser Thermostats & Wiring Centres and more.



A wide range of underfloor heating products are available.

For all Heat Pump and underfloor heating inquiries, please contact sales@waterfordstanley.com for pricing, specification and more

ARGON Electric

Room Only Models

MODEL	HEAT OUTPUT	FUEL BED	FLAME EFFECT	COLOUR	ENERGY CLASS
Wall Hung 90cm, 110cm, 140cm	1kW to 2kW	Log Effect	Red, Yellow, Orange	 Black Glass	A
Built In 110cm, 125cm	1kW to 2kW	Log Effect	Red, Yellow, Orange	 Black Glass	A
Built in 2 and 3 Sided 100cm, 125cm	1kW to 2kW	Log Effect	Red, Yellow, Orange	 Black Glass	A
Cube Insert - Wall Hung, Stove	1kW to 2kW	Log Effect	Red, Yellow, Orange	 Black Glass	A
Arranmore	1kW to 2kW	Coal Effect	Red	 Chrome	A

ARGON Gas

Room Only Models

MODEL	HEAT OUTPUT	FUEL BED	COLOUR	EFFICIENCY	FLUE
F650 Gas	2kW to 5.5kW	Log Effect	Black	81% Nat Gas/83% LPG	Balanced
F900 Gas	2kW to 5.5kW	Log Effect	Black	81% Nat Gas/83% LPG	Balanced
I5001 Elegance	2.3kW to 7kW	Log Effect	Black	81% Nat Gas/83% LPG	Balanced
I5003 Panoramic	2.3kW to 7kW	Log Effect	Black	81% Nat Gas/83% LPG	Balanced
F500 Oval	1.8kW to 5.5kW *	Log Effect	Graphite	81% Nat Gas/83% LPG	Balanced
F500 Slim	1.8kW to 5.5kW*	Log Effect	Graphite	81% Nat Gas/83% LPG	Balanced
Cara Insert	1.5kW to 5kW	Log Effect	Black Enamel	81% Nat Gas/83% LPG	Balanced
Cara Glass Insert	1.5kW to 5kW	Log Effect	Black Enamel	81% Nat Gas/83% LPG	Balanced





SOLIS Wood Burning & Multifuel

Room Only Models

MODEL	HEAT OUTPUT	FUEL TYPE	COLOUR	EFFICIENCY	ENERGY CLASS
I500	5kW	Wood/Multifuel	Graphite	82%	A+
I900	9kW	Wood/Multifuel	Graphite	80%	A
I60SS	10kW	Wood	Graphite/Black Glass	81%	A+
I80SS	12kW	Wood	Graphite/Black Glass	79%	A
I80DS	14kW	Wood	Graphite/Black Glass	79%	A
I100DS	16kW	Wood	Graphite/Black Glass	79%	A
F500 Edge	5kW	Wood/Multifuel	Graphite	81.1%	A+
F500WB Edge	5kW	Wood	Graphite	81.1%	A+
F500 Curve	5kW	Wood/Multifuel	Graphite	82%	A+
F650 Style	6.5kW	Wood/Multifuel	Graphite	84.8%	A+
F900 Ridge	9kW	Wood/Multifuel	Graphite	77.5%	A
F800 Grande	8kW	Wood/Multifuel	Graphite	83%	A+
F1100 Panoramic	11kW	Wood	Graphite	81%	A+




Pellet Stoves

Room Only Models

MODEL	HEAT OUTPUT	FUEL TYPE	COLOUR	EFFICIENCY	ENERGY CLASS
SOLIS K50	3kW to 6.1kW	Pellet		95%	A
SOLIS K100 Edge & Curve	3kW to 8kW	Pellet		96%	A+
SOLIS K300	3kW to 8kW	Pellet		96%	A+
SOLIS K500	3kW to 9kW	Pellet		96%	A+

Pellet Stoves

Room & Rad Models

MODEL	HEAT OUTPUT TO ROOM	HEAT OUTPUT TO RADIATORS	FUEL TYPE	COLOUR	EFFICIENCY	ENERGY CLASS
SOLIS K1200+	2.2kW	10.3kW	Pellet		95%	A+
SOLIS K1700+	3.0kW	14kW	Pellet		95%	A+
SOLIS K2300+	3.3kW	18.8kW	Pellet		95%	A+

Heat outputs are based on laboratory testing. For Central heating calculations are based on average sized radiators (5ft x 2ft). Efficiency ratings quoted are net efficiencies as per EN13240 (third party results). This brochure is produced as a visual aid and is not intended to replace the installation and users instructions, or the need to view an appliance. n/a = not available

* F500 Oval and Slim LPG are 1.75kW to 5kW.

Classic Range

Room Only Models

MODEL	HEAT OUTPUT	BOILER OUTPUT	MAX. RADIATORS	COLOUR	EFFICIENCY RATING
Oisin Eco	6.4kW	N/A	N/A		78.8%
Cara Eco	6.5kW	N/A	N/A		78.4%
Cara Glass Eco	6.5kW	N/A	N/A		78.1%
Aoife Eco	7.3kW	N/A	N/A		77.3%
Tara Eco	8kW	N/A	N/A		70.9%
Ardmore Eco	9kW	N/A	N/A		81%
Lismore Eco	12kW	N/A	N/A		70.4%

Classic Range

Room & Rad Models


MODEL	HEAT OUTPUT	BOILER OUTPUT	MAX. RADIATORS	COLOUR	EFFICIENCY RATING
Erin Eco	4.5kW	9.7kW	6		79.2%
Reginald Eco	5kW	10.5kW	7		75%

Range Cookers


MODEL	BRANDON OIL			BRANDON CONDENSING OIL	SUPREME DELUXE DUAL FUEL	SUPREME DELUXE ALL ELECTRIC
	100	80	60	80		
Cooking	•	•	•	•	•	•
Domestic Hot Water [DHW]	•	•	•	•		
Central Heating	•	•	•	•		
OVENS						
Fan Oven					•	•
Multifunction Oven					•	•
Cast Iron Main Oven	•	•	•	•		
Cast Iron Lower Oven	•	•	•	•		
HOBBS						
Cast Iron	•	•	•	•		
Induction					•	•
Gas					•	•
HEATING CONTROLS						
Digital Control	•	•	•	•		
Digital Programmer				•		
Thermostatic				•		
FLUE SYSTEM						
Balanced				•		
Conventional	•	•	•	•	No Flue Required	
Twin Walled	•	•	•		No Flue Required	
Fan Assisted	•	•	•			
CENTRAL HEATING HOT WATER SYSTEM						
Fully Pumped Open	•	•	•	•	N/A	N/A
Fully Pumped Sealed	•	•	•	•	N/A	N/A
BOILER OUTPUT WATER SYSTEM						
BTU/ Hour	100K	80K	60K	80K	N/A	N/A
Kilowatts (kW)	29.3	23.4	17.6	23.4	N/A	N/A
Average number of radiators	20	16	12	16	N/A	N/A
WEIGHT						
Metric (kgs)	385	380	380	395	N/A	N/A
SAP (EFFICIENCY) RATINGS %						
Oil	81.7	84.2	82.3	92	A	A

Electrical Technical Drawings


ARGON Wall Hung



ARGON Built In





ARGON 2 and 3 Sided




ARGON Insets

Cube




Arranmore




Gas Technical Drawings

F650 Gas Stove




F900 Gas Stove




Stanley ARGON Gas Stove Inputs & Outputs

Model	Fuel	HEAT INPUT		Net Efficiency	HEAT OUTPUT	
		Max	Min		Max	Min
Slim Double Burner	Natural Gas	8.5	3	82%	6	2
	LPG	5.9	2.5	81%	4	1.8
Oval Double Burner	Natural Gas	8.5	3	82%	6	2
	LPG	5.9	2.5	81%	4	1.8
Elegance	Natural Gas	11	3.5	78%	7	2.3
	LPG	10	3.5	78%	6.5	2.3
Panoramic	Natural Gas	11	3.5	78%	7	2.3
	LPG	10	3.5	78%	6.5	2.3
650 Double Burner	Natural Gas	8.5	3	82%	6	2
	LPG	5.9	2.5	81%	4	1.8
900 Double Burner	Natural Gas	10	3	80%	7	2.2
	LPG	8.8	3	81%	6	2.2
Cara Double Burner	Natural Gas	8.5	3	82%	6	2
	LPG	5.9	2.5	81%	4	1.8


ARGON I5001
Elegance
Gas Stove




ARGON I5003
Panoramic
Gas Stove




F500 Oval Freestanding




F500 Slim Freestanding




Cara Gas




Cara Glass Gas




SOLIS K50
Pellet Stove




SOLIS K100
Curved and
Edge Pellet
Stove



SOLIS K300
Pellet Stove




SOLIS K500
Pellet Stove




SOLIS Pellet Stoves


SOLIS K1200+
Pellet Stove




SOLIS K1700+
Pellet Stove




SOLIS K2300+
Pellet Stove




SOLIS K1700+
Pellet Stove
Curved




SOLIS K2300+
Pellet Stove
Curved






Bilberry Nore




Bilberry Suir



Bilberry Barrow


SOLIS I500

3 sided frame




SOLIS I900

3 sided frame




SOLIS I60 SS




Solis I60 stove without frame.
External air Inlet A:
Diameter 80cm

SOLIS I80 SS




SOLIS Woodburning & Multifuel Technical Drawings


SOLIS I80 DS




SOLIS I100 DS




SOLIS F500 Edge




SOLIS F650 Style




SOLIS F900 Ridge




SOLIS F500 Curve



SOLIS F800 Grande



SOLIS F1110 Panoramic




External air with Stanley stoves

MODEL	YES - AS STANDARD	YES - KIT
I60 SS	•	
I80 SS	•	
I80 DS	•	
I100 DS	•	
I500	•	
I900	•	
F500 Edge		•
F500WB		•
F500 Curve	•	
F650 Style		•
F900 Ridge		•
F800 Grande	•	
F1110 Panoramic	•	


External air feed is available for many of our stoves as an optional extra. External Air is used in well-insulated houses for mechanical ventilation, and directs air from the outside into the stove to improve combustion.

Classic Stoves

Reginald Eco




Lismore Eco




Room heating stove


Ardmore Eco




Erin Eco



Tara Eco




Aoife Eco




Classic Stoves


Oisin Eco



Cara



Cara Glass



External air with Stanley stoves


External air feed is available for many of our stoves as an optional extra. External Air is used in well-insulated houses for mechanical ventilation, and directs air from the outside into the stove to improve combustion.

ROOM ONLY MODELS	MODEL	YES	NO	KIT
	Oisin Eco	•		•
	Cara Eco	•		•
	Cara Glass Eco	•		•
	Aoife Eco		•	
	Tara Eco	•		•
	Ardmore Eco	•		•
	Lismore Eco	•		

ROOM & RADIATOR MODELS	MODEL	YES	NO	KIT
	Erin Eco	•		•
	Reginald Eco	•		•

Range Cookers

Brandon Condensing




Dimensions

FRONT VIEW	A					B					
Metric (mm)	995					940					
SIDE VIEW	C	D	E	F	G	H	I	J	K	L	M
Metric (mm)	920	543	1428	529	164	42	470	470	63	160	38

Hotplate and oven dimensions

FEATURE	WIDTH	HEIGHT	DEPTH
Hotplate	650		355
Roasting oven	370	310	410
Simmering oven	370	225	410

Brandon





Dimensions

FRONT VIEW	A		B		C		C
Metric (mm)	920		920		1480		560
SIDE VIEW	E	F	G	H	I	J	K
Metric (mm)	640	45	250	1047	152	540	N/A



Hotplate and oven dimensions

FEATURE	WIDTH	HEIGHT	DEPTH
Hotplate	550		323
Roasting oven	390	310	406
Simmering oven	390	220	406

Supreme Deluxe Dual Fuel 90cm and 110cm





DEPTH: 610mm excluding handles
688mm including handles





DEPTH: 610mm excluding handles
688mm including handles

Supreme Deluxe Induction 90cm and 110cm



DEPTH: 610mm excluding handles
688mm including handles



DEPTH: 610mm excluding handles
688mm including handles

Flueing your Stanley range cooker

When installing your Stanley oil range cooker, we recommend using Stanley parts and Stanley approved flue systems only. For those homes without a chimney, a fan flue system is available.


Choosing the right fan flue (oil cookers only)

A fan flue is the ideal solution for houses without a chimney as it allows you to flue through any suitable external wall. The correct model of fan flue depends on your chosen range cooker model.

MODEL	VARIANT	FUEL	FAN FLUE
Brandon	100 / 80 / 60	Oil	Brandon/Renovator
Brandon	10 / Cooker	Oil	Renovator
Brandon Condensing	80	Oil	No fan flue


Renovator fan flue

- 1. Fan Flue Casing
- 2. Air Inlet
- 3. Fan Flue




Brandon fan flue

- 1. Safety cage
- 2. Air intake assembly
- 3. Fan flue



- 1. Telescopic flue pipes
- 2. Fan vent pipe








A balanced flue is included with your Brandon Condensing cooker although you may need to purchase an extension kit as shown here.





Installation

Waterford Stanley want you to enjoy the maximum performance from your Stanley stove. To ensure this, it is essential that they are installed correctly. We recommend using a suitably qualified installer. To assist you we have a nationwide network of service agents available, as well as a dedicated technical service helpline. When fitting your Stanley stove a range of cast iron pipes and bends are available for installation purposes. These are available in a choice of colours to suit your appliance.

Pipes and bends

Pipes and bends

						
PIPES	Model	15 1/2" (395mm) height 5" (125mm) straight pipe	7 3/4" (200mm) height 5" (125mm) extension pipe	16 1/2" (418mm) height 6" (150mm) straight pipe (no access door)	16 1/2" (418mm) height 6" (150mm) straight pipe (with access door)	34" (864mm) height 6" (150 mm)straight pipe (with access door)
	Erin, Aoife, Tara, Lismore, Reginald					
	Oisín, Ardmore					

					
BENDS	Model	5" (125mm) 112o bend	6" (150mm) 112o bend	5" (125mm) 45o bend	6" (150mm) 45o bend
	Erin, Aoife,Tara, Lismore, Reginald				
	Oisín, Ardmore				



ECO DESIGN 2022

Ecodesign is the European-wide programme to lower emissions to improve air quality from a range of appliances that use energy including stoves and will come into force 1st January 2022. It will apply to both wood burning and solid fuel stoves.

Waterford Stanley is committed to certifying its stoves for Ecodesign 2022. Where you see the below logo on our SOLIS and classic range, they have already been certified for Ecodesign 2022. All our gas, electric and pellet stoves are Ecodesign certified.

What does Ecodesign cover?

- Minimum efficiency rating of 75% for stoves
- Reduction of CO (Carbon monoxide) -88%
- New limit for emissions of NO_x
- Introduction in requirements for Particulate matter and organic gaseous compounds

Waterford Stanley



NOVY



Waterford Stanley Limited Unit 401-403, Waterford Industrial Estate, Cork Road, Waterford, Ireland.

Phone: 00353 (0) 51 302300 Email: sales@waterfordstanley.com

www.waterfordstanley.com

Republic of Ireland:

Sales Dept. 051 302 302
Service Dept. 051 302 333

Northern Ireland:

Sales & Service 028 8772 2195

You can also contact us on
sales@waterfordstanley.com or
service@waterfordstanley.com

United Kingdom:

ABGO Sales & Spare Parts
01902 790 900 or
waterfordstanley@abgo.co.uk

AGA Sales: 07775 821241

YOUR STANLEY STOCKIST: