
Whiteriver
wood for living
Engineered & solid
WOOD FLOORING

PRODUCT QUALITY & ENVIRONMENT

In today's fast moving environment consumer's tastes and trends are constantly changing and here at Whiteriver we endeavour to keep our ranges in tune with demand. We are also fully committed to following all Government and EU policy on the handling and sourcing of timber products. In Europe through the EU timber regulations we have very strong legislation that puts in place detailed check lists and audits that ensure all timber products supplied come from sustainable sources. Our product ranges are primarily based on wood species that have proven sustainable reserves which ensures you can have peace of mind when selecting one of our products.

Our company has both FSC® and PEFC Chain of Custody certification. The Forest Stewardship Council® (FSC®) aims to promote environmentally appropriate, socially beneficial and environmentally viable management of the world's forests. Read more about FSC® – www.fsc.org. The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organisation dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification. Read more about PEFC – www.pefc.org.





Cover Image: New Haven Oak - 190 x 14 x 1900mm
Back cover image: Oak Creme Brushed 150 x 18mm x RL Matt Lacquered



Over the last two decades, Whiteriver floors have grown to become one of the most respected and recognised names in engineered flooring. Selecting only the finest hardwoods and combining them with a precision multi-layer construction, Whiteriver are a high quality choice for your interior floors. The natural look of a wood floor with the extra stability provided by the engineered construction, you truly experience the best of both worlds with a Whiteriver Engineered Wood Floor. Available in a large range of styles and species, there is something to suit every home and design taste.

Renaissance - Oak Angelico Herringbone 120 x 19 x 600mm. See page 126



Renaissance - Oak Alberti 260 x 13/4 x 1950/2400mm. See page 112



Herringbone Albury Oak 90 x 18 x 450 with Brass Inlay. See page 68-70

index

08 Barista Plank Collection
20 Barista Short Plank
24 Barista Herringbone Collection
30 Barista Chevron
36 Forest Collection
42 Canyon Collection
44 Monolam Collection
50 Heritage Collection
58 Prestige Collection
64 Whiteriver Herringbone Collection
76 Versailles Panels
80 Historic Plank Collection
86 Historic Herringbone & Chevron Collection
90 Historic Wall Panel Collection
94 Solid Flooring
110 Renaissance 13mm Plank Collection
114 Renaissance 13mm Herringbone Collection
120 Renaissance 19mm Plank Collection
124 Renaissance 19mm Herringbone Collection
130 Renaissance Chevron Collection
134 Renaissance XL Collection
140 Architects and Designers
152 Grading Guidelines
154 Underlays & Profiles
156 Quality and reassurance
158 Care and Maintenance



ENGINEERED FLOORING

Timeless luxury

Discover all our premium ranges of engineered flooring

www.wrg.ie

Renaissance XL - Oak Giorgione 280-480 x 23 x 2000-4000mm



Renaissance Oak Angelico 120 x 19 x 600mm



Renaissance XL - Oak Vasari 280-480 x 20 x 2000-4000mm




Renaissance Oak Zuccari 260 x 13 x 1950/2400mm

BARISTA

BY WHITERIVER

Barista is our newest collection of European manufactured engineered flooring. Warm contemporary tones are brought together in a palette of colours to stir the senses and awaken your imagination. We took the world's love affair with coffee as inspiration for the collection to bring you a selection of eight distinctive shades, from frothy light "Latte" and "Mocha" to richer "Napoletana" and "Ristretto" there's a shade to suit all tastes.





Barista / Plank

BY WHITERIVER

Like choosing coffee, sometimes a “regular” is just not enough to satisfy your desire, that’s why we have added a selection of our favourite colours in a wider 207mm plank to the collection. These, as well as our standard 180mm wide boards are 2200mm / 1800mm long to give that sought after long board look and make a true statement in any setting.
Our Barista Plank range is manufactured to the highest specification, FSC certified and perfectly suited for use with underfloor heating.


FSC
www.fsc.org
FSC® C119767
The mark of responsible forestry

207 180

1. Top Layer
Selected European Oak protected with 5 coats of lacquer.
2. Middle Layer
Pressed laterally to the top layer which restricts natural movement for stability.
3. Bottom Layer
Pressed laterally in the opposite direction to the middle layer for further stability.



Barista Plank features a 5G click system which is suitable for floating or glue down installation.





Barista Plank - Oak Mocha 207 x 14 x 2200mm Brushed Matt Lacquered (also available in 180mm width). See page 13



Barista Plank - Oak Macchiato 207 x 14 x 2200mm Brushed Matt Lacquered (also available in 180mm width).



207 X 14 2200MM BARISTA OAK MACCHIATO
Finish: Brushed, Matt Lacquered
D1014050 / Grading Type: Universal



207 X 14 2200MM BARISTA OAK MOCHA
Finish: Brushed, Matt Lacquered
D1014051 / Grading Type: Universal
Compatible with Oak Mocha Herringbone



207 X 14 2200MM BARISTA OAK ESPRESSO
Finish: Brushed, Matt Lacquered
D1014052 / Grading Type: Universal
Compatible with Oak Espresso Herringbone



207 X 14 2200MM BARISTA OAK LATTE
Finish: Brushed, Matt Lacquered
D1014053 / Grading Type: Universal
Compatible with Oak Latte Herringbone

FSC
www.fsc.org
FSC® C119767
The mark of responsible forestry

5G

V2
Micro Bevel on 2 Sides


Note: *All 207mm colours are available in 180mm width.*




Barista Plank - Oak Latte 207 x 14 x 2200mm Matt Lacquered. See page 13 (also available in 180mm width)



Barista Plank - Oak Espresso 207 x 14 x 2200mm Matt Lacquered. See page 13 (also available in 180mm width)



180 X 14 X 2200MM OAK MOCHA
Finish: Brushed, Matt Lacquered
D1014070 / Grading Type: Universal




180 X 14 X 2200MM OAK MACCHIATO
Finish: Brushed, Matt Lacquered
D1014077 / Grading Type: Rustic / Character




180 X 14 X 2200MM OAK CREMA
Finish: Brushed, Matt Lacquered
D1014076 / Grading Type: Nature



180 X 14 X 2200MM OAK NAPOLETANA
Finish: Brushed, Matt Lacquered
D1014074 / Grading Type: Universal



180 X 14 X 2200MM OAK LATTE
Finish: Matt Lacquered
D1014072 / Grading Type: Universal



180 X 14 X 2200MM OAK ESPRESSO
Finish: Brushed, Matt Lacquered
D1014071 / Grading Type: Nature



180 X 14 X 2200MM OAK CORTADO
Finish: Matt Lacquered
D1014078 / Grading Type: Rustic / Character



180 X 14 X 2200MM OAK RISTRETTO
Finish: Matt Lacquered
D1014079 / Grading Type: Vintage



180 X 14 X 2200MM OAK FRAPPE
Finish: Matt Lacquered
D1014200 / Grading Type: Universal
Compatible with Frappe Herringbone & Serene Chevron

**Note Oak Frappe has T & G installation and is not FSC certified.*



180 X 14 X 1800MM OAK ARABICA
Finish: Matt Lacquered
D1014300 / Grading Type: Universal
Compatible with Arabica Herringbone & Mainland Chevron






**Note Oak Frappe has T & G installation and is not FSC certified.*



Barista Plank - Oak Ristretto 180 x 14 x 2200mm Matt Lacquered, See page 17



Barista Plank - Oak Arabica Matt Lacquered 180 x 14 x 1800mm. See page 17. Matching Herringbone & Chevron also available



Barista / Short Plank

BY WHITERIVER

Our New Barista Short Plank range will add to your home a beautiful aging effect achieved by natural cracks, brushing the flooring and bevelling it on all four sides. The wood has been stained and protected with natural oil. The Barista SHORT plank range comes in 1092mm lengths. and the four-sided bevelling make it reminiscent of a traditional floor. The wood has been additionally protected with matt lacquer. Our Barista Plank range is manufactured to the highest specification, FSC certified and perfectly suited for use with underfloor heating.

FSC
www.fsc.org
FSC® C119767
The mark of responsible forestry





Barista Short Plank - Oak Crema Brushed, Matt Lacquered 130 x 14 x 1092mm. See page 22.



130 X 14 X 1092MM OAK ESPRESSO
Finish: Matt Lacquered
D1014420 / Grading Type: Universal



130 X 14 X 1092MM OAK MOCHA
Finish: Brushed, Matt Lacquered
D1014410 / Grading Type: Universal



130 X 14 X 1092MM OAK CREMA
Finish: Brushed, Matt Lacquered
D1014400 / Grading Type: Nature



130 X 14 X 1092MM OAK NAPOLETANA
Finish: Brushed, Matt Lacquered
D1014430 / Grading Type: Universal








Barista Short Plank - Oak Napoletana 130 x 14 x 1092mm Brushed, Matt Lacquered. See page 22. Matching 180mm plank also available.

Barista / Herringbone

BY WHITERIVER



The Herringbone design has been with us for centuries and remains a timeless classic when it comes to floor design. Today, more so than ever, the architectural design and craftsmanship that goes into each piece is in high demand for both domestic and commercial projects. Our Barista Herringbone is the perfect complement to our Barista Plank range and brings a distinctive touch of modern day sophistication to any floor. Matching planks with the same thickness allow the two formats to blend together and flow effortlessly from one room to the next.

All Barista Herringbone floors are manufactured in Europe, protected with a high quality durable matt lacquer and feature a micro bevel on each side.

IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN

V4 Micro Bevel on 4 Sides

fold down system OPTI LOCK

130 110

Barista Herringbone has an optilock click system and must also be glued down.



Barista Herringbone - Oak Latte Brushed, Matt Lacquered 130 x 14 x 725mm. See page 26. Matching 180mm and 207mm plank also available




130 X 14 X 725MM OAK CREMA
Finish: Brushed, Matt Lacquered
D1630000 / Grading Type: Nature
Compatible with 180mm Oak Crema Plank




130 X 14 X 725MM OAK ESPRESSO
Finish: Brushed, Matt Lacquered
D1630001 / Grading Type: Nature
Compatible with 180mm & 207mm Oak Espresso Plank



130 X 14 X 725MM OAK NAPOLETANA
Finish: Brushed, Matt Lacquered
D1630003 / Grading Type: Rustic / Character
Compatible with 180mm Oak Napoletana Plank



130 X 14 X 725MM OAK MOCHA
Finish: Brushed, Matt Lacquered
D1630002 / Grading Type: Rustic / Character
Compatible with 180mm & 207mm Oak Mocha Plank



130 X 14 X 725MM OAK LATTE
Finish: Brushed, Matt Lacquered
D1630004 / Grading Type: Nature
Compatible with 180mm & 207mm Oak Latte Plank



Optilock Fold Down System.
Not suitable for floating installation,
must be glued down directly to the subfloor.

**Please note that matching 180 x 14 x 2200mm planks are available for all Herringbone designs.*

IMPORTANT: ALL ENGINEERED HERRINGBONES
MUST BE GLUED DOWN



Barista Herringbone - Oak Mocha 130 x 14 x 725mm Brushed, Matt Lacquered. See page 26. Matching 180mm & 207mm plank also available.

Barista Herringbone 110 x 14 x 660mm



110 X 14 X 660MM OAK FRAPPE
Finish: Brushed, Matt Lacquered
D1630100 / Grading Type: Rustic / Character
Compatible with 180mm Frappe Plank



110 X 14 X 660MM OAK ARABICA
Finish: Brushed, Matt Lacquered
D1630110 / Grading Type: Rustic / Character
Compatible with 180mm Arabica Plank



Barista Herringbone - Oak Arabica 110 x 14 x 660mm Brushed, Matt Lacquered. Matching 180mm plank available.




Barista Herringbone - Oak Frappe 110 x 14 x 660mm Brushed, Matt Lacquered. Matching 180mm plank available.

Optilock Fold Down System.
Not suitable for floating installation,
must be glued down directly to the subfloor.

IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN

Barista / Chevron

BY WHITERIVER



The Chevron design has been with us for centuries and remains a timeless classic when it comes to floor design. Today, more so than ever, the architectural design and craftsmanship that goes into each piece is in high demand for both domestic and commercial projects. Our Barista Chevron is the perfect complement to our Barista Plank range and brings a distinctive touch of modern day sophistication to any floor. Matching planks with the same thickness allow the two formats to blend together and flow effortlessly from one room to the next.

V4 T&G

Micro Bevel on 4 sides

Not suitable for floating installation,
must be glued down directly to the subfloor.

130



Barista Chevron - Oak Caramel/Crema Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm plank available.



Barista Chevron - Oak Mainland/Arabica Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm plank available.



Barista Chevron - Oak Serene/Frappe Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm plank available.



14 X 130 X 725MM OAK TRIVOR/MOCHA
Finish: Chevron, Brushed, Matt Lacquered
D160300 / Grading Type: Nature
Compatible with 180mm & 207mm Mocha Plank



14 X 130 X 725MM OAK SERENE/FRAPPE
Finish: Chevron, Brushed, Matt Lacquered
D160310 / Grading Type: Rustic / Character
Compatible with 180mm Frappe Plank



14 X 130 X 725MM OAK MAINLAND / ARABICA
Finish: Chevron, Brushed, Matt Lacquered
D160320 / Grading Type: Rustic / Character
Compatible with 180mm Arabica Plank




14 X 130 X 725MM OAK CARAMEL/CREMA
Finish: Chevron, Brushed, Matt Lacquered
D160330 / Grading Type: Nature
Compatible with 180mm Crema Plank



IMPORTANT: ALL ENGINEERED CHEVRONS
MUST BE GLUED DOWN



Barista Chevron - Oak Trivor/Mocha Brushed, Matt Lacquered 130 x 14 x 725mm. See page 34. Matching 180mm & 207mm plank available.



Forest / Plank

BY WHITERIVER

The Forest Collection boasts stunning 190mm width boards which are 1900mm long, giving a fashionable wide, long plank look to your home. Your room will radiate with the warmth of the vintage yet natural wood appearance and selection of finishes available.

190




Forest - Glengarra Oak 190 x 14 x 1900mm. See page 38



190 X 14 X 1900MM AVOCA OAK
Finish: Matt Lacquered
D1012019 / Grading Type: Universal



190 X 14 X 1900MM LISMORE OAK
Finish: Smoked, White UV Lacquered
D1012025 / Grading Type: Universal
Compatible Herringbone: Rhode Island Oak



190 X 14 X 1900MM NEW HAVEN OAK
Finish: Stained, Brushed Matt Lacquered
D1012050 / Grading Type: Universal
Compatible Herringbone: Stamford Oak



190 X 14 X 1900MM GLENGARRA OAK
Finish: Brushed, Matt Lacquered
D1012020 / Grading Type: Universal
Compatible Herringbone: Hampton Oak



190 X 14 X 1900MM CASHEL OAK
Finish: Smoked, Brushed, Matt Lacquered
D1012027 / Grading Type: Universal
Compatible Herringbone: Slaney Oak



190 X 14 X 1900MM CLIFDEN OAK
Finish: Smoked, Old Style Knots Cracks & Sunken Filler, UV Oiled /
D1012026 / Grading Type: Vintage




Forest - New Haven Oak 190 x 14 x 1900mm



Forest - Lismore Oak 190 x 14 x 1900mm. See page 38



Forest - Clifden Oak 190 x 14 x 1900mm. See page 38



Canyon / Plank

BY WHITERIVER

Canyon is a multi-layer engineered floor with a real layer of pre-finished hardwood top layer. The major benefit of Canyon is in its grading and construction which gives the look of a solid floor while also maintaining the stability benefit which engineered flooring offers.

Canyon flooring can be either floated (glueing of tongue and groove joint), glued down to a cement screed or nailed down to a wood substrate such as OSB3 or WBP plywood.

125 150



Canyon Oak 150 x 18mm x RL Lacquered


Canyon - 125/150 x 18mm



125 X 18MM X RL CANYON OAK
Finish: Lacquered
D1210005 / Grading Type: Universal



150 X 18MM X RL CANYON OAK
Finish: Lacquered
D1210004 (DIY) / D1210002 / Grading Type: Universal



Monolam / Plank

BY WHITERIVER

Available in a variety of widths between 127mm and 150mm, the Whiteriver Monolam Collection of engineered flooring offers a fantastic selection of versatile styles to suit the most contemporary or traditional home. The 18mm board thickness features a 4mm top layer of finely selected real hardwood, finished to the highest manufacturing standards with a multi-coat lacquer. Whether you enjoy the classic timelessness of European Oak, the richness of American Walnut or the warmth of Oak Creme Brushed, there is something in the Monolam Collection to suit every taste.

127 150



127 x 18mm x RL European Oak Lacquered . See page 46

Monolam - 127 x 18mm



127 X 18MM X RL AMERICAN WALNUT
Finish: Lacquered (contains sapwood)
D1210011 / Grading Type: Universal



127 X 18MM X RL EUROPEAN OAK
Finish: Lacquered
D1210016 / Grading Type: Universal




American Walnut 127 x 18mm x RL Lacquered

RL = RANDOM LENGTH



European Oak 3-Strip 180 x 14mm x 2200mm Lacquered

Whiteriver - 3 - Strip 14mm



FSC
www.fsc.org
FSC® C119767
The mark of responsible forestry



180 X 14MM X 2200MM EUROPEAN OAK 3-STRIP

Finish: Lacquered

D1212003 / Grading Type: Universal



150 X 18MM X RL EUROPEAN OAK
Finish: Matt Lacquered
D1211011 / *Grading Type: Universal*



150 X 18MM X RL EUROPEAN OAK BRUSHED
Finish: Matt Lacquered
D1211013 / *Grading Type: Universal*



150 X 18MM X RL OAK CRÈME BRUSHED
Finish: Matt Lacquered
D1211012 / *Grading Type: Universal*



150 X 18MM X RL AMERICAN WALNUT
Finish: Lacquered (contains sapwood)
D1211003 / *Grading Type: Universal*




150 X 18MM X RL EUROPEAN SMOKED OAK BRUSHED
Finish: Matt Lacquered
D1211005 / *Grading Type: Universal*



150 X 18MM X RL CANADIAN MAPLE
Finish: Lacquered
D1211014 / Grading Type: Universal



Monolam - Oak Creme Brushed 150 x 18mm x RL Matt Lacquered



Heritage / Plank

BY WHITERIVER

Our premium range of engineered floors, with wide plank 189mm/190mm boards, The Heritage range is a stunning collection of floors that will enhance any room with its bold dimensions. The boards are a *proud 1900mm/2200mm in length for that sought-after long board look. Boasting 18mm or 20mm thick boards with 4mm or 6mm real wood layers, they are the height of excellence in construction and design. Whether your tastes are for light floors, darker woods, lacquered or matt finishes, the Heritage range has been extended to bigger than ever before to maximise your options.

**Dakota Walnut planks are 1860mm in length.*

189 190



Heritage Collection - Oak Cezanne 190 x 18 x 1900mm Smoked Brushed & Matt Lacquered. See page 54



190 X 18 X 1900MM OAK LYON
Finish: Matt Lacquered
D1213015 / *Grading Type: Universal*
Compatible Herringbone: 90 x 18 x 450mm Langley Oak. See page 66
Langley Oak 120 x 18 x 600mm



190 X 18 X 1900MM OAK BIARRITZ
Finish: Brushed, Matt Lacquered
D1213004 / *Grading Type: Universal*
Compatible Herringbone: 120 x 18 x 600mm Kylemore Oak. See page 66



190 X 18 X 1900MM OAK LAURENS
Finish: Smoked Extra White UV Matt Lacquered
D1213020 / *Grading Type: Universal*
Compatible Herringbone: 90 x 18 x 450mm Darwin Oak. See page 70



189 X 18 X 1860MM DAKOTA WALNUT
Finish: Lacquered
D1213001 / *Grading Type: Universal*
Contains Sapwood

Grading Guideline information ***available in page 152***



Heritage Collection - Oak Laurens 190 x 18 x 1900mm Smoked Extra White UV Matt Lacquered. See page 52



190 X 18 X 1900MM OAK CEZANNE
Finish: Smoked, Brushed, Matt Lacquered
D1213008 / *Grading Type: Universal*
Compatible Herringbone: Morrison Oak 120 x 18 x 600mm. See page 68
Morrison Oak 90 x 18 x 450mm



190 X 18 X 1900MM OAK BORDEAUX LIMEWASHED
Finish: Matt Lacquered
D1213007 / *Grading Type: Universal*
Compatible Herringbone: Harvard Oak 90 x 18 x 450mm. See page 70



190 X 18 X 1900MM OAK CHARDIN
Finish: Light Handscraped, Black Matt Lacquered
D1213011 *Grading Type: Universal*
Compatible Herringbone: Daintree Oak 120 x 18 x 600mm. See page 70



190 X 18 X 1900MM NELSON OAK
Finish: Special Stain, Brushed Matt Lacquered
D1213019 *Grading Type: Universal*
Compatible Herringbone: Albury Oak 120 x 18 x 600mm. See page 70
Albury Oak 90 x 18 x 450mm

Grading Guideline information ***available in page 152***



Heritage Collection - Oak Bordeaux 190 x 18 x 1900mm Matt Lacquered. See page 54



189 X 20 X 1900/2200MM RICHMOND OAK
Finish: Matt Lacquered
D1411018 / D1411025 / *Grading Type: Universal*
**length subject to availability*




189 X 20 X 1900/2200MM OAK RENOIR
Finish: Brushed, Matt Lacquered
D1411019 / D1411012 / *Grading Type: Universal*
**length subject to availability*



Richmond Oak 189 x 20 x 1900/2200mm Matt Lacquered



Oak Renoir 189 x 20 x 1900/2200mm Brushed Matt Lacquered



Prestige / Plank

BY WHITERIVER

Go Big. An extension of our Heritage premium range of engineered floors, lacquered Prestige floors feature the stunning extra large width of 220mm or 240mm. The boards are 2200mm in length for that sought-after long board look.

Really make the most of your most spacious rooms with the Heritage Prestige collection.

220 240



Prestige Collection - Warwick Oak 240 x 18 x 2200mm Smoked, Brushed, Matt Lacquered. See page 60



220 X 18 X 2200MM CAMBRIDGE OAK
Finish: Unfinished, Sanded and Filled
D1412140 */ Grading Type: Universal*
Compatible Herringbone: Charleston Oak 120 x 18 x 600mm. See page 68



220 X 18 X 2200MM PEMBROKE OAK
Finish: Brushed, Smoked White & UV Matt Lacquered
D1412100 */ Grading Type: Universal*
Compatible Herringbone: Stafford Oak 120 x 18 x 600mm. See page 66



240 X 18 X 2200MM WARWICK OAK
Finish: Smoked, Brushed, Matt Lacquered
D1412060 */ Grading Type: Universal*
Compatible Herringbone: Dingle Oak 120 x 18 x 600mm. See page 66 and Morrison Oak 120 x 18 x 600mm. See page 68



220 X 18 X 2200MM LINCOLN OAK
Finish: Stained Brushed & UV Matt Lacquered
D1412110 */ Grading Type: Universal*
Compatible Herringbone: Shrewsbury Oak 120 x 18 x 600mm. See page 66



Pembroke Oak 220 x 18 x 2200mm Brushed, Smoked White & UV Matt Lacquered



220 X 18 X 2200MM DENBEIGH OAK
Finish: Stained Brushed & UV Matt Lacquered
D1412120 / *Grading Type: Universal*
Compatible Herringbone: Berkshire Oak 120 x 18 x 600mm. See page 66



240 X 18 X 2200MM GLENCAR OAK
Finish: Special Stained, Matt Lacquered
D1412040 / *Grading Type: Universal*
Compatible Herringbone: Oxford Oak 120 x 18 x 600mm. See page 68




240 X 18 X 2200MM GLANMORE OAK
Finish: Brushed, Matt Lacquered
D1412030 / *Grading Type: Universal*
Compatible Herringbone: Kylemore Oak 120 x 18 x 600mm. See page 66




220 X 18 X 2200MM DORSET OAK
Finish: Smoked Brushed, White UV Matt Lacquered
D1412130 / *Grading Type: Universal*
Compatible Herringbone: Abbey Oak 120 x 18 x 600mm. See page 68



Dorset Oak 220 x 18 x 2200mm Brushed, Smoked White & UV Matt Lacquered



Dimensions
120 x 18mm x 600mm
120 x 14mm x 600mm



Dimensions
90mm x 18mm x 450mm
90mm x 14mm x 450mm

Herringbone

BY WHITERIVER

Experience old world luxury with our specialty herringbone designs; for those looking for something extra special to enhance their interiors.
These floors have a stable engineered construction with a 4mm real wood top layer on 18mm products and 3mm on 14mm products.
Whiteriver Herringbone is also suitable for installation over underfloor heating.

IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN


90 120







Morrison Oak 90 x 18 x 450mm with optional Brass Inlay




120 X 18 X 600MM BERKSHIRE OAK
Finish: Stained Brushed & UV Lacquered
D1610420 / *Grading Type: Rustic A / Nature*




120 X 18 X 600MM SHREWSBURY OAK
Finish: Stained Brushed & UV Matt Lacquered
D1610410 / *Grading Type: Rustic A / Nature*




120 X 18 X 600MM LANGLEY OAK
Finish: Matt Lacquered
D1610510 / *Grading Type: Rustic A / Nature*



120 X 18 X 600MM STAFFORD OAK
Finish: Smoked, White, UV Matt Lacquered
D1610400 / *Grading Type: Rustic A / Nature*




120 X 18 X 600MM DINGLE OAK
Finish: Smoked Brushed Matt Lacquered
D1610450 / *Grading Type: Rustic A / Nature*




120 X 18 X 600MM KYLEMORE OAK
Finish: Brushed Matt Lacquered
D1610420 / *Grading Type: Rustic A / Nature*



Whiteriver Herringbone - Shrewsbury Oak 120 x 18 x 600mm Stained Brushed & UV Matt Lacquered. See page 66




120 X 18 X 600MM ABBEY OAK
Finish: Smoked, White, UV Matt Lacquered
D1610440 / *Grading Type: Rustic A / Nature*



120 X 18 X 600MM MORRISON OAK
Finish: Smoked Brushed & Matt Lacquered
D1610430 / *Grading Type: Rustic A / Nature*



120 X 18 X 600MM OXFORD OAK
Finish: Stained Brushed & Matt Lacquered
D1610480 / *Grading Type: Rustic A / Nature*




120 X 18 X 600MM ALBURY OAK
Finish: Stained Brushed & Matt Lacquered
D1610490 / *Grading Type: Rustic A / Nature*



120 X 18 X 600MM CHARLESTON OAK
Finish: Unfinished
D1610530 / *Grading Type: Rustic A / Nature*

Pattern options




**Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

IMPORTANT: ALL ENGINEERED HERRINGBONES
MUST BE GLUED DOWN






Albury Oak 90 x 18 x 450mm with optional Brass Inlay




90 X 18 X 450MM DARWIN OAK
Finish: Smoked Extra White UV Matt Lacquered
D1610200 / *Grading Type: Rustic A / Nature*




90 X 18 X 450MM DAINTREE OAK
Finish: Handscraped Black Matt Lacquered
D1610410 / *Grading Type: Rustic A / Nature*




90 X 18 X 450MM LANGLEY OAK
Finish: Matt Lacquered
D1610203 / *Grading Type: Rustic A / Nature*



90 X 18 X 450MM ALBURY OAK
Finish: Stained Brushed & Matt Lacquered
D1610202 / *Grading Type: Rustic A / Nature*



90 X 18 X 450MM HARVARD OAK
Finish: Limewashed Brushed Matt Lacquered
D1610204 / *Grading Type: Rustic A / Nature*




90 X 18 X 450MM MORRISON OAK
Finish: Smoked Brushed & Matt Lacquered
D1610201 / *Grading Type: Rustic A / Nature*



Whiteriver Herringbone - Darwin Oak 90 x 18 x 450mm Smoked Extra White Matt Lacquered. See page 70



90 X 14 X 450MM HAMPTON OAK
Finish: Brushed Matt Lacquered
D1610113 / *Grading Type: Rustic A / Nature*




90 X 14 X 450MM RHODE ISLAND
Finish: Smoked White UV Matt Lacquered
D1610112 / *Grading Type: Rustic A / Nature*



90 X 14 X 450MM STAMFORD OAK
Finish: Stained Brushed & Matt Lacquered
D1610310 / *Grading Type: Rustic A / Nature*

Pattern options




**Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

IMPORTANT: ALL ENGINEERED HERRINGBONES
MUST BE GLUED DOWN





Whiteriver Herringbone - Rhode Island 90 x 14 x 450mm. See page 72.




120 X 14 X 600MM SLANEY OAK
Finish: Smoked Brushed Matt Lacquered
D1610460 / *Grading Type: Rustic A / Nature*



120 X 14 X 600MM WICKLOW OAK
Finish: Stained Brushed & UV Matt Lacquered
D1610470 / *Grading Type: Rustic A / Nature*

Pattern options




**Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN



Whiteriver Herringbone - Wicklow Oak 120 x 14 x 600mm



Versailles / Panels

BY WHITERIVER

Originally commissioned by Louis XVI for the famous Palace of Versailles, these bespoke intricate floor panels are steeped in history. Individual pieces of wood are hand crafted to an exacting standard and pressed onto a birch plywood base to create each panel.


Indulge your very own palace with these exquisite examples of craftsmanship - create a unique look using our unfinished panels with a colour to complement your decor.



Versailles Panel - Unfinished panel with Matt Lacquer finish applied



900 X 18 X 900MM EUROPEAN OAK LIGHT BRUSHED UNFINISHED
Finish: Birch Plywood (May Contain Sapwood)
D1417003 / *Grading Type: Rustic A / Nature*



IMPORTANT:
ALL VERSAILLES ENGINEERED PANELS
MUST BE GLUED DOWN

Note: *All panels have a birch plywood base. Levels of sapwood may vary.*



Versailles Panel - Unfinished panel with Matt Lacquer finish applied

collection


HISTORIC

BY WHITERIVER

Timber has been harvested as an essential construction material for centuries. Trees grown in the Baltics, North America and China were shipped around the world to meet the growing demand of industrialisation. We have brought together a collection of salvaged woods dating back decades to create our bespoke Historic Collection.

The passion and workmanship that went into the building of boats and farm buildings in the 18th & 19th centuries has been rekindled by artisan craftsmen to bring this unique part of history back to life. The imperfections of each salvaged piece enhance the overall beauty of the finished product, each blemish having its own secret past. All pieces of reclaimed wood are delicately shaped into flooring and wall panelling that is easy to install in today's modern world.





Historic *reclaimed plank*

BY WHITERIVER

The bespoke nature of crafting each plank results in an individuality that cannot be replicated creating varying widths and lengths for a truly authentic look. Creating planks begins with cutting a *4mm thick veneer from reclaimed timbers and pressing them onto an FSC - certified plywood base to give an overall thickness of 15mm. A selection of our most popular finishes are complemented with matching herringbone / chevron designs - see following pages for details.

**New Orleans plank has a 6mm veneer on a FSC - certified plywood base with an overall thickness 18mm.*

Note: *Plank widths vary from 70mm - 230mm / Lengths vary from 400mm - 2200mm*

Plank



Historic Reclaimed Plank - Boston Oak Plank 95mm - 135mm x 15mm x 400mm - 2200mm. See page 84



HISTORIC COLUMBUS PINE PLANK
Finish: Unfinished / Grading: Reclaimed
70mm-230mm x 15mm x 400-2200mm / D1810001



HISTORIC CHARLESTON PINE PLANK
Finish: Unfinished / Grading: Reclaimed
70mm-230mm x 15mm x 400-2200mm / D1810002



HISTORIC BOSTON OAK PLANK
Finish: Oiled / Grading: Reclaimed
95mm-135mm x 15mm x 400-2200mm / D1810003



HISTORIC CHICAGO OAK PLANK
Finish: Unfinished / Grading: Reclaimed
95mm-135mm x 15mm x 400mm-2200mm / D1810004



HISTORIC MADISON OAK PLANK
Finish: Oiled / Grading: Reclaimed
95mm-135mm x 15mm x 400mm-2200mm / D1810005




HISTORIC NEW ORLEANS ELM PLANK
Finish: Oiled / Grading: Reclaimed
50mm-230mm x 18mm x 400-1800mm / D1810100


Note: Planks are supplied in a mix of random widths and lengths.



Historic Plank - Madison Oak Plank 95mm - 135mm x 15mm x 400mm - 2200mm



Dimensions
Herringbone Boston & Madison 115 x 15 x 575mm
Chevron Charleston 90mm x 15 x 600mm



Historic *reclaimed herringbone & chevron*

BY WHITERIVER

The contrasting characteristics of salvaged wood and precision cutting are fused to create stunning herringbone and chevron flooring. The creative process begins with selecting the finest materials from around the world which are shaped into extraordinary pieces of modern-day flooring by master craftsmen. Traditional methods are used throughout the process which begins with pressing 4mm veneers of history onto an FSC - certified plywood base for stability - each one cut meticulously for an exacting fit.

A selection of our Herringbone and Chevron collection is complemented with a matching plank format which is perfect for defining different spaces without compromising the overall desired effect.

Herringbone & Chevron




Historic Herringbone - Boston Oak 115 x 15 x 575mm. See page 88



HISTORIC CHARLESTON PINE HERRINGBONE
Finish: Unfinished / Grading: Reclaimed
90mm x 15mm x 600mm / D1810501



HISTORIC BOSTON OAK HERRINGBONE
Finish: Oiled / Grading: Reclaimed
115mm x 15mm x 575mm / D1810502



HISTORIC CHARLESTON PINE CHEVRON
Finish: Unfinished / Grading: Reclaimed
90mm x 15mm x 600mm / D1810601




HISTORIC MADISON OAK HERRINGBONE
Finish: Oiled / Grading: Reclaimed
115mm x 15mm x 575mm / D1810503

Note: Matching Plank Flooring and Wall Panelling is available for Charleston. Matching Plank Flooring is available for Boston & Madison. See previous pages for details.



Historic Chevron - Charleston Pine 90 x 15 x 600mm.



Historic *reclaimed panelling*

BY WHITERIVER

Steeped in history, each 4mm thick slice of reclaimed wood is selected by passionate craftsmen from solid beams of historic buildings to bring a true sense of character to any surrounding. Given the nature of rustic building methods our wall panelling is supplied in a random mix of widths and lengths which results in a stunning authentic visual effect.

Note: *Panel widths vary from 50mm - 130mm / Lengths vary from 300mm - 1500mm*

Wall Panelling



Historic Wall Panelling - Columbus Pine. See page 92



HISTORIC CHARLESTON PINE WALL PANELLING
50mm-130mm x 4mm x 300mm-1500mm
Finish: Unfinished / Grading: Reclaimed / D1820001



HISTORIC COLUMBUS PINE WALL PANELLING
50mm-130mm x 4mm x 300mm-1500mm
Finish: Unfinished / Grading: Reclaimed / D1820002



HISTORIC NEW AMSTERDAM PINE WALL PANELLING
50mm-130mm x 4mm x 300mm-1500mm
Finish: Lacquered / Grading: Reclaimed / D1820003



HISTORIC ATLANTA PINE WALL PANELLING
50mm-130mm x 4mm x 300mm-1500mm
Finish: Oiled / Grading: Reclaimed / D1820004

Note: Matching Plank, Herringbone & Chevron Flooring is available for Charleston. Matching Plank Flooring is available for Columbus.

See previous pages for details. Board widths vary from 50mm - 130mm. Board lengths vary from 300 - 1500mm



Historic Wall Panelling - Columbus Pine



Historic Wall Panelling - Charleston Pine

Installation: Panelling must be left for 48 hours in room to be installed in to acclimatise to humidity. Walls should be dry, clean, structurally sound and painted. Panels can be fixed to the wall using panel adhesive and panel pins. We recommend to paint the wall black before installation.

BOARD SIZES VARY

Solid Pine / Solid Flooring

BY WHITERIVER

Pitch Pine is a beautiful wood prized throughout the world for its distinctive grain, rich, lustrous patina, and durable hardness. Warm tones from golden yellow to red brown heartwood to lighter brown sapwood. It deepens to a deeper red colour over time.

Maritime French Pine is a cost-effective prefinished timber flooring similar with golden to red tones ideal for lower traffic areas in your home. Its nice colour variation and rustic characteristics make this a popular choice. The 170mm board should be secret nailed when installing.


170



Solid Flooring - 178 x 19 x RL Honduras Pitch Pine



178 X 19MM X RL HONDURAS PITCH PINE
Finish: Unfinished
E1211001 */ Grading Type: Rustic/Character*



170 X 21 X 2000MM FRENCH PINE
Finish: Lacquered
E1211006 */ Grading Type: Rustic/Character*



Solid Flooring - 178 x 19 x RL Honduras Pitch Pine







Solid Flooring - 170 x 21 x 2000 French Pine

BOARD SIZES VARY

Atlantic / Solid Flooring


BY WHITERIVER

Enhance your home with a solid wood floor. Experience the comfort and warmth of hardwood flooring. With Atlantic Hardwood Flooring you'll enjoy the luxurious sensation of the forest under your feet. Best of all, you'll add a distinctive look to your surroundings. A variety of species and grades, each with their own unique look. Whether you are aiming for a country or contemporary look, the Atlantic collection has the flooring to suit your taste and design needs.

Note: *Universal grading - 70% Natural, 30% Rustic*
(Atlantic Rustic grading may have filled cracks and small percentage of worm holes).
We recommend minimum 10-15% waste for rustic grade.



Solid Flooring - Canadian Maple 83 x 19mm Lacquered




57 X 19MM X (2¼") CANADIAN MAPLE
Finish: Unfinished
E1411006 */ Grading Type: Nature*



83 X 19MM X (3¼") CANADIAN MAPLE
Finish: Lacquered
E1411004 */ Grading Type: Universal*



107 X 19MM X (4¼") CANADIAN RED OAK NATURAL
Finish: Natural grade, Lacquered
E1411008 */ Grading Type: Universal*




83 X 19MM X (3¼") CANADIAN RED OAK RUSTIC
Finish: Rustic Grade, Lacquered
E1411005 */ Grading Type: Rustic/Character*

Note: *Universal grading - 70% Natural, 30% Rustic (Atlantic Rustic grading may have filled cracks and small percentage of worm holes).*
We recommend minimum 10-15% waste for rustic grade.



Solid Flooring 107 x 19mm x (4¼") Canadian Red Oak Natural



Dimensions
70mm x 18/21mm x 280/350mm

Woodblock / Herringbone


BY WHITERIVER

Solid woodblock flooring is one of the world's most versatile floor coverings. Around for centuries, you get durability and timeless elegance that only comes with a solid wood floor. Each plank is made from a single piece of hardwood. Once properly maintained, solid wood floors can last for generations.


The solid strip parquet floor that can be installed in the timeless herringbone pattern. Installation can be in traditional herringbone or in straight English bond. Glue down installation required.




Solid Flooring - Oak Woodblock Prime 70 x 21 x 280mm



70 X 21 X 280MM OAK WOODBLOCK
Finish: Unfinished
E1010024 */ Grading Type: Nature / Rustic*




70 X 21 X 280MM OAK WOODBLOCK
Finish: Unfinished
E1010025 */ Grading Type: Prime*



70 X 18 X 350MM MERBAU WOODBLOCK
Finish: Unfinished
E10100014 */ Grading Type: Prime (Product contains colour variation)*

Pattern options



IMPORTANT: ALL SOLID WOOD BLOCK
MUST BE GLUED DOWN



Solid Flooring - Oak Woodblock Prime 70 x 21 x 280mm



Solid Flooring - Merbau Woodblock 70 x 18 x 350mm

RENAISSANCE

Renaissance, literally meaning “Rebirth“ in French, was a period in history between the 14th and 17th centuries which brought a new perspective of art, architecture, politics, science and literature across most of Europe.


Renaissance style focuses on symmetry, proportion and geometry and introduced standards to construction materials which have stood the test of time. Influenced by the pioneering visionaries of the period we have brought together a premium range of wide plank floors manufactured in Europe using the finest quality European Oak.




CRADLE TO CRADLE


Sustainable wooden floors, made from natural products

Nowadays Cradle to Cradle™ and circular economy are inseparably connected with one another.
Cradle to Cradle™ is the ultimate form of sustainable entrepreneurship and stands for: waste is food. This means that the raw materials used in the Renaissance range can be fully reused without losing their value.













Renaissance Plank - Oak Giorgione





Renaissance 13mm / Plank

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a 9mm birch plywood and 4mm top layer construction for optimum stability. Featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character.

260

CERTIFIED
cradle to cradle
SILVER



Renaissance Plank - Oak Alberti Smoked 260 x 13 x 1950/2400mm. See page 112



260 X 13/4 X 1950/2400MM OAK ALBERTI

Finish: Smoked, White UV Oil/Wax, Dsc

D1420181 / D1420182 - Grading Type: Rustic / Character

Compatible Herringbone: 120 x 13mm Oak Della Porta. See page 116



260 X 13/4 X 1950/2400MM OAK SANGALLO

Finish: Smoked, Planed, Extra White UV Oil/Wax, Dsc

D1420179 / D1420180 - Grading Type: Rustic / Character

Compatible Herringbone: 120 x 13mm Oak Leona. See page 116



260 X 13/4 X 1950/2400MM OAK PIERO

Finish: Smoked, Distressed, Planed, Black UV Oil/Wax Osmo

D1420125 / D1420126 - Grading Type: Rustic / Character

Compatible Herringbone: 120 x 13mm Oak Vico. See page 116



260 X 13/4 X 1950/2400MM OAK ZUCCARI

Finish: Planed Extra White Oil/Wax Dsc

D1420183 / D1420184 - Grading Type: Rustic / Character


Compatible Herringbone: 120 x 13mm Oak Lorenzo. See page 116

Note: Some of the 260 x 13mm Renaissance products come planed as a design feature. This results in a slightly rougher texture around knots and harder areas of the wood and a gathering of the finish in these areas.

Renaissance flooring is supplied in 1950mm or 2400mm lengths - subject to availability.



Whiteriver Plank - Oak Zuccari 260 x 13 x 1950/2400mm



Dimensions
120mm x 13mm x 600mm

Renaissance 13mm / Herringbone

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 13 x 600mm format with a 4mm top layer. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

CERTIFIED
cradle to cradle
SILVER

Herringbone



Renaissance Herringbone - Oak Leona 120 x 13 x 600mm. See page 116




120 X 13 X 600MM OAK DELLA PORTA
Finish: Smoked White UV Oil/Wax Dsc
D1620068 / Grading Type: Prime
Compatible Plank: 13mm Oak Alberti. See page 112



120 X 13 X 600MM OAK LEONA
Finish: Smoked, Planed Extra White UV Oil/Wax Dsc
D1620069 / Grading Type: Rustic A / Nature
Compatible Plank: 13mm Oak Sangallo. See page 112




120 X 13 X 600MM OAK VICO
Finish: Smoked. Distressed, Planed Black UV Oil/Wax Osmo Aged Edges
D1620070 / Grading Type: Rustic AB
Compatible Plank: 13mm Oak Piero. See page 112



120 X 13 X 600MM OAK LORENZO
Finish: Planed Extra White Oil/Wax Dsc
D1620071 / Grading Type: Rustic AB
Compatible Plank: 13mm Oak Zuccari. See page 112

Pattern options



**Biscuit Joints / false tongues are required for installation of Square Basket & Lattice Pattern*

IMPORTANT: ALL ENGINEERED HERRINGBONES MUST BE GLUED DOWN




Renaissance Herringbone - Oak Della Porta 120 x 13 x 600mm



Renaissance Herringbone - Oak Vico 120 x 13 x 600mm. See page 116



Renaissance Herringbone - Oak Lorenzo 120 x 13 x 600mm. See page 116



Renaissance 19mm / Plank

BY WHITERIVER

The Renaissance Collection will fit into both modern and classic interiors effortlessly. Manufactured in Europe with a birch plywood construction for optimum stability and featuring dimensions of 260mm wide and 1950/2400mm long, these boards are exceptional and expansive in their size and character. The 19mm thick planks come with a 4mm wear layer.

260

CERTIFIED cradle to cradle SILVER

Plank



Renaissance Plank - Oak Da Vinci 260 x 19 x 1950/2400mm



260 X 19 X 1950/2400MM OAK BOTTICELLI

Finish: Smoked, White UV Oil/Wax Dsc

D1420058 / D1420059 - Grading Type: Rustic / Character

Compatible Herringbone: 120x 19mm Oak Angelico. See page 126



260 X 19 X 1950/2400MM OAK DA VINCI

Finish: Smoked, Distressed, Planed, White UV Oil/Wax Osmo

D1420048 / D1420049 - Grading Type: Rustic / Character

Compatible Herringbone: 120x 19mm Oak Landini. See page 126



260 X 19 X 1950/2400MM OAK BRAMANTE

Finish: Planed Extra White UV Oil/Wax Dsc

D1420064 / D1420065 - Grading Type: Rustic / Character

Compatible Herringbone: 120x 19mm Oak Masip. See page 126



260 X 19 X 1950/2400MM OAK CARVAGGIO

Finish: Smoked, Distressed, Planed, Black UV Oil/Wax Osmo

D1420062 / D1420063 - Grading Type: Rustic / Character

Compatible Herringbone: 120x 19mm Oak Brandani. See page 126



260 X 19 X 1950/2400MM OAK MESSINA

Finish: Smoked, Planed, Extra White UV Oil/Wax Dsc

D1420060 / D1420061 - Grading Type: Rustic / Character

Compatible Herringbone: 120x 19mm Oak Lippi. See page 126



260 X 19 X 1950/2400MM OAK CELLINI

Finish: Planed White Oil/Wax Dsc

D1420066 / D1420067 - Grading Type: Rustic / Character


Compatible Herringbone: 120x 19mm Oak Lorrain. See page 126



Supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row.
Subject to availablility. Renaissance boards may contain sapwood.

Whiteriver Plank - Oak Messina 260 x 19 x 1950/2400mm

**Please note that some of the 260 x 19mm Renaissance products come planed as a design feature. This results in a slightly rougher texture around knots and harder areas of the wood and a gathering of the finish in these areas. Renaissance Flooring is supplied in 1950mm or 2400mm lengths or a mixture of both - each pack may contain one nested row.*



Dimensions
120mm x 19mm x 600mm

Renaissance 19mm / Herringbone

BY WHITERIVER

Experience old world luxury with specialty Herringbone designs in 120 x 19 x 600mm format. The Herringbone range is manufactured in Europe to an exacting standard with compatible planks available within the collection. Featuring a 4mm wear layer on a 15mm birch plywood, the unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

CERTIFIED
cradle to cradle
SILVER

Herringbone



Renaissance Herringbone - Oak Brandani 120 x 19 x 600mm



120 X 19 X 600MM OAK ANGELICO
Finish: Smoked, White UV Oil/Wax Dsc
D1620064 / *Grading Type: Prime*
Compatible Plank: 260 x 19mm Oak Botticelli. See page 122




120 X 19 X 600MM OAK LANDINI
Finish: Smoked, Distressed, White UV Oil/Wax Osmo Edges
D1620072 / *Grading Type: Rustic AB*
Compatible Plank: 260 x 19mm Oak Da Vinci. See page 122




120 X 19 X 600MM OAK LIPPI
Finish: Smoked, Planed Extra White UV Oil/Wax Dsc
D1620065 / *Grading Type: Rustic A / Nature*
Compatible Plank: 260 x 19mm Oak Messina. See page 122



120 X 19 X 600MM OAK BRANDANI
Finish: Smoked, Distressed, Black UV Oil/Wax
D1620002 / *Grading Type: Rustic AB*
Compatible Plank: 260 x 19mm Oak Carvaggio. See page 122



120 X 19 X 600MM OAK MASIP
Finish: Planed Extra White UV Oil/Wax Dsc
D1620066 / *Grading Type: Rustic AB*
Compatible Plank: 260 x 19mm Oak Bramante. See page 122



120 X 19 X 600MM OAK LORRAIN
Finish: Planed White UV Oil/Wax Dsc
D1620067 / *Grading Type: Rustic A / Nature*
Compatible Plank: 260 x 19mm Oak Cellini. See page 122



Renaissance Herringbone - Oak Angelico 120 x 19 x 600mm. See page 126




Renaissance Herringbone - Oak Angelico 120 x 19 x 600mm





Renaissance Herringbone - Oak Landini 120 x 19 x 600mm



Dimensions
120 x 13 x 525mm
120 x 19 x 525mm

Renaissance Chevron

BY WHITERIVER

Experience old world luxury with specialty Chevron designs in 120 x 13/19 x 525mm. The Chevron range is manufactured in Europe to an exacting standard with compatible planks available within the collection. The unsurpassed exceptional quality and craftsmanship is guaranteed to bring a touch of luxury to any project.

120

CERTIFIED
cradle to cradle
SILVER

Chevron



Renaissance Chevron - Angelico Smoked 120 x 19 x 525mm. See page 132

Whiteriver - Renaissance chevron 120mm x 525mm
available to special order in both 13mm & 19mm (allow 6-8 weeks)

Technical Data Sheets available at www.wrg.ie



Compatible with:
- **13MM OAK ALBERTI PLANK & 13MM OAK DELLA PORTA HERRINGBONE**
- **19MM OAK BOTTICELLI PLANK & 19MM OAK ANGELICO HERRINGBONE**

Finish: Smoked, White UV Oil/Wax Dsc • Grading Type: Prime



Compatible with:
- **19MM OAK DA VINCI PLANK**
& 19MM OAK LANDINI HERRINGBONE

Finish: Smoked, Distressed, White UV Oil/Wax OSMO• Grading Type:Rustic A / Nature




Compatible with:
- **13MM OAK SANGALLO PLANK & 13MM OAK LEONA HERRINGBONE**
- **19MM OAK MESSINA PLANK & 19MM OAK LIPPI HERRINGBONE**

Finish: Smoked, Extra White UV Oil/Wax Dsc • Grading Type: Rustic AB



Compatible with:
- **13MM OAK PIERO PLANK & 13MM OAK VICO HERRINGBONE**
- **19MM OAK CARVAGGIO PLANK & 19MM OAK BRANDANI HERRINGBONE**

Finish: Smoked, Distressed, Black UV Oil/Wax Osmo • Grading Type: Rustic AB



Compatible with:
- **19MM OAK BRAMANTE PLANK & 19MM OAK MASIP HERRINGBONE**
- **13MM OAK ZUCCARI PLANK & 13MM OAK LORENZO HERRINGBONE**

Finish: Planed Extra White Oil/Wax Dsc • Grading Type: Rustic AB



Compatible with:
- **19MM OAK CELLINI PLANK**
- **19MM OAK LORRAIN HERRINGBONE**

Finish: Planed White Oil/Wax Dsc • Grading Type: Rustic AB



Renaissance Chevron - Oak Bramante 120 x 19 x 525mm

BOARD SIZES VARY

Renaissance XL

BY WHITERIVER

Renaissance XL represents customisation, quality, exclusiveness, nature and sustainability, which are reflected in all of our designs. During the production process the floor elements are manufactured by hand, this way each plank has its own unique and exclusive appearance. XL floors are characterised by their unique surface. The exclusive finishing stands out because of the particularly varying heights, better known as Original Surface. XL can also be provided in a sanded variant, for an even surface - the Sanded Surface. These extraordinary floors are produced in different lengths up to as much as 4 metres long and almost 50 cm wide.



Note: *Plank widths vary from 280mm - 480mm*
Plank lengths vary from 2000mm - 4000mm / Plank thickness varies between products.
See individual product details on page 136-138.

XL



Renaissance XL - Oak Giovanni Original Surface 280-480 x 23 x 2000-4000mm. See page 138



XL OAK GIORGIONE ORIGINAL SURFACE
280-480 X 23 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430005
Grading Type: Rustic / Character



XL OAK MASSOLINO SANDED
280-480 X 19 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430006
Grading Type: Rustic / Character



XL OAK VASARI SANDED
280-480 X 20 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430007
Grading Type: Rustic / Character



XL OAK AMADEO SANDED
280-480 X 19 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430008
Grading Type: Rustic / Character



Renaissance XL - Oak Perugino Sanded, Band Sawn, UV Hardened Oil/Wax 280-480 x 20 x 2000-4000mm. See page 138



XL OAK GIOVANNI ORIGINAL SURFACE
280-480 X 23 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430001
Grading Type: Rustic / Character



XL OAK PERUGINO SANDED SURFACE
280-480 X 20 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430002
Grading Type: Rustic / Character



XL OAK MASSACIO SANDED
280-480 X 20 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430003
Grading Type: Rustic / Character



XL OAK DUCCIO SANDED
380 X 19 X 2000-4000MM
Finish: UV Hardened Oil/Wax
D1430004
Grading Type: Rustic / Character

As these floors are hand-made to order, please allow a lead time of 8 weeks.



Renaissance XL - Oak Giorgione 280-480 x 23 x 2000-4000mm. See page 136

Architects & *Designers*







Renaissance XL - Oak Giorgione- 280-480 x 23 x 2000-4000mm

Architects & *Designers*

We have a long tradition of working with Architects & Designers on both commercial and residential developments. Along with offering our product range which is displayed on our site, we also offer a bespoke product design service for larger projects, we have expertise dealing in both new design and protected restoration. Our company has worked on many leading projects and have expertise in the following areas.

- Hotels
- Pubs & Restaurants
- Retail
- Residential
- Health care
- College/Universities
- Student accommodation
- Museums

Recent projects of note include Lansdowne Place, Adare Manor Hotel and Golf Resort, Becton Dickinson Research Centre, Mount Juliet Estate, Hanover Quay, Tayto Park, Cliff House Hotel, Kerry Group H.Q., Carechoice Nursing Home, UCC Student Campus.

Our company is both FSC & PEFC certified and we also follow and comply with EU policy on the importation and sale of wood products. If you require any further information for product specification, or simply want to discuss our product offering we are more than happy to help you. We also have a full product showroom in Dunleer, Co. Louth, Ireland which is available by appointment.


Please do not hesitate to contact us to discuss any requirements you may have.
Tel: +353 (0) 41 686 1000 or enquiries@wrg.ie



Architects & Designers Sample Box



Architects & Designers Sample Box



Trade Product Listing





Renaissance XL - Oak Massolino - 280mm x 19mm x 2000mm



Renaissance Herringbone - Oak Landini - 120mm x 19mm x 600mm



Renaissance Plank - Oak Da Vinci - 260mm x 19mm x 1950/2400mm



Renaissance Herringbone - Oak Angelico 120mm x 19mm x 600mm






Renaissance Chevron - Oak Angelico - 120mm x 19mm x 525mm



Rhode Island Herringbone 90 x 14 x 450mm



Renaissance XL - Oak Giovanni Original - 280-480mm x 23mm x 2000mm



Renaissance Stair Nosings



Renaissance Plank - Oak Da Vinci - 260mm x 19mm x 1950/2400mm





Barista Plank - Oak Napoletana- 180mm x 14mm x 2200mm



Barista Plank - Oak Mocha - 180mm x 14mm x 2200mm



Pembroke Oak - 220mm x 18mm x 2200mm



Renaissance Plank Oak Cellini - 260 x 19 x 1950/2400mm. See page 122



Renaissance Herringbone - Oak Angelico 120 x 19 x 600mm. See page 126



Heritage - Oak Laurens - 190mm x 18mm x 1900mm





Heritage - Oak Laurens - 190mm x 18mm x 1900mm



Heritage - Nelson Oak - 190mm x 18mm x 1900mm

Grading *Guidelines*

Trees are as individualistic as people and therefore no two are the same. It is this characteristic that makes timber floors an attractive choice and interesting feature in any setting.

Grading guidelines will vary between manufacturers as well as between different species and we feel it is important to outline some of the typical variances to be found within our ranges.

We have put together the following examples of Oak grading as a guide to highlight some of the characteristics you can expect to see across different floors. It is important to note that these images are typical characteristics and will vary within their own grades as choosing veneers is done by visual inspection and is not an exact science.



SELECT / PRIME

As the name suggests, this high grade will have little or no knots – any knots contained in the finished product will be minimal in size. Sapwood imperfections and fillers are kept to a minimum and colour matched to blend with the grain of the wood. Overall colour variation is consistent.



VINTAGE

Quantity and size of knots will be significantly more evident in this grade. Maximum size of broken knots, 45mm. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Allowable sapwood to be less 30% of the board width and less than 30% in volume. Growth ring and end crack defects will be more obvious and sunken filled to match the natural timber however may vary between boards and batches. Width of cracks 10mm maximum



UNIVERSAL

Universal grading contains a mixture of prime, nature and rustic/character grading. Different species will have different characteristics e.g. European oak grading tends to include it's fair share of knotting so there will be a more limited amount of prime/nature boards within universal grading. The boards will contain both heartwood and sapwood and have a degree of natural colour variation as a result. Knots are filled to match the natural timber however may vary between boards and batches.



SAPWOOD

Sapwood is the outer part of a tree's stem or branch which allows essential water and sap to flow as it continues to grow. In most species it has a lighter appearance to the rest of the tree as it naturally contains a higher level of moisture during growth. The level of sapwood in our flooring ranges is controlled within our grading guidelines and also depends on the surface treatment of the final product. Natural oiled or clear lacquered finishes will mask the appearance of sapwood while smoking and white oiling may highlight the sapwood as it reacts to the finishing process.



NATURE

Nature grading contains some knots, but less than Universal grade, some sapwood and some colour variation. Knot sizes are restricted so it tends to have an overall calmer appearance than Universal grading. Knots are filled to match the natural timber however may vary between boards and batches.



RUSTIC / CHARACTER

Quantity and size of knots will be significantly more evident in this grade. The boards will contain both heartwood and sapwood and have a higher degree of natural colour variation as a result. Growth ring and end crack defects will be more obvious and filled to match the natural timber however may vary between boards and batches.



KNOTS & FILLERS

Knots are created when a branch grows out from the crown of the tree and can also be an indication of a dormant bud. The tree naturally grows around knots hence the flowing effect of the grain around them. The amount and size of knots in our flooring is controlled within our grading guidelines. During the manufacturing process it may be necessary to fill knots to achieve a consistent surface finish – the colour and depth of the filler is determined by the overall design of the final product.



MEDULLARY RAYS

Medullary Rays are natural cellular structures within the tree and can appear as a sporadic formation of stretch like marks within the timber.



NEW RUSTIC AB (RENAISSANCE HERRINGBONE)

This grading contains healthy knots up to 60mm diameter and filled knots up to 35mm diameter allowed. Knots are filled to match the natural timber however may vary between boards and batches. The boards will contain some sapwood with some natural colour variation as a result. Allowable sapwood to be less than 10% of the board width and less than 10% in volume. Some small closed cracks can occur, max 2mm open.



RUSTIC A / NATURE (HERRINGBONE & CHEVRON PANELS)

This grading contains some knots, some sapwood and some colour variation. Maximum knot size is restricted to c25mm so it tends to have an overall balanced appearance due to fewer knots. Knots are filled to match the natural timber however may vary between boards and batches.




SMOKING

During the smoking process there is a reaction with a natural acid in the oak called tannin. The levels of tannin can vary in each board and from batch to batch therefore there will be a colour variation between boards and batches because of the smoking process. After installation, the floor will change to a warmer colour tone over time, this period of time is influenced by sunlight, indoor light and the atmosphere on site.

Underlays & Profiles

Underlay is the foundation to all professional floor installations therefore it is essential that the correct product is specified to suit conditions and customer expectations of performance. We recommend using a good quality underlay for all hard subfloors, whether they are made of cement, wood substrate, ceramic or synthetic. You consequently increase the resilience of the floor, absorb indoor and footfall sound and level minor irregularities in the subfloor. We recommend that you use polythene over concrete subfloors in addition to underlay.

										
Name	**2mm White Foam**	**2mm Superior Green**	**2mm Heat Master Perforated**	**2MM Cork**	**3mm Acoustic Blue Plus**	**3mm Ultra Strong**	**3mm Premium Red Vapour Seal**	**3mm Silent Plus**	**3mm Sound Master Pro Cork Rubber Underlay**	**4.5mm Sound Master Pro Cork Rubber Underlay**
Code	F1010035 / F1010030	F1010040	F1010014	F1010004	F1010045	F1010015	F1010050	F1010011	F1010018	F1010024
Coverage Per Roll/Pack	15 / 25m²	10m²	10m²	20m²	10m²	10m²	10m²	10m²	10m²	10m²
Roll Size	2mm x 1m x 15 / 25m	2mm x 1m x 10m	2mm x 1m x 10m	2mm x 1m x 20m	3mm x 1m x 10m	3mm x 1m x 10m	3mm x 1m x 10m	3mm x 1m x 10m	3mm x 1m x 10m Roll weight: 22kg	4.5mm x 1m x 10m Roll weight: 33kg
TOG Rating	0.62	0.40	0.35	0.41	0.60	0.60	0.60	1.20	0.75	0.75
Impact Sound Reduction	16dB	19dB	20dB	17dB	21dB	22dB	21dB	23dB	18dB	18dB
Underfloor Heating	✗ Do not use	✓	✓	✓	✓	✓ ≤ 8mm Laminate only	✓ ≤ 8mm Laminate only	✗ Do not use	✗ Do not use	✗ Do not use
Compressive Strength	Poor	Very Good	Very Good	Good	Excellent	Excellent	Excellent	Very Good	Excellent	Excellent
Heat Transfer Resistance	0.062 k/w m²	0.04 k/w m²	0.035 k/w m²	0.041 k/w m²	0.06 k/w m²	0.060 k/w m²	0.06 k/w m²	0.120 k/w m²	0.075 k/w m²	0.075 m k/w m²
Rolls per Pallet	64 / 48	64 / 48	72	24	56	48	56	30 / 36	24	16

*Contact our technical department for more information.

DROP LOCK SYSTEM
For products that use Drop Lock System, we do not recommend underlays thicker than 3mm.


Solid Stair Nosing

Wooden stairs are in line with the latest interior design trends. Puristic furniture and large glass areas correspond with floors, walls and stairs that radiate warmth and provide texture. Therefore, engineered flooring on stairs is attracting more and more fans. Stair Nosing's offer the perfect solution for contemporary interior stair design within engineered Plank.



WHITERIVER
SOLID STAIR
NOSING
UNFINISHED

28 x 48 x 2400MM (to suit 13, 14, 18, 19mm)
Designed to match all our plank ranges
The finishing touch to your floor




28 x 48 x 2400MM
(to suit 13, 14, 18, 19mm)



BARISTA
SOLID STAIR
NOSING
OAK

21 x 55 x 2000MM


Designed to match our 14mm Barista range.
Available in Clear Lacquered, Lacquered White.





EURO STEP STAIR
NOSING 320


Commercial Two Piece
Code: F1625043
Colour: Silver
Length: 2700mm
Floor Thickness: 7mm - 16mm






BARISTA
SOLID STAIR
NOSING
OAK UNFINISHED

41 x 55 x 2000MM
Designed to match our 14mm Barista range.
Available in unfinished.



JOINING PROFILE | Available to order in various dimensions and finishes to suit your project.



Aluminium Joining Profile. Available in 15mm and 20mm high x 3mm thick




Brass Joining Profile. Available in 15mm and 20mm high x 3mm thick

Quality and reassurance


whiteriver group


WHITERIVER GROUP ENGINEERED FLOORING WARRANTY PAGE 1


DOP WD_LF_005


Declaration of Performance


DECLARATION OF PERFORMANCE


DoP WL_LF_007


Declaration of performances (regulation (EU) No. 305/2011)

DoP 113


ENGINEERED RENAISSANCE HERRINGBONE FLOORING INSTALLATION INSTRUCTIONS


Installer responsibility: READ CAREFULLY PRIOR TO INSTALLATION


OAK ZUCCARI

RENAISSANCE PLANK COLLECTION

260 X 13/4 X 1950/2400MM


ENGINEERED PRODUCT SPECIFICATION DATASHEET


OAK LORENZO

RENAISSANCE HERRINGBONE COLLECTION

120 X 13/4 X 600MM

ENGINEERED PRODUCT SPECIFICATION DATASHEET


CARE AND MAINTENANCE

UV OIL

Whiteriver have a long tradition of quality products. We offer you brand-name quality and we invest in developing our products to meet the most stringent quality requirements. This lead in knowledge and experience makes all the difference in our products. So much effort comes with a price, but this price is value for money. It is not by chance that we hold the leading position in the market. If you require any information regarding our products, please feel free to contact our office on tel +353 (0) 41 6861000 or to download it from our website www.wrg.ie.

We wish you many years of enjoyment with our flooring products.

- Technical datasheets
- CE certificates
- Declaration of Performance
- Underfloor heating
- Installation instructions
- Warranties
- Floor aftercare & maintenance (Residential and Commercial)



Renaissance Plank - Oak Da Vinci - 260mm x 19mm x 1950/2400mm. See page 122

UV OIL / DSC FINISH

Room Conditions
Timber likes pleasant room conditions similar to humans; a room temperature of 20°c and humidity of about 50%. A humidity controller may be required. All rooms, which have timber flooring, should ideally be maintained at the above.

UV OIL / DSC FINISH

A UV oiled finish means that the oil is cured under ultra violet lights. This allows more oil to be used and results in a more durable finish than natural oil. As with all floor finishes eventually the surface will wear down and require refinishing. To prolong the lifespan of the floor it is important to use the recommended maintenance products below as it provides ongoing protection to the floor surface.

Higher traffic / heavier use areas will require more frequent use of the Natural Soap and a shorter period of time in between coats of maintenance gel. The floor should be reviewed regularly and maintained for signs of excessive wear and appropriate action should be taken to avoid deterioration of the finish. If there are other building works taking place after installation the floor should be covered to protect the finish. Please see the reverse of each Woca product for full usage instructions. There are also detailed video instructions available at www.wocadenmark.com/video

Protecting your floor
To preserve quality and beauty of your floor the following guidelines should be followed.

- Use protective pads and castor cups under chairs and furniture legs. Use good quality polycarbonate mats under wheeled office chairs.
- We recommend that good quality entrance barrier mats are used at all external entrances to the hardwood flooring to collect grit and moisture from the underside of footwear.
- Never use a rubber mat, with Styrofoam or plastic backing.
- For moving heavy furniture place a piece of carpet face down between the legs and the flooring and pull on the carpet to move the furniture.
- We would advise that during installation / other building works that the timber floor is covered with a heavy duty breathable floor protection roll / sheets to protect the finish.
- Do not apply adhesive / decorators tape directly to the floor finish.

CLEAN (REGULARLY)



Natural Soap
Avg. Coverage: 320-400m²/L

Should be used for cleaning all wood floors with UV Oil and DSC finishes. Woca Natural Soap contains high quality vegetable oils that help prevent the wood from drying out. Available in the following; Natural (beige and dark tone wood floors), White (light tone wood floors).

REJUVENATE (AS REQUIRED)





Intensive wood cleaner
Avg. Coverage: 200-300m²/L

This is strictly for preparing wooden floors for further treatment. Intensive wood cleaner is efficient at removing stains caused by dirt or grease whilst also helping to open the wood to receive further treatments.



Maintenance Gel
Avg. Coverage: 20-30m²/L - 200ml

This is ideal for refreshing oiled wood floors, particularly UV oiled floors & DSC Finish. Can be applied manually with a polish pad. Renew and rejuvenate with maintenance gel once a year or as required depending on wear/use.

Areas with heavy wear can be repaired with Maintenance Gel after cleaning. Particularly strong stains may be removed with Woca Spot Remover.



Herringbone Abbey Oak 120 x 18 x 600mm. See page 68

LACQUERED / UV LACQUERED

Room Conditions
Timber likes pleasant room conditions similar to humans; a room temperature of 20°c and humidity of about 50%. A humidity controller may be required. All rooms, which have timber flooring, should ideally be maintained at the above.

LACQUERED / UV LACQUERED

Prefinished floors are among the easiest floors to care for. The finish consists of resistant, UV-hardened acrylic lacquer. It is formaldehyde-free and environmentally friendly. As with all floor finishes eventually the surface will wear down and require refinishing. To prolong the lifespan of the floor it is important to use the recommended maintenance products below as it provides ongoing protection to the floor surface.

Higher traffic / heavier use areas will require more frequent use of the Master cleaner and Master care to extend the lifetime of the surface. The floor should be reviewed regularly and maintained for signs of excessive wear and appropriate action should be taken to avoid deterioration of the finish. If there are other building works taking place after installation the floor should be covered to protect the finish. Please see the reverse of each Woca product for full usage instructions. There are also detailed video instructions available at www.wocadenmark.com/video

Protecting your floor
To preserve quality and beauty of your floor the following guidelines should be followed.

• Use protective pads and castor cups under chairs and furniture legs. Use good quality polycarbonate mats under wheeled office chairs.
• We recommend that good quality entrance barrier mats are used at all external entrances to the hardwood flooring to collect grit and moisture from the underside of footwear.
• Never use a rubber mat, with Styrofoam or plastic backing.
• For moving heavy furniture place a piece of carpet face down between the legs and the flooring and pull on the carpet to move the furniture.
• We would advise that during installation / other building works that the timber floor is covered with a heavy duty breathable floor protection roll / sheets to protect the finish.
• Do not apply adhesive / decorators tape directly to the floor finish.

CLEAN (REGULARLY)



Master Cleaner
Avg. Coverage: 400m²/L

Effectively removes everyday dirt and grime as well as making the surface stronger and more resistant to liquid spillages. As the cleaner leaves a thin smooth film layer, the floor will start to withstand everyday dirt.

REJUVENATE (AS REQUIRED)





Intensive wood cleaner
Avg. Coverage: 200-300m²/L

This is strictly for preparing wooden floors for further treatment. Intensive wood cleaner is efficient at removing stains caused by dirt or grease whilst also helping to open the wood to receive further treatments.



Master Care
Avg. Coverage: 60m²/L

Helps to reduce the visibility of small scratches, increases the resistance of the surface and provides effective protection against wear. This extends the lifetime of the surface. The product can be used as required because it does not build up a thick coating.

We recommend using Master Cleaner for regular cleaning of your lacquered floor. Woca Master Care is to be used when your floor is in need of refresher treatment.



Renaissance - Oak Della Porta - 120 x 13 x 600mm. See page 116



Herringbone Dingle Oak 120 x 18 x 600mm. See page 66



Barista Herringbone - Oak Espresso - 130mm x 14mm x 725mm. See page 26



Follow Us

Join our social media community for tips and discover new products.

www.instagram.com/whiteriver_group
www.linkedin.com/company/whiteriver-group

08/22

www.wrg.ie

Architects & Designers

Request our new sample box to hold the premium quality of a Whiteriver engineered floor in your hands to truly get a sense of a complete flooring experience. Get in touch to speak with one of our professionals who will guide your choice in the best suitable direction today.

enquiries@wrg.ie / +353 (0) 41 686 1000

Keep me, or recycle me